

2-2 11E

街区計算(隅切除<)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		23-49-15						-8458.9374	5535.5335	1 6
1	150-53- 5	174-42-20	7.3031	-7.2719	0.6739	0.6739	-4.9005	-8466.2093	5536.2074	2 13
2	180-53-24	175-35-44	18.9033	-18.8475	1.4517	2.7995	-52.7636	-8485.0568	5537.6591	3 7
3	119-55-58	115-31-42	1.8737	-0.8075	1.6908	5.9420	-4.7982	-8485.8643	5539.3499	4 8
4	123-31-40	59- 3-22	68.9085	35.4325	59.1009	66.7337	2364.5418	-8450.4318	5598.4508	5 9
5	133-18-32	12-21-54	2.0001	1.9537	0.4283	126.2629	246.6798	-8448.4781	5598.8791	6 10
6	133-18-27	325-40-21	25.4644	21.0292	-14.3600	112.3312	2362.2353	-8427.4489	5584.5191	7 11
7	135- 6-31	280-46-52	5.0001	0.9353	-4.9118	93.0594	87.0385	-8426.5136	5579.6073	8 12
8	135- 6-29	235-53-21	51.2760	-28.7553	-42.4542	45.6934	-1313.9274	-8455.2689	5537.1531	9 5
9	147-55-54	203-49-15	4.0101	-3.6685	-1.6196	1.6196	-5.9415	-8458.9374	5535.5335	10 6

1260- 0- 0

184.7393

SASHIHIKI

3678.164179

1/2

1839.082089

MENSEKI

1839.0821

TSUBO MENSEKI

556.3223

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

3-1号地

123番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-53-21						-8432.7936	5570.3356	1
1	89-34-3	145-27-24	13.6476	-11.2415	7.7386	7.7386	-86.9935	-8444.0351	5578.0742	2
2	94-59-39	60-27-3	14.7269	7.2629	12.8114	28.2886	205.4573	-8436.7722	5590.8856	3
3	85-13-18	325-40-21	14.8186	12.2376	-8.3565	32.7435	400.7019	-8424.5346	5582.5291	4
4	90-13-0	235-53-21	14.7273	-8.2590	-12.1935	12.1935	-100.7061	-8432.7936	5570.3356	5
	360-0-0		57.9204							
						SASHIHIKI 1/2	418.459540			
						MENSEKI	209.229770			
						TSUBO MENSEKI	63.2920			

3-2号地

122番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-53-23						-8438.4015	5562.0560	1
1	89-23-56	145-17-19	12.8528	-10.5654	7.3189	7.3189	-77.3271	-8448.9669	5569.3749	2
2	95-9-42	60-27-1	10.0000	4.9318	8.6993	23.3371	115.0939	-8444.0351	5578.0742	3
3	85-0-23	325-27-24	13.6476	11.2415	-7.7386	24.2978	273.1437	-8432.7936	5570.3356	4
4	90-25-59	235-53-23	10.0000	-5.6079	-8.2796	8.2796	-46.4312	-8438.4015	5562.0560	5
	360-0-0		46.5004							
						SASHIHIKI 1/2	264.479354			
						MENSEKI	132.239677			
						TSUBO MENSEKI	40.0025			

4号地

105番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-27-2						-8444.7525	5576.8089	1
1	88-34-29	149-1-31	15.9992	-13.7176	8.2341	8.2341	-112.9521	-8458.4701	5585.0430	2
2	90-1-51	59-3-22	17.0907	8.7880	14.6582	31.1264	273.5388	-8449.6821	5599.7012	3
3	86-36-59	325-40-21	15.6327	12.9099	-8.8156	36.9690	477.2661	-8436.7722	5590.8856	4
4	94-46-41	240-27-2	16.1814	-7.9803	-14.0767	14.0767	-112.3363	-8444.7525	5576.8089	5
	360-0-0		64.9040							
						SASHIHIKI 1/2	525.516517			
						MENSEKI	262.758259			
						TSUBO MENSEKI	79.4844			

5号地

106番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-27-4						-8448.1598	5570.7985	1
1	88-34-55	149-1-59	16.1673	-13.8629	8.3188	8.3188	-115.3227	-8462.0227	5579.1173	2
2	90-1-24	59-3-23	6.9090	3.5526	5.9257	22.5633	80.1584	-8458.4701	5585.0430	3
3	89-58-8	329-1-31	15.9992	13.7176	-8.2341	20.2549	277.8486	-8444.7525	5576.8089	4
4	91-25-33	240-27-4	6.9090	-3.4073	-6.0104	6.0104	-20.4792	-8448.1598	5570.7985	5
	360-0-0		45.9845							
						SASHIHIKI 1/2	222.205067			
						MENSEKI	111.102534			
						TSUBO MENSEKI	33.6085			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

6-1号地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-55-5						-8451.7338	5556.4688	1 36
1	96-6-35	152-1-40	12.8918	-11.3857	6.0468	6.0468	-68.8471	-8463.1195	5562.5156	2 29
2	175-5-8	147-6-48	7.6003	-6.3823	4.1268	16.2204	-103.5235	-8469.5018	5566.6424	3 19
3	91-56-33	59-3-21	14.5451	7.4791	12.4749	32.8221	245.4798	-8462.0227	5579.1173	4 20
4	89-58-38	329-1-59	16.1673	13.8629	-8.3188	36.9782	512.6251	-8448.1598	5570.7985	5 39
5	91-25-2	240-27-1	7.2075	-3.5546	-6.2700	22.3894	-79.5854	-8451.7144	5564.5285	6 31
6	264-44-18	325-11-19	4.5008	3.6953	-2.5694	13.5500	50.0713	-8448.0191	5561.9591	7 37
7	90-43-46	235-55-5	6.6289	-3.7147	-5.4903	5.4903	-20.3948	-8451.7338	5556.4688	8 36
	900-0-0		69.5417			SASHIHIKI	535.825484			
						1/2	267.912742			
						MENSEKI	267.9127			
						TSUBO MENSEKI	81.0436			

6-2号地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-53-20						-8445.0155	5552.2912	1 26
1	89-32-35	145-25-55	4.6875	-3.8599	2.6596	2.6596	-10.2658	-8448.8754	5554.9508	2 30
2	186-35-48	152-1-43	3.2365	-2.8584	1.5180	6.8372	-19.5435	-8451.7338	5556.4688	3 36
3	83-53-22	55-55-5	6.6289	3.7147	5.4903	13.8455	51.4319	-8448.0191	5561.9591	4 37
4	89-16-13	325-11-18	7.9092	6.4937	-4.5152	14.8206	96.2405	-8441.5254	5557.4439	5 25
5	90-42-2	235-53-20	6.2234	-3.4901	-5.1527	5.1527	-17.9834	-8445.0155	5552.2912	6 26
	540-0-0		28.6855			SASHIHIKI	99.879728			
						1/2	49.939864			
						MENSEKI	49.9399			
						TSUBO MENSEKI	15.1068			

7-1号地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-8-43						-8464.4951	5558.2451	1 35
1	76-54-34	149-3-17	8.6119	-7.3861	4.4284	4.4284	-32.7086	-8471.8812	5562.6735	2 18
2	90-0-8	59-3-25	4.6275	2.3794	3.9689	12.8257	30.5175	-8469.5018	5566.6424	3 19
3	88-3-23	327-6-48	7.6003	6.3823	-4.1268	12.6678	80.8497	-8463.1195	5562.5156	4 21
4	105-1-55	252-8-43	4.4866	-1.3756	-4.2705	4.2705	-5.8745	-8464.4951	5558.2451	5 35
	360-0-0		25.3263			SASHIHIKI	72.784065			
						1/2	36.392033			
						MENSEKI	36.3920			
						TSUBO MENSEKI	11.0086			

7-2号地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-8-43						-8465.9545	5553.7145	1 28
1	76-54-39	149-3-22	9.6898	-8.3107	4.9825	4.9825	-41.4081	-8474.2652	5558.6970	2 17
2	90-0-1	59-3-23	4.6364	2.3840	3.9765	13.9415	33.2365	-8471.8812	5562.6735	3 18
3	89-59-54	329-3-17	8.6119	7.3861	-4.4284	13.4896	99.6355	-8464.4951	5558.2451	4 35
4	103-5-26	252-8-43	4.7599	-1.4594	-4.5306	4.5306	-6.6120	-8465.9545	5553.7145	5 28
	360-0-0		27.6980			SASHIHIKI	84.852050			
						1/2	42.426025			
						MENSEKI	42.4260			
						TSUBO MENSEKI	12.8339			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

7-3号地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		57-45-46						-8468.7902	5548.9940	1
1	91-17-37	149- 3-23	9.6850	-8.3066	4.9800	4.9800	-41.3669	-8477.0968	5553.9740	2
2	89-59-58	59- 3-21	5.5068	2.8316	4.7230	14.6830	41.5764	-8474.2652	5558.6970	3
3	90- 0- 1	329- 3-22	9.6898	8.3107	-4.9825	14.4235	119.8694	-8465.9545	5553.7145	4
4	103- 5-35	252- 8-57	0.4808	-0.1474	-0.4577	8.9833	-1.3241	-8466.1019	5553.2568	5
5	165-36-49	237-45-46	5.0397	-2.6883	-4.2628	4.2628	-11.4597	-8468.7902	5548.9940	6
	540- 0- 0		30.4021			SASHIHIKI	107.295073			
						1/2	53.647536			
						MENSEKI	53.6475			
						TSUBO MENSEKI	16.2284			

7-4号地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		57-45-45						-8473.7645	5541.1064	1
1	91-17-36	149- 3-21	9.4745	-8.1260	4.8718	4.8718	-39.5882	-8481.8905	5545.9782	2
2	90- 0- 1	59- 3-22	9.3227	4.7937	7.9958	17.7394	85.0374	-8477.0968	5553.9740	3
3	90- 0- 1	329- 3-23	9.6850	8.3066	-4.9800	20.7552	172.4051	-8468.7902	5548.9940	4
4	88-42-22	237-45-45	9.3251	-4.9743	-7.8876	7.8876	-39.2353	-8473.7645	5541.1064	5
	360- 0- 0		37.8073			SASHIHIKI	178.618971			
						1/2	89.309485			
						MENSEKI	89.3095			
						TSUBO MENSEKI	27.0161			

7-5号地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		57-45-43						-8476.3610	5536.9893	1
1	117-50- 0	175-35-43	10.4675	-10.4366	0.8039	0.8039	-8.3900	-8486.7976	5537.7932	2
2	63-27-40	59- 3-23	9.5433	4.9071	8.1850	9.7928	48.0542	-8481.8905	5545.9782	3
3	89-59-58	329- 3-21	9.4745	8.1260	-4.8718	13.1060	106.4994	-8473.7645	5541.1064	4
4	88-42-22	237-45-43	4.8675	-2.5965	-4.1171	4.1171	-10.6901	-8476.3610	5536.9893	5
	360- 0- 0		34.3528			SASHIHIKI	135.473572			
						1/2	67.736786			
						MENSEKI	67.7368			
						TSUBO MENSEKI	20.4904			

7-2-2号地
110番

111番

112番

66.3192
(附面積)

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

113番

8-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-33-15						-8468.0230	5536.3471	1 J
1	120- 2-30	175-35-45	8.3627	-8.3380	0.6422	0.6422	-5.3547	-8476.3610	5536.9893	2 1A
2	62-10- 0	57-45-45	19.2323	10.2591	16.2675	17.5519	180.0667	-8466.1019	5553.2568	3 3A
3	94-43-42	332-29-27	8.0391	7.1302	-3.7132	30.1062	214.6632	-8458.9717	5549.5436	4 6A
4	83- 3-48	235-33-15	16.0023	-9.0513	-13.1965	13.1965	-119.4455	-8468.0230	5536.3471	5 J
	360- 0- 0		51.6364			SASHIHIKI 1/2 MENSEKI TSUBO MENSEKI	269.929780 134.964890 134.9649 40.8269			

114番

8-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-33-25						-8458.9717	5549.5436	1 6A
1	96-56- 2	152-29-27	8.0391	-7.1302	3.7132	3.7132	-26.4759	-8466.1019	5553.2568	2 3A
2	99-39-17	72- 8-44	1.3637	0.4181	1.2980	8.7244	3.6477	-8465.6838	5554.5548	3 I
3	79-33-57	331-42-41	8.4182	7.4128	-3.9895	6.0329	44.7207	-8458.2710	5550.5653	4 1A
4	83-50-44	235-33-25	1.2389	-0.7007	-1.0217	1.0217	-0.7159	-8458.9717	5549.5436	5 6A
	360- 0- 0		19.0599			SASHIHIKI 1/2 MENSEKI TSUBO MENSEKI	21.176589 10.588294 10.5883 3.2030			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

9-4

115番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-53-20						-8466.2093	5536.2074	1 13
1	119-42-24	175-35-44	1.8191	-1.8137	0.1397	0.1397	-0.2534	-8468.0230	5536.3471	2 J
2	59-57-31	55-33-15	16.0023	9.0513	13.1965	13.4759	121.9744	-8458.9717	5549.5436	3 65
3	96-56-14	332-29-29	1.4965	1.3273	-0.6912	25.9812	34.4848	-8457.6444	5548.8524	4 64
4	83-23-51	235-53-20	15.2726	-8.5649	-12.6450	12.6450	-108.3032	-8466.2093	5536.2074	5 13
	360- 0- 0		34.5905							
						SASHIHIKI	47.902726			
						1/2	23.951363			
						MENSEKI	23.9514			
						TSUBO MENSEKI	7.2453			

9-5

116番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-29-48						-8462.4563	5535.8596	1 62
1	119-12-31	174-42-19	3.7691	-3.7530	0.3478	0.3478	-1.3053	-8466.2093	5536.2074	2 13
2	61-11- 1	55-53-20	15.2726	8.5649	12.6450	13.3406	114.2609	-8457.6444	5548.8524	3 64
3	276-36- 9	152-29-29	1.4965	-1.3273	0.6912	26.6768	-35.4081	-8458.9717	5549.5436	4 65
4	83- 3-56	55-33-25	1.2389	0.7007	1.0217	28.3897	19.8927	-8458.2710	5550.5653	5 11
5	96- 9-18	331-42-43	4.9099	4.3235	-2.3268	27.0846	117.1003	-8453.9475	5548.2385	6 6
6	83-47- 5	235-29-48	15.0212	-8.5088	-12.3789	12.3789	-105.3296	-8462.4563	5535.8596	7 62
	720- 0- 0		41.7082							
						SASHIHIKI	109.210841			
						1/2	54.605421			
						MENSEKI	54.6054			
						TSUBO MENSEKI	16.5181			

10号地

121番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-53-21						-8441.5254	5557.4439	1 23
1	89-17-57	145-11-18	12.4100	-10.1890	7.0846	7.0846	-72.1850	-8451.7144	5564.5285	2 31
2	95-15-44	60-27- 2	5.5710	2.7475	4.8464	19.0156	52.2454	-8448.9669	5569.3749	3 38
3	84-50-17	325-17-19	12.8528	10.5654	-7.3189	16.5431	174.7845	-8438.4015	5562.0560	4 24
4	90-36- 2	235-53-21	5.5705	-3.1239	-4.6121	4.6121	-14.4077	-8441.5254	5557.4439	5 23
	360- 0- 0		36.4043							
						SASHIHIKI	140.437101			
						1/2	70.218551			
						MENSEKI	70.2186			
						TSUBO MENSEKI	21.2411			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

9-1号地

119番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-53-21						-8450.4808	5544.2223	1
1	89-49-11	145-42-32	5.1319	-4.2399	2.8913	2.8913	-12.2588	-8454.7207	5547.1136	2
2	89-47-18	55-29-50	1.3650	0.7732	1.1249	6.9075	5.3409	-8453.9475	5548.2385	3
3	276-12-52	151-42-42	13.3280	-11.7363	6.3163	14.3487	-168.4006	-8465.6838	5554.5548	4
4	100-26-2	72-8-44	8.3636	-2.5643	7.9608	28.6258	73.4051	-8463.1195	5562.5156	5
5	79-52-57	332-1-41	16.1283	14.2441	-7.5648	29.0218	413.3894	-8448.8754	5554.9508	6
6	173-24-14	325-25-55	4.6875	3.8599	-2.6596	18.7974	72.5561	-8445.0155	5552.2912	7
7	90-27-26	235-53-21	9.7456	-5.4653	-8.0689	8.0689	-44.0990	-8450.4808	5544.2223	8

900-0-0

58.7499

SASHIHIKI

339.933094

1/2

169.966547

MENSEKI

169.9665

TSUBO MENSEKI

-51.4149

9-2

117番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		57-26-41						-8461.6778	5535.7874	1
1	117-15-24	174-42-5	0.7818	-0.7785	0.0722	0.0722	-0.0562	-8462.4563	5535.8596	2
2	60-47-43	55-29-48	13.6562	7.7356	11.2540	11.3984	88.1735	-8454.7207	5547.1136	3
3	90-12-53	325-42-41	0.2309	0.1908	-0.1301	22.5223	4.2973	-8454.5299	5546.9835	4
4	91-44-0	237-26-41	13.2833	-7.1479	-11.1961	11.1961	-80.0286	-8461.6778	5535.7874	5

360-0-0

27.9522

SASHIHIKI

12.385907

1/2

6.192953

MENSEKI

6.1930

TSUBO MENSEKI

1.8734

9-3

118番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		23-49-15						-8458.9374	5535.5335	1
1	150-53-9	174-42-24	2.7521	-2.7404	0.2539	0.2539	-0.6958	-8461.6778	5535.7874	2
2	62-44-17	57-26-41	13.2833	7.1479	11.1961	11.7039	83.6583	-8454.5299	5546.9835	3
3	88-15-51	325-42-32	4.9010	4.0491	-2.7612	20.1388	81.5440	-8450.4808	5544.2223	4
4	90-10-50	235-53-22	8.5381	-4.7881	-7.0692	10.3084	-49.3577	-8455.2689	5537.1531	5
5	147-55-53	203-49-15	4.0101	-3.6685	-1.6196	1.6196	-5.9415	-8458.9374	5535.5335	6

540-0-0

33.4846

SASHIHIKI

109.207382

1/2

54.603691

MENSEKI

54.6037

TSUBO MENSEKI

16.5176