

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

街 区 面 積 (隅切除く)
14 街 区

※トラバース 外周

NO.	X	Y	DX	DY	北東	北西	南東	南西	ハ・イ・ウ・キヨ	ハ・イ・メ・セキ
001-148511.2233	75703.2971	-36.7498	30.1405	47.5289	140-38-35	93-53-38	30.1405	-1107.65734690		
002-148547.9731	75733.4376	-33.4780	27.0370	43.0323	141-04-32	180-25-57	87.3180	-2923.23200400		
003-148581.4511	75760.4746	7.7668	5.8479	9.7222	36-58-39	75-54-07	120.2029	933.59188372		
004-148573.6843	75766.3225	1.9115	1.0150	2.1643	27-58-05	170-59-26	127.0658	242.88627670		
005-148571.7728	75767.3375	7.8335	3.8140	8.7127	25-57-38	177-59-33	131.8948	1033.19791580		
006-148563.9393	75771.1515	9.7710	0.7520	9.7999	4-24-03	158-26-25	136.4608	1333.35847680		
007-148554.1683	75771.9035	3.9408	-0.1687	3.9444	357-32-55	173-08-52	137.0441	540.06338928		
008-148550.2275	75771.7348	11.9744	-1.1909	12.0335	354-19-13	176-46-18	135.6845	1624.74047680		
009-148538.2531	75770.5439	9.9226	-5.6811	11.4338	330-12-25	155-53-12	128.8125	1278.15491250		
010-148528.3305	75764.8628	20.0230	-16.5010	25.9462	320-30-29	170-18-04	106.6304	2135.06049920		
011-148508.3075	75748.3618	13.6888	-11.2198	17.6994	320-39-39	180-09-10	78.9096	1080.17773248		
012-148494.6187	75737.1420	0.9299	-15.2063	15.2347	273-29-58	132-50-19	52.4835	48.80440665		
013-148493.6888	75721.9357	-4.8715	-5.1778	7.1092	226-44-45	133-14-47	32.0994	-156.37222710		
014-148498.5603	75716.7579	-12.6630	-13.4608	18.4809	226-44-57	180-00-12	13.4608	-170.45411040		
TOTAL					232.8424	2160-00-00		5892.32028153		

メソセキ 2946.16014076
ツホ スウ 891.21344258

メソセキ 2946.16014076
ツホ スウ 891.21344258

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

画 地 面 積
2 号 地

1

※プロトラパース クイックジョ

NO.	X	Y	DX	DY	※ヨリ	※ウツカク	※ヨウカク	※イオウキヨ	※イメンキ
046-148542.0327	75765.5805	-4.0339	3.1056	5.0909	142-24-30	89-41-51	3.1056	-12.52767984	
047-148546.0666	75768.6861	1.7670	2.4591	3.0281	54-18-02	91-53-32	8.6703	15.32042010	
025-148544.2996	75771.1452	6.0465	-0.6013	6.0763	354-19-15	120-01-13	10.5281	63.65815665	
009-148538.2531	75770.5439	-3.7796	-4.9634	6.2386	232-42-39	58-23-24	4.9634	-18.75966664	
TOTAL				20.4339		360-00-00		47.69123027	

メソキ 23.84561513
ツホ スウ 7.21329857

メソキ 23.84561513
ツホ スウ 7.21329857

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

11号地

2番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-40-46								1
1	90-19-37	142-0-23	7.1007	-5.5959	4.3710	4.3710	-24.4597	-8548.2799	5757.3211	2
2	91-9-3	53-9-26	12.1006	7.2558	9.6839	18.4259	133.6946	-8553.8758	5761.6921	3
3	121-9-45	354-19-11	2.3319	2.3204	-0.2308	27.8790	64.6904	-8546.6200	5771.3760	4
4	59-58-51	234-18-2	3.0281	-1.7670	-2.4591	25.1891	-44.5091	-8544.2996	5771.1452	5
5	268-6-28	322-24-30	5.0909	4.0339	-3.1056	19.6244	79.1629	-8546.0666	5768.6861	6
6	179-37-23	322-1-53	0.2201	0.1735	-0.1354	16.3834	2.8425	-8542.0327	5765.5805	7
7	89-38-53	231-40-46	10.3549	-6.4207	-8.1240	8.1240	-52.1618	-8541.8592	5765.4451	8
	900-0-0		40.2272					-8548.2799	5757.3211	
						SASHIHIKI	159.259878			
						1/2	79.629939			
						MENSEKI	79.6299			
						TSUBO MENSEKI	24.0881			

12号地

3番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		53-9-26								1
1	88-50-58	142-0-24	4.7091	-3.7112	2.8988	2.8988	-10.7580	-8553.8758	5761.6921	2
2	91-9-2	53-9-26	9.0307	5.4150	7.2271	13.0247	70.5288	-8557.5870	5764.5909	3
3	124-23-34	357-33-0	1.9463	1.9445	-0.0832	20.1686	39.2178	-8552.1720	5771.8180	4
4	176-46-12	354-19-12	3.6253	3.6075	-0.3588	19.7266	71.1637	-8550.2275	5771.7348	5
5	58-50-14	233-9-26	12.1006	-7.2558	-9.6839	9.6839	-70.2644	-8546.6200	5771.3760	6
	540-0-0		31.4120					-8553.8758	5761.6921	
						SASHIHIKI	99.887835			
						1/2	49.943917			
						MENSEKI	49.9439			
						TSUBO MENSEKI	15.1080			

13号地

4番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		53-9-26								1
1	88-50-57	142-0-23	9.6604	-7.6132	5.9467	5.9467	-45.2734	-8557.5870	5764.5909	2
2	63-57-14	25-57-37	1.4024	1.2609	0.6139	12.5073	15.7705	-8565.2002	5770.5376	3
3	158-26-26	4-24-3	9.7999	9.7710	0.7520	13.8732	135.5550	-8563.9393	5771.1515	4
4	173-8-48	357-32-51	1.9981	1.9963	-0.0855	14.5397	29.0256	-8554.1683	5771.9035	5
5	55-36-35	233-9-26	9.0307	-5.4150	-7.2271	7.2271	-39.1347	-8552.1720	5771.8180	6
	540-0-0		31.8915					-8557.5870	5764.5909	
						SASHIHIKI	95.942932			
						1/2	47.971466			
						MENSEKI	47.9715			
						TSUBO MENSEKI	14.5114			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

画 地 面 積
19 号 地

5

19号地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y
0		52- 0-22						-8562.4033	5760.0193
1	90- 0- 6	142- 0-28	11.8888	-9.3695	7.3182	7.3182	-68.5679	-8571.7728	5767.3375
2	63-57-11	25-57-39	7.3102	6.5726	3.2001	17.8365	117.2322	-8565.2002	5770.5376
3	116- 2-46	322- 0-25	8.6790	6.8398	-5.3425	15.6941	107.3445	-8558.3604	5765.1951
4	89-59-57	232- 0-22	6.5676	-4.0429	-5.1758	5.1758	-20.9252	-8562.4033	5760.0193
	360- 0- 0		34.4456						
						SASHIHIKI	135.083568		
						1/2	67.541784		
						MENSEKI	67.5418		
						TSUBO MENSEKI	20.4314		

No. 1
2
3
4
5

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

18の1号地

6番
測量番号

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		52-17-18								1
1	89-39-26	141-56-44	4.4300	-3.4883	2.7307	2.7307	-9.5255	-8557.8906	5751.4588	2
2	90-9-1	52-5-45	0.1030	0.0633	0.0813	5.5427	0.3509	-8561.3789	5754.1895	3
3	269-39-38	141-45-23	5.3563	-4.2068	3.3156	8.9396	-37.6071	-8561.3156	5754.2708	4
4	269-19-8	231-4-31	3.0740	-1.9314	-2.3915	9.8637	-19.0508	-8565.5224	5757.5864	5
5	90-13-23	141-17-54	13.0425	-10.1785	8.1550	15.6272	-159.0615	-8567.4538	5755.1949	6
6	75-40-45	36-58-39	4.9420	3.9480	2.9726	26.7548	105.6280	-8577.6323	5763.3499	7
7	170-59-26	27-58-5	2.1643	1.9115	1.0150	30.7424	58.7641	-8573.6843	5766.3225	8
8	114-2-23	322-0-28	11.8888	9.3695	-7.3182	24.4392	228.9831	-8571.7728	5767.3375	9
9	269-59-54	52-0-22	6.5676	4.0429	5.1758	22.2968	90.1437	-8562.4033	5760.0193	10
10	90-0-1	322-0-23	8.7741	6.9147	-5.401	22.0715	152.6178	-8558.3604	5765.1951	11
11	90-16-55	232-17-18	10.5362	-6.4449	-8.3352	8.3352	-53.7195	-8551.4457	5759.7940	12
	1620-0-0		70.8788			SASHIHIKI	357.523173			
						1/2	178.761587			
						MENSEKI	178.7616			
						TSUBO MENSEKI	54.0754			

18の2号地

8番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		52-36-7								1
1	88-28-26	141-4-33	5.5637	-4.3284	3.4956	3.4956	-15.1304	-8566.0703	5748.0530	2
2	89-59-56	51-4-29	7.7610	4.8763	6.0378	13.0290	63.5333	-8570.3987	5751.5486	3
3	90-40-54	321-45-23	5.3563	4.2068	-3.3156	15.7512	66.2621	-8565.5224	5757.5864	4
4	90-20-22	232-5-45	0.1030	-0.0633	-0.0813	12.3543	-0.7820	-8561.3156	5754.2708	5
5	180-30-22	232-36-7	7.7244	-4.6914	-6.1365	6.1365	-28.7888	-8561.3789	5754.1895	6
	540-0-0		26.5084			SASHIHIKI	85.094303			
						1/2	42.547151			
						MENSEKI	42.5472			
						TSUBO MENSEKI	12.8705			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

20号地

212/4 1/2

7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 4-27								1
1	90- 0- 4	141- 4-31	14.2067	-11.0524	8.9260	8.9260	-98.6537	-8570.3987	5751.5486	2
2	75-54- 7	36-58-38	4.7802	3.8188	2.8753	20.7273	79.1534	-8581.4511	5760.4746	3
3	104-19-16	321-17-54	13.0425	10.1785	-8.1550	15.4476	157.2334	-8577.6323	5763.3499	4
4	89-46-33	231- 4-27	4.6870	-2.9449	-3.6463	3.6463	-10.7380	-8567.4538	5755.1949	5
	360- 0- 0		36.7164							
						SASHIHIKI	126.995099			
						1/2	63.497549			
						MENSEKI	63.4975			
						TSUBO MENSEKI	19.2080			

20号地
53

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

21E4A

17 28 号地

9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	28	X	Y	No.
0		52-17-59								1
1	88-46-34	141- 4-33	4.8006	-3.7348	3.0162	3.0162	-11.2649	-8562.3355	5745.0368	2
2	91-31-34	52-36- 7	7.7244	4.6914	6.1365	12.1689	57.0892	-8566.0703	5748.0530	3
3	89-20-35	321-56-42	4.8404	3.8114	-2.9837	15.3217	58.3971	-8561.3789	5754.1895	4
4	90-21-17	232-17-59	7.7968	-4.7680	-6.1690	6.1690	-29.4138	-8557.5675	5751.2058	5
	360- 0- 0		25.1622					-8562.3355	5745.0368	
						SASHIHIKI	74.807609			
						1/2	37.403805			
						MENSEKI	37.4038			
						TSUBO MENSEKI	11.3147			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

2124 15

17の4号地

15

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-34-56						-8543.2693	5729.5797	1
1	89-3-37	140-38-33	6.0835	-4.7038	3.8579	3.8579	-18.1468	-8547.9731	5733.4376	2
2	180-26-8	141-4-41	0.7172	-0.5580	0.4506	8.1664	-4.5569	-8548.5311	5733.8882	3
3	90-43-12	51-47-53	8.0662	4.9884	6.3387	14.9557	74.6050	-8543.5427	5740.2269	4
4	90-8-49	321-56-42	6.8304	5.3784	-4.2104	17.0840	91.8846	-8538.1643	5736.0165	5
5	89-38-14	231-34-56	8.2154	-5.1050	-6.4368	6.4368	-32.8599	-8543.2693	5729.5797	6
540-0-0			29.9127			SASHIHIKI	110.926094			
						1/2	55.463047			
						MENSEKI	55.4630			
						TSUBO MENSEKI	16.7776			

17の5号地

12

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-47-53						-8548.5311	5733.8882	1
1	89-16-38	141-4-31	5.5827	-4.3432	3.5076	3.5076	-15.2342	-8552.8743	5737.3958	2
2	90-55-26	51-59-57	7.9813	4.9139	6.2893	13.3045	65.3770	-8547.9604	5743.6851	3
3	89-56-48	321-56-45	5.6103	4.4177	-3.4582	16.1356	71.2822	-8543.5427	5740.2269	4
4	89-51-8	231-47-53	8.0662	-4.9884	-6.3387	6.3387	-31.6200	-8548.5311	5733.8882	5
360-0-0			27.2405			SASHIHIKI	89.805043			
						1/2	44.902522			
						MENSEKI	44.9025			
						TSUBO MENSEKI	13.5830			

17の6号地

11

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-59-57						-8552.8743	5737.3958	1
1	89-4-33	141-4-30	7.5607	-5.8820	4.7504	4.7504	-27.9419	-8558.7563	5742.1462	2
2	90-55-41	52-0-11	7.8666	4.8428	6.1992	15.7000	76.0320	-8553.9135	5748.3454	3
3	89-56-31	321-56-42	7.5603	5.9531	-4.6603	17.2389	102.6249	-8547.9604	5743.6851	4
4	90-3-15	231-59-57	7.9813	-4.9139	-6.2893	6.2893	-30.9050	-8552.8743	5737.3958	5
360-0-0			30.9689			SASHIHIKI	119.810012			
						1/2	59.905006			
						MENSEKI	59.9050			
						TSUBO MENSEKI	18.1213			

17の7号地

10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		52-0-11						-8558.7563	5742.1462	1
1	89-4-20	141-4-31	4.6007	-3.5792	2.8906	2.8906	-10.3460	-8562.3355	5745.0368	2
2	91-13-28	52-17-59	7.7968	4.7680	6.1690	11.9502	56.9786	-8557.5675	5751.2058	3
3	89-38-45	321-56-44	4.6404	3.6540	-2.8604	15.2588	55.7557	-8553.9135	5748.3454	4
4	90-3-27	232-0-11	7.8666	-4.8428	-6.1992	6.1992	-30.0215	-8558.7563	5742.1462	5
360-0-0			24.9045			SASHIHIKI	72.366688			
						1/2	36.183344			
						MENSEKI	36.1833			
						TSUBO MENSEKI	10.9455			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

15の5号地

ZIE/A

13番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-39-21								1
1	90-17-23	141-56-44	18.5384	-14.5976	1.4273	11.4273	-166.8112	-8543.2930	5740.0315	2
2	90-20-34	52-17-18	10.5362	6.4449	8.3352	31.1898	201.0151	-8557.8906	5751.4588	3
3	89-43-5	322-0-23	18.6548	14.7015	-11.4834	28.0416	412.2536	-8551.4457	5759.7940	4
4	89-38-58	231-39-21	10.5561	-6.5488	-8.2791	8.2791	-54.2182	-8536.7442	5748.3106	5
	360-0-0		58.2855					-8543.2930	5740.0315	
						SASHIHIKI	392.239400			
						1/2	196.119700			
						MENSEKI	196.1197			
						TSUBO MENSEKI	59.3262			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

21014 18

15の1号地

19

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y
0		51-39-26							
1	90-17-16	141-56-42	6.4701	-5.0947	3.9883	3.9883	-20.3192	-8525.9119	5726.4251
2	89-42-43	51-39-25	10.5727	6.5590	8.2923	16.2689	106.7077	-8531.0066	5730.4134
3	90-21-0	322-0-25	6.4701	5.0990	-3.9828	20.5784	104.9293	-8524.4476	5738.7057
4	89-39-1	231-39-26	10.5797	-6.5633	-8.2978	8.2978	-54.4610	-8519.3486	5734.7229
	360-0-0		34.0926					-8525.9119	5726.4251
						SASHIHIKI	136.856834		
						1/2	68.428417		
						MENSEKI	68.4284		
						TSUBO MENSEKI	20.6996		

15の2号地

18

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y
0		51-39-25							
1	90-17-19	141-56-44	5.0001	-3.9372	3.0821	3.0821	-12.1348	-8531.0066	5730.4134
2	89-42-40	51-39-24	10.5674	6.5557	8.2881	14.4523	94.7449	-8534.9438	5733.4955
3	90-21-1	322-0-25	5.0001	3.9405	-3.0779	19.6625	77.4801	-8528.3881	5741.7836
4	89-39-0	231-39-25	10.5727	-6.5590	-8.2923	8.2923	-54.3892	-8524.4476	5738.7057
	360-0-0		31.1403					-8531.0066	5730.4134
						SASHIHIKI	105.700985		
						1/2	52.850492		
						MENSEKI	52.8505		
						TSUBO MENSEKI	15.9873		

15の3号地

17

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y
0		51-39-24							
1	90-17-20	141-56-44	5.0001	-3.9372	3.0821	3.0821	-12.1348	-8534.9438	5733.4955
2	89-42-39	51-39-23	10.5621	6.5525	8.2839	14.4481	94.6712	-8538.8810	5736.5776
3	90-20-59	322-0-22	5.0000	3.9404	-3.0779	19.6541	77.4450	-8532.3285	5744.8615
4	89-39-2	231-39-24	10.5674	-6.5557	-8.2881	8.2881	-54.3343	-8528.3881	5741.7836
	360-0-0		31.1296					-8534.9438	5733.4955
						SASHIHIKI	105.647050		
						1/2	52.823525		
						MENSEKI	52.8235		
						TSUBO MENSEKI	15.9791		

15の4号地

14

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y
0		51-39-23							
1	90-17-18	141-56-41	5.6031	-4.4120	3.4539	3.4539	-15.2386	-8538.8810	5736.5776
2	89-42-40	51-39-21	10.5561	6.5488	8.2791	15.1869	99.4360	-8543.2930	5740.0315
3	90-21-3	322-0-24	5.6031	4.4157	-3.4491	20.0169	88.3886	-8536.7442	5748.3106
4	89-38-59	231-39-23	10.5621	-6.5525	-8.2839	8.2839	-54.2803	-8532.3285	5744.8615
	360-0-0		32.3244					-8538.8810	5736.5776
						SASHIHIKI	118.323735		
						1/2	59.162867		
						MENSEKI	59.1629		
						TSUBO MENSEKI	17.8968		

17の1号地

22番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-55-3						-8525.1436	5714.7139	1 17
1	89-43-32	140-38-35	5.8608	-4.5316	3.7166	3.7166	-16.8421	-8529.6752	5718.4305	2 14
2	90-23-56	51-2-31	8.6159	5.4173	6.6998	14.1330	76.5627	-8524.2579	5725.1303	3 56
3	90-54-12	321-56-43	5.8803	4.6303	-3.6247	17.2081	79.6787	-8519.6276	5721.5056	4 56
4	88-58-20	230-55-3	8.7495	-5.5160	-6.7917	6.7917	-37.4630	-8525.1436	5714.7139	5 17
	360-0-0		29.1065							
						SASHIHIKI	101.936205			
						1/2	50.968102			
						MENSEKI	50.9681			
						TSUBO MENSEKI	15.4179			

17の2号地

21番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-2-31						-8529.6752	5718.4305	1 14
1	89-36-3	140-38-34	11.6007	-8.9697	7.3566	7.3566	-65.9865	-8538.6449	5725.7871	2 15
2	90-43-54	51-22-28	8.3516	5.2133	6.5246	21.2378	110.7190	-8533.4316	5732.3117	3 57
3	90-34-15	321-56-43	11.6503	9.1737	-7.1814	20.5810	188.8039	-8524.2579	5725.1303	4 56
4	89-5-48	231-2-31	8.6159	-5.4173	-6.6998	6.6998	-36.2948	-8529.6752	5718.4305	5 14
	360-0-0		40.2185							
						SASHIHIKI	197.241621			
						1/2	98.620810			
						MENSEKI	98.6208			
						TSUBO MENSEKI	29.8328			

17の3号地

16番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-22-28						-8538.6449	5725.7871	1 15
1	89-16-10	140-38-38	5.9807	-4.6244	3.7926	3.7926	-17.5385	-8543.2693	5729.5797	2 16
2	90-56-18	51-34-56	8.2154	5.1050	6.4368	14.0220	71.5823	-8538.1643	5736.0165	3 58
3	90-21-49	321-56-45	6.0103	4.7327	-3.7048	16.7540	79.2917	-8533.4316	5732.3117	4 57
4	89-25-43	231-22-28	8.3516	-5.2133	-6.5246	6.5246	-34.0147	-8538.6449	5725.7871	5 15
	360-0-0		28.5580							
						SASHIHIKI	99.320769			
						1/2	49.660385			
						MENSEKI	49.6604			
						TSUBO MENSEKI	15.0223			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

14 の 1 号地

23

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		52-25-4						-8519.5572	5721.4484	1
1	88-29-18	140-54-22	0.0907	-0.0704	0.0572	0.0572	-0.0040	-8519.6276	5721.5056	2
2	181-2-21	141-56-43	5.3728	-4.2307	3.3119	3.4263	-14.4956	-8523.8583	5724.8175	3
3	92-55-33	54-52-16	10.5576	6.0750	8.6346	15.3728	93.3898	-8517.7833	5733.4521	4
4	84-9-24	319-1-40	5.9256	4.4740	-3.8854	20.1220	90.0258	-8513.3093	5729.5667	5
5	93-23-24	232-25-4	10.2442	-6.2479	-8.1183	8.1183	-50.7223	-8519.5572	5721.4484	6
	540-0-0		32.1909							
						SASHIHIKI	118.193587			
						1/2	59.096794			
						MENSEKI	59.0968			
						TSUBO MENSEKI	17.8768			

14 の 2 号地

20

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		54-52-16						-8523.8583	5724.8175	1
1	87-4-28	141-56-44	2.6080	-2.0536	1.6076	1.6076	-3.3014	-8525.9119	5726.4251	2
2	89-42-42	51-39-26	10.5797	6.5633	8.2978	11.5130	75.5633	-8519.3486	5734.7229	3
3	90-20-54	322-0-20	1.2871	1.0143	-0.7923	19.0185	19.2905	-8518.3343	5733.9306	4
4	177-1-22	319-1-42	0.7298	0.5510	-0.4785	17.7477	9.7790	-8517.7833	5733.4521	5
5	95-50-34	234-52-16	10.5576	-6.0750	-8.6346	8.6346	-52.4552	-8523.8583	5724.8175	6
	540-0-0		25.7622							
						SASHIHIKI	48.876158			
						1/2	24.438079			
						MENSEKI	24.4381			
						TSUBO MENSEKI	7.3925			

14 の 3 号地

28

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46-45-2						-8504.7699	5710.1570	1
1	90-6-42	136-51-44	12.6623	-9.2398	8.6579	8.6579	-79.9973	-8514.0097	5718.8149	2
2	90-40-21	47-32-5	3.8500	2.5993	2.8401	20.1559	52.3912	-8511.4104	5721.6550	3
3	89-26-25	316-58-30	12.7150	9.2954	-8.6757	14.3203	133.1129	-8502.1150	5712.9793	4
4	89-46-32	226-45-2	3.8748	-2.6549	-2.8223	2.8223	-7.4929	-8504.7699	5710.1570	5
	360-0-0		33.1021							
						SASHIHIKI	98.013959			
						1/2	49.006979			
						MENSEKI	49.0070			
						TSUBO MENSEKI	14.8246			

14 の 4 号地

29

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46-44-56						-8502.1150	5712.9793	1
1	90-13-34	136-58-30	12.7150	-9.2954	8.6757	8.6757	-80.6441	-8511.4104	5721.6550	2
2	90-33-40	47-32-10	4.7299	3.1933	3.4893	20.8407	66.5506	-8508.2171	5725.1443	3
3	91-29-29	319-1-39	12.7901	9.6568	-8.3864	15.9436	153.9642	-8498.5603	5716.7579	4
4	87-43-17	226-44-56	5.1878	-3.5547	-3.7786	3.7786	-13.4318	-8502.1150	5712.9793	5
	360-0-0		35.4228							
						SASHIHIKI	126.438873			
						1/2	63.219436			
						MENSEKI	63.2194			
						TSUBO MENSEKI	19.1239			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

14 の 5 号地

24番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		52-14-43								1 38
1	88-39-50	140-54-33	6.0001	-4.6570	3.7834	3.7834	-17.6193	-8514.9002	5717.6650	2 80
2	91-30-31	52-25-4	10.2442	6.2479	8.1183	15.6851	97.9989	-8519.5572	5721.4484	3 83
3	86-36-33	319-1-37	6.7445	5.0922	-4.4224	19.3810	98.6919	-8513.3093	5729.5667	4 27
4	88-30-31	227-32-8	8.5799	-5.7926	-6.3294	8.6292	-49.9855	-8508.2171	5725.1443	5 34
5	184-42-35	232-14-43	1.4544	-0.8905	-1.1499	1.1499	-1.0240	-8514.0097	5718.8149	6 35
	540-0-0		33.0231							
						SASHIHIKI	128.062081			
						1/2	64.031040			
						MENSEKI	64.0310			
						TSUBO MENSEKI	19.3694			

16 の 1 号地

27番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46-44-57								1
1	90-49-37	137-34-34	12.5178	-9.2403	8.4446	8.4446	-78.0306	-8507.3620	5707.4016	2
2	89-19-20	46-53-54	2.4910	1.7021	1.8188	18.7080	31.8429	-8516.6023	5715.8462	3
3	185-20-49	52-14-43	1.4544	0.8905	1.1499	21.6767	19.3031	-8514.9002	5717.6650	4
4	84-37-1	316-51-44	12.6623	9.2398	-8.6579	14.1687	130.9160	-8514.0097	5718.8149	5
5	89-53-13	226-44-57	3.7830	-2.5921	-2.7554	2.7554	-7.1423	-8504.7699	5710.1570	6
	540-0-0		32.9085					-8507.3620	5707.4016	
						SASHIHIKI	96.889033			
						1/2	48.444516			
						MENSEKI	48.4445			
						TSUBO MENSEKI	14.6545			

16 の 2 号地

26番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46-44-55								1
1	93-53-39	140-38-34	12.5290	-9.6875	7.9453	7.9453	-76.9701	-8511.2233	5703.2971	2
2	86-15-18	46-53-52	6.3054	4.3085	4.6038	20.4944	88.3001	-8520.9108	5711.2424	3
3	90-40-42	317-34-34	12.5178	9.2403	-8.4446	16.6536	153.8843	-8516.6023	5715.8462	4
4	89-10-21	226-44-55	5.6353	-3.8613	-4.1045	4.1045	-15.8487	-8507.3620	5707.4016	5
	360-0-0		36.9875					-8511.2233	5703.2971	
						SASHIHIKI	149.365583			
						1/2	74.682791			
						MENSEKI	74.6828			
						TSUBO MENSEKI	22.5915			

16 の 3 号地

25番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46-53-53								1
1	93-44-43	140-38-36	5.4743	-4.2328	3.4715	3.4715	-14.6942	-8520.9108	5711.2424	2
2	90-16-27	50-55-3	8.7495	5.5160	6.7917	13.7347	75.7606	-8525.1436	5714.7139	3
3	89-59-30	320-54-33	6.0909	4.7274	-3.8406	16.6858	78.8805	-8519.6276	5721.5056	4
4	85-59-20	226-53-53	8.7964	-6.0106	-6.4226	6.4226	-38.6037	-8514.9002	5717.6650	5
	360-0-0		29.1111					-8520.9108	5711.2424	
						SASHIHIKI	101.343211			
						1/2	50.671606			
						MENSEKI	50.6716			
						TSUBO MENSEKI	15.3282			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

画 地 面 積
3 号 地

30番

※トクトラハース ケイサツヨ

NO.	X	Y	DX	DY	キヨリ	ホウコウカク	キョウカク	ハ・イ・ウ・キヨ	ハ・イ・メ・セ・キ
014-148498.5603	75716.7579	-19.7740	17.1727	26.1899	139-01-39	92-16-54	17.1727	-339.57296980	
028-148518.3343	75733.9306	6.7364	8.3718	10.7455	51-10-41	92-09-02	42.7172	287.76014608	
042-148511.5979	75742.3024	17.5584	-14.6319	22.8559	320-11-41	89-01-00	36.4571	640.12834464	
025-148494.0395	75727.6705	0.3507	-5.7348	5.7455	273-29-58	133-18-17	16.0904	5.64290328	
013-148493.6888	75721.9357	-4.8715	-5.1778	7.1092	226-44-45	133-14-47	5.1778	-25.22365270	
TOTAL				72.6460		540-00-00		568.73477150	

メッセキ 284.36738575
ツホ^ハ スウ 86.02113418

メッセキ 284.36738575
ツホ^ハ スウ 86.02113418

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

画 地 面 積
1 号 地

31番

※プロトラハース ケイサンヨ

NO.	X	Y	DX	DY	※ヨリ	※ウコウカク	※ヨウカク	※イオウキヨ	※イメンキ
025-148494.0395	75727.6705	-17.5584	14.6319	22.8559	140-11-41	46-41-43	14.6319	-256.91275296	
042-148511.5979	75742.3024	-0.2280	-0.2834	0.3637	231-10-58	270-59-17	28.9804	-6.60753120	
043-148511.8259	75742.0190	-30.2068	23.5615	38.3092	142-02-44	90-51-46	52.2585	-1578.56205780	
046-148542.0327	75765.5805	3.7796	4.9634	6.2386	52-42-39	90-39-55	80.7834	305.32893864	
009-148538.2531	75770.5439	9.9226	-5.6811	11.4338	330-12-25	97-29-46	80.0657	794.45991482	
010-148528.3305	75764.8628	20.0230	-16.5010	25.9462	320-30-29	170-18-04	57.8836	1159.00332280	
011-148508.3075	75748.3618	13.6888	-11.2198	17.6994	320-39-39	180-09-10	30.1628	412.89253664	
012-148494.6187	75737.1420	0.5792	-9.4715	9.4892	273-29-58	132-50-19	9.4715	5.48589280	
TOTAL				132.3360		1080-00-00		835.08826374	

メソキ 417.54413187
ツホ スウ 126.30709989

メソキ 417.54413187
ツホ スウ 126.30709989

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

スレハズ

4 号 地

32番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-10-40								1
1	90-49-45	142-0-25	5.4545	-4.2986	3.3576	3.3576	-14.4330	-8518.3343	5733.9306	2
2	89-40-23	51-40-48	10.3772	6.4344	8.1415	14.8567	95.5940	-8522.6329	5737.2882	3
3	90-21-55	322-2-43	5.5455	4.3726	-3.4107	19.5875	85.6483	-8516.1985	5745.4297	4
4	89-7-57	231-10-40	10.3818	-6.5084	-8.0884	8.0884	-52.6425	-8511.8259	5742.0190	5
	360-0-0		31.7590							
						SASHIHIKI	114.166731			
						1/2	57.083366			
						MENSEKI	57.0834			
						TSUBO MENSEKI	17.2677			

5 号 地

33番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-40-48								1
1	90-19-37	142-0-25	4.9455	-3.8975	3.0443	3.0443	-11.8652	-8522.6329	5737.2882	2
2	89-40-22	51-40-47	10.3737	6.4323	8.1388	14.2274	91.5149	-8526.5304	5740.3325	3
3	90-22-1	322-2-48	4.9455	3.8996	-3.0416	19.3246	75.3582	-8520.0981	5748.4713	4
4	89-38-0	231-40-48	10.3772	-6.4344	-8.1415	8.1415	-52.3857	-8516.1985	5745.4297	5
	360-0-0		30.6419							
						SASHIHIKI	102.622288			
						1/2	51.311144			
						MENSEKI	51.3111			
						TSUBO MENSEKI	15.5216			

6 号 地

34番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-40-47								1
1	90-19-34	142-0-21	4.2727	-3.3672	2.6302	2.6302	-8.8564	-8526.5304	5740.3325	2
2	89-40-26	51-40-47	10.3708	6.4305	8.1365	13.3969	86.1488	-8529.8976	5742.9627	3
3	90-21-55	322-2-42	4.2727	3.3690	-2.6279	18.9055	63.6926	-8523.4671	5751.0992	4
4	89-38-5	231-40-47	10.3737	-6.4323	-8.1388	8.1388	-52.3512	-8520.0981	5748.4713	5
	360-0-0		29.2899							
						SASHIHIKI	88.633782			
						1/2	44.316891			
						MENSEKI	44.3169			
						TSUBO MENSEKI	13.4059			

7 号 地

35番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-40-47								1
1	90-19-37	142-0-24	4.2182	-3.3243	2.5966	2.5966	-8.6319	-8529.8976	5742.9627	2
2	89-40-21	51-40-45	10.3680	6.4288	8.1342	13.3274	85.6792	-8533.2219	5745.5593	3
3	90-21-59	322-2-44	4.2181	3.3260	-2.5943	18.8673	62.7526	-8526.7931	5753.6935	4
4	89-38-3	231-40-47	10.3708	-6.4305	-8.1365	8.1365	-52.3218	-8523.4671	5751.0992	5
	360-0-0		29.1751							
						SASHIHIKI	87.478188			
						1/2	43.739094			
						MENSEKI	43.7391			
						TSUBO MENSEKI	13.2311			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

214 14

8 号 地

36

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
1	90-19-37	51-40-45	4.3635	-3.4388	2.6861	2.6861	-9.2370	-8533.2219	5745.5593	1
2	89-40-24	51-40-46	10.3650	6.4269	8.1319	13.5041	86.7895	-8536.6607	5748.2454	2
3	90-21-57	322-2-43	4.3636	3.4407	-2.6838	18.9522	65.2088	-8530.2338	5756.3773	3
4	89-38-2	231-40-45	10.3680	-6.4288	-8.1342	8.1342	-52.2931	-8526.7931	5753.6935	4
5	360-0-0		29.4601					-8533.2219	5745.5593	5
						SASHIHIKI	90.468229			
						1/2	45.234115			
						MENSEKI	45.2341			
						TSUBO MENSEKI	13.6833			

9 号 地

37

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
1	90-19-37	142-0-23	4.2909	-3.3816	2.6414	2.6414	-8.9322	-8536.6607	5748.2454	1
2	89-40-22	51-40-45	10.3620	6.4251	8.1295	13.4123	86.1754	-8540.0423	5750.8868	2
3	90-22-2	322-2-47	4.2909	3.3834	-2.6390	18.9028	63.9557	-8533.6172	5759.0163	3
4	89-37-59	231-40-46	10.3650	-6.4269	-8.1319	8.1319	-52.2629	-8530.2338	5756.3773	4
5	360-0-0		29.3088					-8536.6607	5748.2454	5
						SASHIHIKI	88.936036			
						1/2	44.468018			
						MENSEKI	44.4680			
						TSUBO MENSEKI	13.4516			

10 号 地

38

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
1	90-19-40	142-0-25	10.4527	-8.2376	6.4343	6.4343	-53.0032	-8540.0423	5750.8868	1
2	89-40-21	51-40-46	10.3549	6.4207	8.1240	20.9926	134.7872	-8548.2799	5757.3211	2
3	90-21-58	322-2-44	10.4528	8.2420	-6.4288	22.6878	186.9928	-8541.8592	5765.4451	3
4	89-38-1	231-40-45	10.3620	-6.4251	-8.1295	8.1295	-52.2329	-8533.6172	5759.0163	4
5	360-0-0		41.6224					-8540.0423	5750.8868	5
						SASHIHIKI	216.543994			
						1/2	108.271997			
						MENSEKI	108.2720			
						TSUBO MENSEKI	32.7523			