

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

17 街区計算(隅切除<)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		11-27-36						-8650.3959	5541.0398	1 13'
1	138-21-6	149-48-42	76.3393	-65.9860	38.3866	38.3866	-2532.9782	-8716.3819	5579.4264	2 1'
2	68-10-41	37-59-23	36.7620	28.9729	22.6278	99.4010	2879.9352	-8687.4090	5602.0542	3 2'
3	148-14-40	6-14-3	51.9440	51.6368	5.6406	127.6694	6592.4393	-8635.7722	5607.6948	4 6'
4	186-34-41	12-48-44	9.0770	8.8510	2.0129	135.3229	1197.7430	-8626.9212	5609.7077	5 24'
5	150-49-39	343-38-23	5.0001	4.7976	-1.4084	135.9274	652.1253	-8622.1236	5608.2993	6 23'
6	150-49-37	314-28-0	16.4465	11.5207	-11.7372	122.7818	1414.5323	-8610.6029	5596.5621	7 21'
7	140-14-54	274-42-54	^{5.0000} 4.9999	0.4110	-4.9830	106.0616	43.5913	-8610.1919	5591.5791	8 20'
8	139-50-43	234-33-37	60.8007	-35.2550	-49.5360	51.5426	-1817.1344	-8645.4469	5542.0431	9 12'
9	136-53-59	191-27-36	5.0497	-4.9490	-1.0033	1.0033	-4.9653	-8650.3959	5541.0398	10 13'
1260-0-0			266.4192			SASHIHIKI	8425.288508			
						1/2	4212.644254			
						MENSEKI	4212.6443			
						TSUBO MENSEKI	1274.3249			

1-1号地

135番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		54-33-40						-8614.9239	5584.9301	1 19
1	89-57-5	144-30-45	10.0676	-8.1975	5.8445	5.8445	-47.9103	-8623.1214	5590.7746	2 38
2	129-20-9	93-50-54	1.7000	-0.1141	1.6962	13.3852	-1.5273	-8623.2355	5592.4708	3 47
3	215-1-4	128-51-58	9.4105	-5.9051	7.3271	22.4085	-132.3244	-8629.1406	5599.7979	4 48
4	133-51-27	82-43-25	1.0793	0.1367	1.0706	30.8062	4.2112	-8629.0039	5600.8685	5 49
5	109-34-16	12-17-41	11.9503	11.6762	2.5447	34.4215	401.9123	-8617.3277	5603.4132	6 22
6	122-10-20	314-28-1	9.6000	6.7248	-6.8511	30.1151	202.5180	-8610.6029	5596.5621	7 21
7	140-14-53	274-42-54	4.9999	0.4110	-4.9830	18.2810	7.5135	-8610.1919	5591.5791	8 20
8	139-50-46	234-33-40	8.1609	-4.7320	-6.6490	6.6490	-31.4631	-8614.9239	5584.9301	9 19
1080-0-0			56.9685			SASHIHIKI	402.930000			
						1/2	201.465000			
						MENSEKI	201.4650			
						TSUBO MENSEKI	60.9432			

1-2号地

118番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		4-43-23						-8641.4896	5589.2570	1 39
1	90-52-46	95-36-9	17.7090	-1.7289	17.6244	17.6244	-30.4708	-8643.2185	5606.8814	2 30
2	90-37-53	6-14-2	7.4906	7.4463	0.8134	36.0622	268.5300	-8635.7722	5607.6948	3 6
3	186-34-42	12-48-44	9.0770	8.8510	2.0129	38.8885	344.2021	-8626.9212	5609.7077	4 44
4	150-49-39	343-38-23	5.0001	4.7976	-1.4084	39.4930	189.4716	-8622.1236	5608.2993	5 23
5	150-49-35	314-27-58	6.8465	4.7959	-4.8861	33.1985	159.2167	-8617.3277	5603.4132	6 22
6	57-49-43	192-17-41	11.9503	-11.6762	-2.5447	25.7677	-300.8688	-8629.0039	5600.8685	7 49
7	250-25-44	262-43-25	1.0793	-0.1367	-1.0706	22.1524	-3.0282	-8629.1406	5599.7979	8 48
8	226-8-33	308-51-58	9.4105	5.9051	-7.3271	13.7547	81.2229	-8623.2355	5592.4708	9 47
9	144-58-56	273-50-54	1.7000	0.1141	-1.6962	4.7314	0.5399	-8623.1214	5590.7746	10 38
10	90-52-29	184-43-23	18.4308	-18.3682	-1.5176	1.5176	-27.8756	-8641.4896	5589.2570	11 39
1440-0-0			88.6941			SASHIHIKI	680.939651			
						1/2	340.469825			
						MENSEKI	340.4698			
						TSUBO MENSEKI	102.9921			

2号地

119番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		6-34-34						-8659.0210	5587.3704	1 41
1	89-1-48	95-36-22	17.6807	-1.7272	17.5961	17.5961	-30.3920	-8660.7482	5604.9665	2 25
2	90-37-41	6-14-3	17.6340	17.5297	1.9149	37.1071	650.4763	-8643.2185	5606.8814	3 30
3	89-22-6	275-36-9	17.7090	1.7289	-17.6244	21.3976	36.9943	-8641.4896	5589.2570	4 39
4	89-48-50	185-24-59	6.5981	-6.5686	-0.6228	3.1504	-20.6937	-8648.0582	5588.6342	5 20
5	181-9-35	186-34-34	11.0354	-10.9628	-1.2638	1.2638	-13.8548	-8659.0210	5587.3704	6 41
540-0-0			70.6572			SASHIHIKI	622.530154			
						1/2	311.265077			
						MENSEKI	311.2651			
						TSUBO MENSEKI	94.1577			

3号地

120番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		6-34-34								1 42
1	89-7-7	95-41-41	17.7459	-1.7609	17.6583	17.6583	-31.0945	-8669.9232	5586.1136	2 26
2	90-32-22	6-14-3	11.0010	10.9359	1.1946	36.5112	399.2828	-8660.7482	5604.9665	3 25
3	89-22-19	275-36-22	17.6807	1.7272	-17.5961	20.1097	34.7335	-8659.0210	5587.3704	4 41
4	90-58-12	186-34-34	10.9744	-10.9022	-1.2568	1.2568	-13.7019	-8669.9232	5586.1136	5 42
	360-0-0		57.4020							
						SASHIHIKI	389.219920			
						1/2	194.609960			
						MENSEKI	194.6100			
						TSUBO MENSEKI	58.8695			

4-1号地

121番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		6-34-35								1 43
1	91-14-33	97-49-8	17.8156	-2.4237	17.6500	17.6500	-42.7783	-8680.5230	5584.8916	2 22
2	88-24-55	6-14-3	11.3296	11.2626	1.2303	36.5303	411.4262	-8671.6841	5603.7719	3 26
3	89-27-38	275-41-41	17.7459	1.7609	-17.6583	20.1023	35.3981	-8669.9232	5586.1136	4 42
4	90-52-54	186-34-35	10.6700	-10.5998	-1.2220	1.2220	-12.9530	-8680.5230	5584.8916	5 43
	360-0-0		57.5611							
						SASHIHIKI	391.093036			
						1/2	195.546518			
						MENSEKI	195.5465			
						TSUBO MENSEKI	59.1528			

5-1号地

122番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		6-34-36								1 52
1	91-14-31	97-49-7	17.8306	-2.4256	17.6648	17.6648	-42.8477	-8683.0028	5584.6057	2 43
2	88-24-56	6-14-3	2.4965	2.4817	0.2711	35.6007	88.3503	-8682.9467	5602.5416	3 27
3	91-35-5	277-49-8	17.8156	2.4237	-17.6500	18.2218	44.1642	-8680.5230	5584.8916	4 43
4	88-45-28	186-34-36	2.4962	-2.4798	-0.2859	0.2859	-0.7090	-8683.0028	5584.6057	5 52
	360-0-0		40.6389							
						SASHIHIKI	88.957720			
						1/2	44.478860			
						MENSEKI	44.4789			
						TSUBO MENSEKI	13.4549			

5-2号地

123-1番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		59-16-46						-8689.8422	5575.7211	1 45
1	72-2-6	131-18-52	19.2886	-12.7342	14.4876	14.4876	-184.4880	-8702.5764	5590.2087	2 54
2	86-40-29	37-59-21	19.2449	15.1674	11.8455	40.8207	619.1439	-8687.4090	5602.0542	3 2
3	148-14-36	6-13-57	1.9924	1.9806	0.2163	52.8825	104.7391	-8685.4284	5602.2705	4 52
4	91-35-10	277-49-7	17.8306	2.4256	-17.6648	35.4340	85.9487	-8683.0028	5584.6057	5 52
5	88-45-22	186-34-29	1.6856	-1.6745	-0.1930	17.5762	-29.4313	-8684.6773	5584.4127	6 44
6	232-42-17	239-16-46	10.1104	-5.1649	-8.6916	8.6916	-44.8912	-8689.8422	5575.7211	7 45
	720-0-0		70.1525			SASHIHIKI	551.021087			
						1/2	275.510544			
						MENSEKI	275.5105			
						TSUBO MENSEKI	83.3419			

5-3号地

123-2番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		329-55-31						-8699.3103	5581.2040	1 57
1	161-23-22	131-18-53	9.1223	-6.0225	6.8517	6.8517	-41.2644	-8705.3328	5588.0557	2 58
2	86-40-42	37-59-35	3.4976	2.7564	2.1530	15.8564	43.7066	-8702.5764	5590.2087	3 54
3	93-19-17	311-18-52	19.2886	12.7342	-14.4876	3.5218	44.8473	-8689.8422	5575.7211	4 45
4	18-36-39	149-55-31	10.9411	-9.4681	5.4829	-5.4829	51.9126	-8699.3103	5581.2040	5 57
	360-0-0		42.8496			SASHIHIKI	99.202169			
						1/2	49.601084			
						MENSEKI	49.6011			
						TSUBO MENSEKI	15.0043			

5-4号地

123-3番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		329-55-32						-8702.3380	5582.9573	1 58
1	161-23-21	131-18-53	5.8714	-3.8763	4.4100	4.4100	-17.0945	-8706.2143	5587.3673	2 56
2	86-40-23	37-59-16	1.1185	0.8815	0.6884	9.5084	8.3817	-8705.3328	5588.0557	3 53
3	93-19-37	311-18-53	9.1223	6.0225	-6.8517	3.3451	20.1459	-8699.3103	5581.2040	4 57
4	18-36-39	149-55-32	3.4987	-3.0277	1.7533	-1.7533	5.3085	-8702.3380	5582.9573	5 58
	360-0-0		19.6109			SASHIHIKI	16.741503			
						1/2	8.370751			
						MENSEKI	8.3708			
						TSUBO MENSEKI	2.5322			

5-5号地

123-4番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		131-18-53								1 58
1	18-36-41	149-55-34	6.3191	-5.4684	3.1666	3.1666	-17.3162	-8702.3380	5582.9573	2 28
2	68-3-47	37-59-21	2.0201	1.5921	1.2434	7.5766	12.0627	-8706.2143	5587.3673	3 56
3	93-19-32	311-18-53	5.8714	3.8763	-4.4100	4.4100	17.0945	-8702.3380	5582.9573	4 58
	180-0-0		14.2106			SASHIHIKI	11.840952			
						1/2	5.920476			
						MENSEKI	5.9205			
						TSUBO MENSEKI	1.7909			

6-1号地

124番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		59-16-41								1 29
1	90-32-3	149-48-44	17.4391	-15.0741	8.7690	8.7690	-132.1848	-8701.3078	5570.6574	2 1
2	68-10-40	37-59-24	10.8810	8.5755	6.6975	24.2355	207.8315	-8707.8064	5586.1239	3 28
3	111-56-8	329-55-32	13.4888	11.6729	-6.7596	24.1734	282.1737	-8696.1335	5579.3643	4 46
4	89-21-9	239-16-41	10.1284	-5.1743	-8.7069	8.7069	-45.0521	-8701.3078	5570.6574	5 29
	360-0-0		51.9373			SASHIHIKI	312.768316			
						1/2	156.384158			
						MENSEKI	156.3842			
						TSUBO MENSEKI	47.3062			

6-2号地

125番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		59-16-43								1 30
1	90-31-58	149-48-41	7.2700	-6.2840	3.6557	3.6557	-22.9724	-8695.0238	5567.0017	2 29
2	89-28-0	59-16-41	10.1284	5.1743	8.7069	16.0183	82.8835	-8696.1335	5579.3643	3 46
3	90-38-51	329-55-32	7.2700	6.2913	-3.6432	21.0820	132.6332	-8689.8422	5575.7211	4 46
4	89-21-11	239-16-43	10.1428	-5.1816	-8.7194	8.7194	-45.1804	-8695.0238	5567.0017	5 30
	360-0-0		34.8112			SASHIHIKI	147.363814			
						1/2	73.681907			
						MENSEKI	73.6819			
						TSUBO MENSEKI	22.2888			

7-1号 地

127番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		59-44-23						-8669.3820	5552.0848	1 31
1	90- 4-19	149-48-42	22.3646	-19.3314	11.2459	11.2459	-217.3990	-8688.7134	5563.3307	2 32
2	89-55-40	59-44-22	25.5901	12.8957	22.1033	44.5951	575.0850	-8675.8177	5585.4340	3 30
3	126-50-12	6-34-34	27.9434	27.7595	3.2002	69.8986	1940.3502	-8648.0582	5588.6342	4 30
4	53- 9-49	239-44-23	42.3150	-21.3238	-36.5494	36.5494	-779.3721	-8669.3820	5552.0848	5 31
	360- 0- 0		118.2131			SASHIHIKI	1518.664131			
						1/2	759.332065			
						MENSEKI	759.3321			
						TSUBO MENSEKI	229.6979			

7-2号 地

126番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		59-44-22						-8688.7134	5563.3307	1 32
1	90- 4-21	149-48-43	7.3005	-6.3104	3.6710	3.6710	-23.1655	-8695.0238	5567.0017	2 30
2	89-28- 2	59-16-45	20.2532	10.3465	17.4110	24.7530	256.1069	-8684.6773	5584.4127	3 34
3	127-17-48	6-34-33	8.9183	8.8596	1.0213	43.1853	382.6045	-8675.8177	5585.4340	4 30
4	53- 9-49	239-44-22	25.5901	-12.8957	-22.1033	22.1033	-285.0375	-8688.7134	5563.3307	5 32
	360- 0- 0		62.0621			SASHIHIKI	330.508394			
						1/2	165.254197			
						MENSEKI	165.2542			
						TSUBO MENSEKI	49.9894			

8-1号 地

130

130番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		11-27-36						-8650.3959	5541.0398	1 13
1	138-21- 6	149-48-42	8.2300	-7.1138	4.1384	4.1384	-29.4397	-8657.5097	5545.1782	2 32
2	103-33- 0	73-21-42	18.1667	5.2017	17.4061	25.6829	133.5947	-8652.3080	5562.5843	3 33
3	73-57-22	327-19- 4	17.5209	14.7470	-9.4609	33.6281	495.9136	-8637.5610	5553.1234	4 16
4	87-14-33	234-33-37	13.6000	-7.8859	-11.0803	13.0869	-103.2020	-8645.4469	5542.0431	5 12
5	136-53-59	191-27-36	5.0497	-4.9490	-1.0033	1.0033	-4.9653	-8650.3959	5541.0398	6 13
	540- 0- 0		62.5673			SASHIHIKI	491.901265			
						1/2	245.950633			
						MENSEKI	245.9506			
						TSUBO MENSEKI	74.4001			

8-2号 地

131番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		54-33-36								
1	92-45-28	147-19-4	17.5209	-14.7470	9.4609	9.4609	-139.5199	-8637.5610	5553.1234	1 16
2	106-2-40	73-21-44	8.2352	2.3579	7.8904	26.8122	63.2205	-8652.3080	5562.5843	2 33
3	71-54-3	325-15-47	20.1563	16.5640	-11.4853	23.2173	384.5714	-8649.9501	5570.4747	3 35
4	89-17-49	234-33-36	7.2000	-4.1749	-5.8660	5.8660	-24.4900	-8633.3861	5558.9894	4 17
	360-0-0		53.1124					-8637.5610	5553.1234	5 16
						SASHIHIKI	283.781988			
						1/2	141.890994			
						MENSEKI	141.8910			
						TSUBO MENSEKI	42.9220			

8-3号 地

129番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		73-21-43								
1	76-26-59	149-48-42	13.7351	-11.8723	6.9066	6.9066	-81.9972	-8657.5097	5545.1782	1 32
2	89-55-41	59-44-23	23.2600	11.7214	20.0907	33.9039	397.4012	-8669.3820	5552.0848	2 31
3	97-28-57	337-13-20	7.9201	7.3024	-3.0663	50.9283	371.8988	-8657.6606	5572.1755	3 36
4	96-8-23	253-21-43	24.9767	-7.1515	-23.9310	23.9310	-171.1425	-8650.3582	5569.1092	4 34
	360-0-0		69.8919					-8657.5097	5545.1782	5 32
						SASHIHIKI	516.160218			
						1/2	258.080109			
						MENSEKI	258.0801			
						TSUBO MENSEKI	78.0692			

8-4号 地

128番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		73-21-38								
1	83-51-42	157-13-20	7.9201	-7.3024	3.0663	3.0663	-22.3913	-8650.3582	5569.1092	1 34
2	82-31-5	59-44-25	3.0050	1.5143	2.5956	8.7282	13.2171	-8657.6606	5572.1755	2 36
3	85-31-21	325-15-46	7.5400	6.1962	-4.2964	7.0274	43.5432	-8656.1463	5574.7711	3 37
4	108-5-52	253-21-38	1.4252	-0.4081	-1.3655	1.3655	-0.5573	-8649.9501	5570.4747	4 35
	360-0-0		19.8903					-8650.3582	5569.1092	5 34
						SASHIHIKI	33.811679			
						1/2	16.905840			
						MENSEKI	16.9058			
						TSUBO MENSEKI	5.1140			

8-5号地

133番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		54-33-37								1 61
1	90-42-9	145-15-46	28.3922	-23.3320	16.1783	16.1783	-377.4721	-8628.9299	5565.2507	2 62
2	94-28-37	59-44-23	8.3418	4.2037	7.2052	39.5618	166.3059	-8648.0582	5588.6342	3 40
3	85-31-7	325-15-30	29.1453	23.9496	-16.6092	30.1578	722.2672	-8624.1086	5572.0250	4 18
4	89-18-7	234-33-37	8.3148	-4.8213	-6.7743	6.7743	-32.6609	-8628.9299	5565.2507	5 61
	360-0-0		74.1941							
						SASHIHIKI	478.440157			
						1/2	239.220079			
						MENSEKI	239.2201			
						TSUBO MENSEKI	72.3641			

8-6号地

132番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		54-33-37								1 17
1	90-42-10	145-15-47	27.6964	-22.7602	15.7817	15.7817	-359.1946	-8633.3861	5558.9894	2 37
2	94-28-35	59-44-22	7.7082	3.8844	6.6579	38.2213	148.4668	-8652.2619	5581.4290	3 62
3	85-31-24	325-15-46	28.3922	23.3320	-16.1783	28.7009	669.6494	-8628.9299	5565.2507	4 61
4	89-17-51	234-33-37	7.6852	-4.4562	-6.2613	6.2613	-27.9016	-8633.3861	5558.9894	5 17
	360-0-0		71.4820							
						SASHIHIKI	431.019963			
						1/2	215.509982			
						MENSEKI	215.5100			
						TSUBO MENSEKI	65.1918			

9号地

134番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		54-33-36								1 18
1	90-41-54	145-15-30	29.1453	-23.9496	16.6092	16.6092	-397.7837	-8624.1086	5572.0250	2 40
2	40-9-29	5-24-59	6.5981	6.5686	0.6228	33.8412	222.2893	-8641.4896	5589.2570	3 39
3	179-18-24	4-43-23	18.4308	18.3682	1.5176	35.9816	660.9172	-8623.1214	5590.7746	4 38
4	139-47-22	324-30-45	10.0676	8.1975	-5.8445	31.6547	259.4894	-8614.9239	5584.9301	5 19
5	90-2-51	234-33-36	15.8398	-9.1847	-12.9051	12.9051	-118.5295	-8624.1086	5572.0250	6 18
	540-0-0		80.0816							
						SASHIHIKI	626.382766			
						1/2	313.191383			
						MENSEKI	313.1914			
						TSUBO MENSEKI	94.7404			