

49 街区計算 (隅切除 <)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		27-25-20						-9362.9309	5820.4159	1 7
1	137-29-5	164-54-25	77.9716	-75.2819	20.3027	20.3027	-1528.4258	-9438.2128	5840.7186	2 6
2	180-4-38	164-59-3	19.2298	-18.5732	4.9822	45.5876	-846.7076	-9456.7860	5845.7008	3 5
3	180-49-10	165-48-13	11.6295	-11.2743	2.8521	53.4219	-602.2945	-9468.0603	5848.5529	4 4
4	141-4-14	126-52-27	5.7334	-3.4404	4.5865	60.8605	-209.3845	-9471.5007	5853.1394	5 3
5	142-19-52	89-12-19	32.3848	0.4492	32.3817	97.8287	43.9447	-9471.0515	5885.5211	6 2
6	179-50-33	89-2-52	67.6306	1.1239	67.6213	197.8317	222.3430	-9469.9276	5953.1424	7 1
7	95-9-3	4-11-55	122.8752	122.5454	8.9961	274.4491	33632.4747	-9347.3822	5962.1385	8 14
8	182-59-15	7-11-10	9.6521	9.5763	1.2074	284.6526	2725.9187	-9337.8059	5963.3459	9 13
9	85-59-10	273-10-20	72.0461	3.9867	-71.9357	213.9243	852.8520	-9333.8192	5891.4102	10 12
10	168-14-21	261-24-41	4.9780	-0.7434	-4.9222	137.0664	-101.8952	-9334.5626	5886.4880	11 11
11	168-23-53	249-48-34	11.3857	-3.9297	-10.6860	121.4582	-477.2943	-9338.4923	5875.8020	12 10
12	179-9-52	248-58-26	18.2512	-6.5484	-17.0360	93.7362	-613.8221	-9345.0407	5858.7660	13 9
13	180-34-29	249-32-55	9.5867	-3.3497	-8.9824	67.7178	-226.8343	-9348.3904	5849.7836	14 92
14	179-15-14	248-48-9	4.6169	-1.6694	-4.3045	54.4309	-90.8669	-9350.0598	5845.4791	15 90
15	181-33-33	250-21-42	4.2326	-1.4225	-3.9864	46.1400	-65.6342	-9351.4823	5841.4927	16 88
16	179-11-10	249-32-52	20.0310	-6.9993	-18.7683	23.3853	-163.6807	-9358.4816	5822.7244	17 8
17	137-52-28	207-25-20	5.0125	-4.4493	-2.3085	2.3085	-10.2712	-9362.9309	5820.4159	18 7

2700- 0- 0

497.2477

SASHIHIKI 32540.421773

1/2 16270.210886

MENSEKI 16270.2109

TSUBO MENSEKI 4921.7388

1-1号 地

1番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		93-47-52						-9460.5308	5923.9112	1 158
1	89-36-18	183-24-10	6.7777	-6.7657	-0.4023	-0.4023	2.7218	-9467.2965	5923.5089	2 42
2	135- 3-40	138-27-50	4.1124	-3.0783	2.7269	1.9223	-5.9174	-9470.3748	5926.2358	3 43
3	130-35- 2	89- 2-52	26.9103	0.4472	26.9066	31.5558	14.1118	-9469.9276	5953.1424	4 1
4	95- 9- 4	4-11-56	14.4403	14.4015	1.0573	59.5197	857.1730	-9455.5261	5954.1997	5 153
5	89-35-57	273-47-53	8.9388	0.5921	-8.9192	51.6578	30.5866	-9454.9340	5945.2805	6 156
6	89-36-12	183-24- 5	7.0000	-6.9877	-0.4153	42.3233	-295.7425	-9461.9217	5944.8652	7 159
7	270-23-47	273-47-52	21.0001	1.3909	-20.9540	20.9540	29.1449	-9460.5308	5923.9112	8 158
900- 0- 0			89.1796			SASHIHIKI	632.078117			
						1/2	316.039058			
						MENSEKI	316.0391			
						TSUBO MENSEKI	95.6018			

1-16号 地

42番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		93-47-52						-9453.5431	5924.3266	1 157
1	89-36-15	183-24- 7	7.0000	-6.9877	-0.4154	-0.4154	2.9027	-9460.5308	5923.9112	2 158
2	90-23-45	93-47-52	21.0001	-1.3909	20.9540	20.1232	-27.9894	-9461.9217	5944.8652	3 159
3	89-36-13	3-24- 5	7.0000	6.9877	0.4153	41.4925	289.9371	-9454.9340	5945.2805	4 156
4	90-23-47	273-47-52	21.0000	1.3909	-20.9539	20.9539	29.1448	-9453.5431	5924.3266	5 157
360- 0- 0			56.0001			SASHIHIKI	293.995253			
						1/2	146.997627			
						MENSEKI	146.9976			
						TSUBO MENSEKI	44.4668			

1-15号 地

43番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		93-47-52						-9447.5537	5924.6827	1 153
1	89-36-17	183-24- 9	6.0000	-5.9894	-0.3561	-0.3561	2.1328	-9453.5431	5924.3266	2 157
2	90-23-43	93-47-52	29.9388	-1.9830	29.8731	29.1609	-57.8261	-9455.5261	5954.1997	3 155
3	90-24- 4	4-11-56	6.0000	5.9839	0.4393	59.4733	355.8823	-9449.5422	5954.6390	4 154
4	89-35-56	273-47-52	30.0222	1.9885	-29.9563	29.9563	59.5681	-9447.5537	5924.6827	5 153
360- 0- 0			71.9610			SASHIHIKI	359.757143			
						1/2	179.878572			
						MENSEKI	179.8786			
						TSUBO MENSEKI	54.4133			

1-4号地

47番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		94-18-2						-9377.4742	5928.8494	1 49
1	89-6-7	183-24-9	20.7490	-20.7124	-1.2315	-1.2315	25.5073	-9398.1866	5927.6179	2 47
2	90-54-1	94-18-10	30.7085	-2.3040	30.6219	28.1589	-64.8781	-9400.4906	5958.2398	3 46
3	89-53-45	4-11-55	20.7477	20.6920	1.5190	60.2998	1247.7235	-9379.7986	5959.7588	4 48
4	90-6-7	274-18-2	30.9967	2.3244	-30.9094	30.9094	71.8458	-9377.4742	5928.8494	5 49
	360-0-0		103.2019			SASHIHIKI	1280.198486			
						1/2	640.099243			
						MENSEKI	640.0992			
						TSUBO MENSEKI	193.6300			

1-9号地

48番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		93-10-19						-9336.0307	5931.3134	1 50
1	90-13-50	183-24-9	41.5167	-41.4435	-2.4640	-2.4640	102.1168	-9377.4742	5928.8494	2 49
2	90-53-53	94-18-2	30.9967	-2.3244	30.9094	25.9814	-60.3912	-9379.7986	5959.7588	3 48
3	89-53-53	4-11-55	32.5036	32.4164	2.3797	59.2705	1921.3362	-9347.3822	5962.1385	4 48
4	182-59-15	7-11-10	9.6521	9.5763	1.2074	62.8576	601.9432	-9337.8059	5963.3459	5 13
5	85-59-9	273-10-19	32.0817	1.7752	-32.0325	32.0325	56.8641	-9336.0307	5931.3134	6 50
	540-0-0		146.7508			SASHIHIKI	2621.869183			
						1/2	1310.934591			
						MENSEKI	1310.9346			
						TSUBO MENSEKI	396.5577			

1-12号地

2番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		93-10-20						-9335.5880	5923.3257	1 51
1	90-12-57	183-23-17	132.5299	-132.2983	-7.8322	-7.8322	1036.1867	-9467.8863	5915.4935	2 62
2	224-21-37	227-44-54	4.0405	-2.7168	-2.9908	-18.6552	50.6824	-9470.6031	5912.5027	3 61
3	41-17-57	89-2-51	13.7350	0.2283	13.7331	-7.9129	-1.8065	-9470.3748	5926.2358	4 43
4	49-24-59	318-27-50	4.1124	3.0783	-2.7269	3.0933	9.5221	-9467.2965	5923.5089	5 42
5	224-56-19	3-24-9	131.4976	131.2658	7.8045	8.1709	1072.5597	-9336.0307	5931.3134	6 50
6	89-46-11	273-10-20	8.0000	0.4427	-7.9877	7.9877	3.5362	-9335.5880	5923.3257	7 51
	720-0-0		293.9154			SASHIHIKI	2170.680663			
						1/2	1085.340331			
						MENSEKI	1085.3403			
						TSUBO MENSEKI	328.3155			

1-8号地

3番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		93-39-15						-9438.6912	5887.7698	1 60
1	90-19-15	183-58-30	32.4383	-32.3603	-2.2487	-2.2487	72.7686	-9471.0515	5885.5211	2 Z
2	85- 4-22	89- 2-52	26.9853	0.4484	26.9816	22.4842	10.0819	-9470.6031	5912.5027	3 61
3	138-42- 2	47-44-54	4.0405	2.7168	2.9908	52.4566	142.5141	-9467.8863	5915.4935	4 62
4	135-38-23	3-23-17	27.3690	27.3212	1.6174	57.0648	1559.0788	-9440.5651	5917.1109	5 59
5	90-15-58	273-39-15	29.4009	1.8739	-29.3411	29.3411	54.9823	-9438.6912	5887.7698	6 60
	540- 0- 0		120.2340			SASHIHIKI	1839.425714			
						1/2	919.712857			
						MENSEKI	919.7129			
						TSUBO MENSEKI	278.2131			

1-7号地

41番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		93-38-23						-9428.2780	5888.4821	1 58'
1	90-13-56	183-52-19	6.2745	-6.2602	-0.4237	-0.4237	2.6524	-9434.5382	5888.0584	2 15
2	180- 6-12	183-58-31	4.1630	-4.1530	-0.2886	-1.1360	4.7178	-9438.6912	5887.7698	3 60
3	89-40-44	93-39-15	29.4009	-1.8739	29.3411	27.9165	-52.3127	-9440.5651	5917.1109	4 59
4	89-44- 2	3-23-17	10.4450	10.4267	0.6173	57.8749	603.4442	-9430.1384	5917.7282	5 57'
5	90-15- 6	273-38-23	29.3052	1.8604	-29.2461	29.2461	54.4094	-9428.2780	5888.4821	6 58'
	540- 0- 0		79.5886			SASHIHIKI	612.911190			
						1/2	306.455595			
						MENSEKI	306.4556			
						TSUBO MENSEKI	92.7028			

1-13号地

40番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		93-38-24						-9417.7471	5889.1948	1 58
1	90-13-54	183-52-18	10.5550	-10.5309	-0.7127	-0.7127	7.5054	-9428.2780	5888.4821	2 58'
2	89-46- 5	93-38-23	29.3052	-1.8604	29.2461	27.8207	-51.7576	-9430.1384	5917.7282	3 57'
3	89-44-54	3-23-17	10.5549	10.5365	0.6238	57.6906	607.8570	-9419.6019	5918.3520	4 57
4	90-15- 7	273-38-24	29.2161	1.8548	-29.1572	29.1572	54.0808	-9417.7471	5889.1948	5 58
	360- 0- 0		79.6312			SASHIHIKI	617.685524			
						1/2	308.842762			
						MENSEKI	308.8428			
						TSUBO MENSEKI	93.4249			

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-5号地

9番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-9-58						-9449.7025	5874.4699	1 72
1	105-33-6	181-43-4	5.2239	-5.2216	-0.1566	-0.1566	0.8177	-9454.9241	5874.3133	2 72
2	88-33-16	90-16-20	7.8496	-0.0373	7.8495	7.5363	-0.2811	-9454.9614	5882.1628	3 68
3	89-43-17	359-59-37	9.9399	9.9399	-0.0011	15.3847	152.9224	-9445.0215	5882.1617	4 67
4	60-12-58	240-12-35	8.0068	-3.9780	-6.9487	8.4349	-33.5540	-9448.9995	5875.2130	5 66
5	104-46-48	164-59-23	0.5050	-0.4878	0.1308	1.6170	-0.7888	-9449.4873	5875.3438	6 71
6	271-10-35	256-9-58	0.9000	-0.2152	-0.8739	0.8739	-0.1881	-9449.7025	5874.4699	7 72

720-0-0

32.4252

SASHIHIKI

118.928110

1/2

59.464055

MENSEKI

59.4641

TSUBO MENSEKI

17.9879

2-6号地

4番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		88-24-46						-9455.6178	5872.7058	1 78
1	90-47-33	179-12-19	15.6100	-15.6085	0.2165	0.2165	-3.3792	-9471.2263	5872.9223	2 78
2	89-59-59	89-12-18	12.6000	0.1748	12.5988	13.0318	2.2780	-9471.0515	5885.5211	3 7
3	94-46-12	3-58-30	16.1076	16.0689	1.1166	26.7472	429.7981	-9454.9826	5886.6377	4 69
4	86-17-49	270-16-19	12.3245	0.0585	-12.3244	15.5394	0.9091	-9454.9241	5874.3133	5 73
5	91-26-50	181-43-9	0.6500	-0.6497	-0.0195	3.1955	-2.0761	-9455.5738	5874.2938	6 74
6	266-41-37	268-24-46	1.5886	-0.0440	-1.5880	1.5880	-0.0699	-9455.6178	5872.7058	7 78

720-0-0

58.8807

SASHIHIKI

427.459867

1/2

213.729934

MENSEKI

213.7299

TSUBO MENSEKI

64.6533

2-7号 地

5番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		96-56-16						-9445.0215	5882.1617	1 67
1	83- 3-21	179-59-37	9.9399	-9.9399	0.0011	0.0011	-0.0109	-9454.9614	5882.1628	2 68
2	90-16-40	90-16-17	4.4750	-0.0212	4.4749	4.4771	-0.0949	-9454.9826	5886.6377	3 69
3	93-42-14	3-58-31	9.3600	9.3375	0.6489	9.6009	89.6484	-9445.6451	5887.2866	4 70
4	92-57-45	276-56-16	5.1627	0.6236	-5.1249	5.1249	3.1959	-9445.0215	5882.1617	5 67
	360- 0- 0		28.9376			SASHIHIKI	92.738443			
						1/2	46.369221			
						MENSEKI	46.3692			
						TSUBO MENSEKI	14.0267			

2-8号 地

10番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		92-19-30						-9455.2824	5864.4453	1 75
1	86-52-48	179-12-18	16.0599	-16.0584	0.2228	0.2228	-3.5778	-9471.3408	5864.6681	2 76
2	90- 0- 1	89-12-19	8.2550	0.1145	8.2542	8.6998	0.9961	-9471.2263	5872.9223	3 77
3	90- 0- 0	359-12-19	15.6100	15.6085	-0.2165	16.7375	261.2473	-9455.6178	5872.7058	4 78
4	93- 7-11	272-19-30	8.2673	0.3354	-8.2605	8.2605	2.7706	-9455.2824	5864.4453	5 75
	360- 0- 0		48.1922			SASHIHIKI	261.436156			
						1/2	130.718078			
						MENSEKI	130.7181			
						TSUBO MENSEKI	39.5422			

2-9号 地

8番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-12-32						-9448.5117	5875.0822	1 108
1	104-46-51	164-59-23	0.5050	-0.4878	0.1308	0.1308	-0.0638	-9448.9995	5875.2130	2 66
2	75-13-12	60-12-35	8.0068	3.9780	6.9487	7.2103	28.6826	-9445.0215	5882.1617	3 67
3	32-34-12	272-46-47	0.9073	0.0440	-0.9062	13.2528	0.5831	-9444.9775	5881.2555	4 107
4	147-25-45	240-12-32	7.1134	-3.5342	-6.1733	6.1733	-21.8177	-9448.5117	5875.0822	5 108
	360- 0- 0		16.5325			SASHIHIKI	7.384216			
						1/2	3.692108			
						MENSEKI	3.6921			
						TSUBO MENSEKI	1.1169			

倍横距面積計算書

地番：(旧) 2-1 (新) 6

測点	測角	方向角	距離	D X	D Y	X	Y	測点	倍横距	倍面積
64		240-12-36				-9448.0239	5874.9514	65		
65	104-46-47	164-59-23	0.5050	-0.4878	0.1308	-9448.5117	5875.0822	108	0.1308	-0.063804
108	75-13-09	60-12-32	7.1134	3.5342	6.1733	-9444.9775	5881.2555	107	6.4349	22.742224
107	212-34-15	92-46-47	0.9073	-0.0440	0.9062	-9445.0215	5882.1617	67	13.5144	-0.594634
67	184-09-29	96-56-16	5.1627	-0.6236	5.1249	-9445.6451	5887.2866	70	19.5455	-12.188574
70	87-02-14	3-58-30	11.1337	11.1069	0.7718	-9434.5382	5888.0584	15	25.4422	282.583971
15	71-29-40	255-28-10	8.2840	-2.0784	-8.0190	-9436.6166	5880.0394	63	18.1950	-37.816488
63	101-46-58	177-15-08	8.2769	-8.2674	0.3968	-9444.8840	5880.4362	64	10.5728	-87.409567
64	242-57-28	240-12-36	6.3200	-3.1399	-5.4848	-9448.0239	5874.9514	65	5.4848	-17.221724
合計	1080-00-00		47.7030	0.0000	0.0000			倍面積 面積 坪数		150.031405 75.0157025 22.692250

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

PAGE 1

倍横距面積計算書

地番: (旧) 2-4 (新) 7

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
63		255-28-08				-9438.5910	5872.4220	77		
77	89-31-14	164-59-22	9.7661	-9.4329	2.5294	-9448.0239	5874.9514	65	2.5294	-23.859577
65	75-13-14	60-12-36	6.3200	3.1399	5.4848	-9444.8840	5880.4362	64	10.5436	33.105850
64	117-02-32	357-15-08	8.2769	-8.2674	-0.3968	-9436.6166	5880.0394	63	15.6316	129.232690
63	78-13-00	255-28-08	7.8691	-1.9744	-7.6174	-9438.5910	5872.4220	77	7.6174	-15.039795
合計	360-00-00		32.2321	0.0000	0.0000			倍面積 面積 坪数		123.439168 61.719584 18.670174

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-2号地

11番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-10-4						-9456.7860	5845.7008	1
1	89-38-9	165-48-13	11.6295	-11.2743	2.8521	2.8521	-32.1554	-9468.0603	5848.5529	2
2	141-4-14	126-52-27	5.7334	-3.4404	4.5865	10.2907	-35.4041	-9471.5007	5853.1394	3
3	142-19-52	89-12-19	11.5298	0.1599	11.5287	26.4059	4.2223	-9471.3408	5864.6681	4
4	89-59-59	359-12-18	16.0599	16.0584	-0.2228	37.7118	605.5912	-9455.2824	5864.4453	5
5	273-7-12	92-19-30	8.2673	-0.3354	8.2605	45.7495	-15.3444	-9455.6178	5872.7058	6
6	176-5-16	88-24-46	1.5886	0.0440	1.5880	55.5980	2.4463	-9455.5738	5874.2938	7
7	93-18-19	1-43-5	5.8739	5.8713	0.1761	57.3621	336.7901	-9449.7025	5874.4699	8
8	74-26-59	256-10-4	29.6283	-7.0835	-28.7691	28.7691	-203.7859	-9456.7860	5845.7008	9
1080-0-0			90.3107	SASHIHIKI			662.360025			
				1/2			331.180012			
				MENSEKI			331.1800			
				TSUBO MENSEKI			100.1820			

2-3号地

12番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-28-10						-9446.2494	5842.8744	1
1	89-30-53	164-59-3	10.9091	-10.5366	2.8264	2.8264	-29.7806	-9456.7860	5845.7008	2
2	91-11-1	76-10-4	30.5283	7.2987	29.6430	35.2958	257.6135	-9449.4873	5875.3438	3
3	88-49-18	344-59-22	11.2812	10.8963	-2.9218	62.0170	675.7558	-9438.5910	5872.4220	4
4	90-28-48	255-28-10	30.5240	-7.6584	-29.5476	29.5476	-226.2873	-9446.2494	5842.8744	5
360-0-0			83.2426	SASHIHIKI			677.301306			
				1/2			338.650653			
				MENSEKI			338.6507			
				TSUBO MENSEKI			102.4418			

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-1号地

14番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		74-54-44						-9420.2801	5835.8824	1 25
1	89-59-42	164-54-26	18.5734	-17.9327	4.8362	4.8362	-86.7261	-9438.2128	5840.7186	2 6
2	90-40-19	75-34-45	9.6730	2.4090	9.3682	19.0406	45.8688	-9435.8038	5850.0868	3 24
3	269-27-58	165-2-43	8.3021	-8.0209	2.1424	30.5512	-245.0481	-9443.8247	5852.2292	4 23
4	90-25-27	75-28-10	37.0131	9.2865	35.8292	68.5228	636.3370	-9434.5382	5888.0584	5 13
5	108-24-9	3-52-19	28.9167	28.8507	1.9526	106.3046	3066.9621	-9405.6875	5890.0110	6 26
6	71-2-25	254-54-44	56.0611	-14.5926	-54.1286	54.1286	-789.8770	-9420.2801	5835.8824	7 25
720-0-0			158.5394			SASHIHIKI	2627.516659			
						1/2	1313.758329			
						MENSEKI	1313.7583			
						TSUBO MENSEKI	397.4119			

3-2号地

13番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-34-45						-9438.2128	5840.7186	1 6
1	89-24-18	164-59-3	8.3207	-8.0366	2.1558	2.1558	-17.3253	-9446.2494	5842.8744	2 22
2	90-29-6	75-28-9	9.6639	2.4247	9.3548	13.6664	33.1369	-9443.8247	5852.2292	3 23
3	89-34-34	345-2-43	8.3021	8.0209	-2.1424	20.8788	167.4668	-9435.8038	5850.0868	4 24
4	90-32-2	255-34-45	9.6730	-2.4090	-9.3682	9.3682	-22.5680	-9438.2128	5840.7186	5 6
360-0-0			35.9597			SASHIHIKI	160.710391			
						1/2	80.355195			
						MENSEKI	80.3552			
						TSUBO MENSEKI	24.3074			

4号地

15番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-16-49						-9374.2659	5823.4728	1 32
1	95-37-36	164-54-25	47.6582	-46.0142	12.4096	12.4096	-571.0178	-9420.2801	5835.8824	2 25
2	90-0-19	74-54-44	56.0611	14.5926	54.1286	78.9478	1152.0537	-9405.6875	5890.0110	3 26
3	108-57-34	3-52-18	28.1944	28.1301	1.9038	134.9802	3797.0065	-9377.5574	5891.9148	4 27
4	66-40-37	250-32-55	3.9023	-1.2995	-3.6796	133.2044	-173.0991	-9378.8569	5888.2352	5 28
5	183-19-5	253-52-0	14.0992	-3.9178	-13.5439	115.9809	-454.3900	-9382.7747	5874.6913	6 29
6	266-35-43	340-27-43	26.0849	24.5829	-8.7236	93.7134	2303.7471	-9358.1918	5865.9677	7 30
7	88-49-6	249-16-49	45.4334	-16.0741	-42.4949	42.4949	-683.0673	-9374.2659	5823.4728	8 32
900-0-0			221.4335			SASHIHIKI	5371.233155			
						1/2	2685.616577			
						MENSEKI	2685.6166			
						TSUBO MENSEKI	812.3990			

5-9号地

17番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-32-53						-9358.1570	5823.5947	1 80
1	89-10-31	158-43-24	15.0246	-14.0005	5.4520	5.4520	-76.3307	-9372.1575	5829.0467	2 81
2	90-33-24	69-16-48	4.8943	1.7316	4.5777	15.4817	26.8081	-9370.4259	5833.6244	3 82
3	89- 3-25	338-20-13	15.0035	13.9438	-5.5385	14.5209	202.4765	-9356.4821	5828.0859	4 82
4	91-12-40	249-32-53	4.7933	-1.6749	-4.4912	4.4912	-7.5223	-9358.1570	5823.5947	5 80
	360- 0- 0		39.7157			SASHIHIKI	145.431600			
						1/2	72.715800			
						MENSEKI	72.7158			
						TSUBO MENSEKI	21.9965			

5-10号地

16番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		27-25-20						-9362.9309	5820.4159	1 7
1	137-29- 6	164-54-26	11.7400	-11.3350	3.0569	3.0569	-34.6500	-9374.2659	5823.4728	2 82
2	84-22-23	69-16-49	5.9593	2.1084	5.5739	11.6877	24.6423	-9372.1575	5829.0467	3 81
3	89-26-35	338-43-24	15.0246	14.0005	-5.4520	11.8096	165.3403	-9358.1570	5823.5947	4 80
4	90-49-21	249-32-45	0.9289	-0.3246	-0.8703	5.4873	-1.7812	-9358.4816	5822.7244	5 8
5	137-52-35	207-25-20	5.0125	-4.4493	-2.3085	2.3085	-10.2712	-9362.9309	5820.4159	6 7
	540- 0- 0		38.6653			SASHIHIKI	143.280303			
						1/2	71.640152			
						MENSEKI	71.6402			
						TSUBO MENSEKI	21.6711			

6- 号地

26番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		68-58-28						-9345.0407	5858.7660	1 9
1	92-30- 3	161-28-31	14.8593	-14.0894	4.7210	4.7210	-66.5161	-9359.1301	5863.4870	2 31
2	87-48-20	69-16-51	7.6695	2.7134	7.1735	16.6155	45.0845	-9356.4167	5870.6605	3 33
3	89-58-31	339-15-22	14.8863	13.9213	-5.2726	18.5164	257.7724	-9342.4954	5865.3879	4 34
4	89-43- 6	248-58-28	7.0942	-2.5453	-6.6219	6.6219	-16.8547	-9345.0407	5858.7660	5 9
	360- 0- 0		44.5093			SASHIHIKI	219.486078			
						1/2	109.743039			
						MENSEKI	109.7430			
						TSUBO MENSEKI	33.1973			

5-6号地

20番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-32-52						-9352.9756	5837.4885	1 86
1	90-7-43	159-40-35	14.9549	-14.0239	5.1942	5.1942	-72.8429	-9366.9995	5842.6827	2 87
2	89-36-16	69-16-51	4.2494	1.5034	3.9746	14.3630	21.5933	-9365.4961	5846.6573	3 88
3	90-29-18	339-46-9	14.9352	14.0138	-5.1646	13.1730	184.6038	-9351.4823	5841.4927	4 89
4	89-46-43	249-32-52	4.2736	-1.4933	-4.0042	4.0042	-5.9795	-9352.9756	5837.4885	5 90
	360-0-0		38.4131			SASHIHIKI	127.374708			
						1/2	63.687354			
						MENSEKI	63.6874			
						TSUBO MENSEKI	19.2654			

5-7号地

19番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-32-52						-9354.6512	5832.9955	1 81
1	89-39-17	159-12-9	14.9770	-14.0011	5.3178	5.3178	-74.4550	-9368.6523	5838.3133	2 82
2	90-4-39	69-16-48	4.6716	1.6528	4.3694	15.0050	24.8003	-9366.9995	5842.6827	3 83
3	90-23-47	339-40-35	14.9549	14.0239	-5.1942	14.1802	198.8617	-9352.9756	5837.4885	4 84
4	89-52-17	249-32-52	4.7953	-1.6756	-4.4930	4.4930	-7.5285	-9354.6512	5832.9955	5 85
	360-0-0		39.3988			SASHIHIKI	141.678450			
						1/2	70.839225			
						MENSEKI	70.8392			
						TSUBO MENSEKI	21.4289			

5-8号地

18番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-32-54						-9356.4821	5828.0859	1 82
1	88-47-19	158-20-13	15.0035	-13.9438	5.5385	5.5385	-77.2277	-9370.4259	5833.6244	2 83
2	90-56-37	69-16-50	5.0131	1.7736	4.6889	15.7659	27.9624	-9368.6523	5838.3133	3 84
3	89-55-19	339-12-9	14.9770	14.0011	-5.3178	15.1370	211.9347	-9354.6512	5832.9955	4 85
4	90-20-45	249-32-54	5.2399	-1.8309	-4.9096	4.9096	-8.9890	-9356.4821	5828.0859	5 86
	360-0-0		40.2335			SASHIHIKI	153.680328			
						1/2	76.840164			
						MENSEKI	76.8402			
						TSUBO MENSEKI	23.2441			

5-4号地

22番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		68-48-9						-9350.0598	5845.4791	1 80
1	90-34-28	159-22-37	14.8547	-13.9028	5.2321	5.2321	-72.7408	-9363.9626	5850.7112	2 81
2	89-54-14	69-16-51	4.5643	1.6148	4.2691	14.7333	23.7913	-9362.3478	5854.9803	3 83
3	90-17-51	339-34-42	14.8934	13.9574	-5.1967	13.8057	192.6917	-9348.3904	5849.7836	4 82
4	89-13-27	248-48-9	4.6169	-1.6694	-4.3045	4.3045	-7.1859	-9350.0598	5845.4791	5 80
360- 0- 0			38.9293			SASHIHIKI	136.556238			
						1/2	68.278119			
						MENSEKI	68.2781			
						TSUBO MENSEKI	20.6541			

5-5号地

21-2番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		70-21-37						-9350.7711	5843.4859	1 160
1	89-12-47	159-34-24	14.8948	-13.9582	5.1984	5.1984	-72.5603	-9364.7293	5848.6843	2 161
2	89-42-25	69-16-49	2.1671	0.7667	2.0269	12.4237	9.5253	-9363.9626	5850.7112	3 81
3	90- 5-48	339-22-37	14.8547	13.9028	-5.2321	9.2185	128.1630	-9350.0598	5845.4791	4 80
4	90-59- 0	250-21-37	2.1163	-0.7113	-1.9932	1.9932	-1.4178	-9350.7711	5843.4859	5 160
360- 0- 0			34.0329			SASHIHIKI	63.710143			
						1/2	31.855071			
						MENSEKI	31.8551			
						TSUBO MENSEKI	9.6362			

5-11号地

21-1番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		70-21-47						-9351.4823	5841.4927	1 88
1	89-24-22	159-46- 9	14.9352	-14.0138	5.1646	5.1646	-72.3757	-9365.4961	5846.6573	2 89
2	89-30-34	69-16-43	2.1672	0.7668	2.0270	12.3562	9.4747	-9364.7293	5848.6843	3 161
3	90-17-41	339-34-24	14.8948	13.9582	-5.1984	9.1848	128.2033	-9350.7711	5843.4859	4 160
4	90-47-23	250-21-47	2.1163	-0.7112	-1.9932	1.9932	-1.4176	-9351.4823	5841.4927	5 88
360- 0- 0			34.1135			SASHIHIKI	63.884774			
						1/2	31.942387			
						MENSEKI	31.9424			
						TSUBO MENSEKI	9.6626			

5-1号地

25番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-32-54						-9347.3348	5852.6143	1 92
1	89-49-13	159-22-7	14.8791	-13.9249	5.2427	5.2427	-73.0041	-9361.2597	5857.8570	2 95
2	89-54-42	69-16-49	6.0193	2.1296	5.6300	16.1154	34.3194	-9359.1301	5863.4870	3 31
3	92-11-42	341-28-31	14.8593	14.0894	-4.7210	17.0244	239.8636	-9345.0407	5858.7660	4 9
4	88-4-23	249-32-54	6.5655	-2.2941	-6.1517	6.1517	-14.1126	-9347.3348	5852.6143	5 94
	360-0-0		42.3232			SASHIHIKI	187.066249			
						1/2	93.533125			
						MENSEKI	93.5331			
						TSUBO MENSEKI	28.2938			

5-2号地

23番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-33-1						-9348.3904	5849.7836	1 92
1	90-1-40	159-34-41	6.0510	-5.6707	2.1114	2.1114	-11.9731	-9354.0611	5851.8950	2 152
2	89-56-3	69-30-44	2.5505	0.8927	2.3892	6.6120	5.9025	-9353.1684	5854.2842	3 151
3	89-1-47	338-32-31	6.0503	5.6309	-2.2133	6.7879	38.2220	-9347.5375	5852.0709	4 150
4	91-0-30	249-33-1	2.4411	-0.8529	-2.2873	2.2873	-1.9508	-9348.3904	5849.7836	5 92
	360-0-0		17.0929			SASHIHIKI	30.200564			
						1/2	15.100282			
						MENSEKI	15.1003			
						TSUBO MENSEKI	4.5678			

5-3号地

24番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-30-44						-9354.0611	5851.8950	1 152
1	90-3-59	159-34-43	8.8424	-8.2867	3.0853	3.0853	-25.5670	-9362.3478	5854.9803	2 93
2	89-42-9	69-16-52	3.0756	1.0881	2.8767	9.0473	9.8444	-9361.2597	5857.8570	3 95
3	90-5-15	339-22-7	14.8791	13.9249	-5.2427	6.6813	93.0364	-9347.3348	5852.6143	4 92
4	90-10-29	249-32-36	0.5800	-0.2027	-0.5434	0.8952	-0.1815	-9347.5375	5852.0709	5 150
5	88-59-55	158-32-31	6.0503	-5.6309	2.2133	2.5651	-14.4438	-9353.1684	5854.2842	6 151
6	270-58-13	249-30-44	2.5505	-0.8927	-2.3892	2.3892	-2.1328	-9354.0611	5851.8950	7 152
	720-0-0		35.9779			SASHIHIKI	60.555729			
						1/2	30.277864			
						MENSEKI	30.2779			
						TSUBO MENSEKI	9.1591			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

画 地 面 積
7 号 地

27番

キヤクトラハース ケイサンショ

NO.	X	Y	DX	DY	キヨリ	ホウコウカク	キヨウカク	ハイイウキヨ	ハイメンセキ
034-149342.4954		75865.3879	-13.9213	5.2726	14.8863	159-15-22	90-16-57	5.2726	-73.40144638
033-149356.4167		75870.6605	-1.7751	-4.6928	5.0173	249-16-49	270-01-27	5.8524	-10.38859524
030-149358.1918		75865.9677	-24.5829	8.7236	26.0849	160-27-43	91-10-54	9.8832	-242.95771728
029-149382.7747		75874.6913	3.7154	12.8441	13.3707	73-51-59	93-24-16	31.4509	116.85267386
036-149379.0593		75887.5354	18.2263	-5.0666	18.9174	344-27-54	90-35-55	39.2284	714.98858692
035-149360.8330		75882.4688	22.3407	-6.6668	23.3142	343-23-03	178-55-09	27.4950	614.25754650
010-149338.4923		75875.8020	-4.0031	-10.4141	11.1570	248-58-25	85-35-22	10.4141	-41.68868371
TOTAL					112.7478		900-00-00		1077.66236467

メンセキ 538.83118233
ツホ スウ 162.99643265

メンセキ 538.83118233
ツホ スウ 162.99643265

取扱注意
この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

借 地 面 積
あ

7号地(あ)

27番(ア)

キヤクトラハース ケイサンショ

NO.	X	Y	DX	DY	キヨリ	ホウコウカク	キヨウカク	ハノイウキヨ	ハノイメツキ
039-149341.2048		75868.7454	-12.5418	4.0027	13.1650	162-17-58	93-19-33	4.0027	-50.20106286
038-149353.7466		75872.7481	2.1990	6.9498	7.2894	72-26-31	90-08-33	14.9552	32.88648480
037-149351.5476		75879.6979	13.0553	-3.8959	13.6242	343-23-03	90-56-32	18.0091	235.11420323
010-149338.4923		75875.8020	-2.7125	-7.0566	7.5600	248-58-25	85-35-22	7.0566	-19.14102750
TOTAL					41.6386		359-59-60		198.65859767

メツキ 99.32929883
ツホ スウ 30.04711289

メツキ 99.32929883
ツホ スウ 30.04711289

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

画 地 面 積

7 号 地 の 残 地

27番の残地

キヤクトラハース ケイサンジョ

NO.	X	Y	DX	DY	キヨリ	ホウコウカク	キヨウカク	ハイオウキヨ	ハイメンキ
034-149342.4954		75865.3879	-13.9213	5.2726	14.8863	159-15-22	90-16-57	5.2726	-73.40144638
033-149356.4167		75870.6605	-1.7751	-4.6928	5.0173	249-16-49	270-01-27	5.8524	-10.38859524
030-149358.1918		75865.9677	-24.5829	8.7236	26.0849	160-27-43	91-10-54	9.8832	-242.95771728
029-149382.7747		75874.6913	3.7154	12.8441	13.3707	73-51-59	93-24-16	31.4509	116.85267386
036-149379.0593		75887.5354	18.2263	-5.0666	18.9174	344-27-54	90-35-55	39.2284	714.98858692
035-149360.8330		75882.4688	9.2854	-2.7709	9.6900	343-23-03	178-55-09	31.3909	291.47706286
037-149351.5476		75879.6979	-2.1990	-6.9498	7.2894	252-26-31	89-03-28	21.6702	-47.65276980
038-149353.7466		75872.7481	12.5418	-4.0027	13.1650	342-17-58	269-51-27	10.7177	134.41924986
039-149341.2048		75868.7454	-1.2906	-3.3575	3.5970	248-58-25	86-40-27	3.3575	-4.33318950
TOTAL					112.0180		1260-00-00		879.00385530

メンセキ 439.50192765
ツホ スウ 132.94933311

メンセキ 439.50192765
ツホ スウ 132.94933311

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

8-1号地

28番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-48-34						-9338.4923	5875.8020	1 10
1	93-34-29	163-23-3	12.8177	-12.2825	3.6653	3.6653	-45.0190	-9350.7748	5879.4673	2 96
2	91-46-12	75-9-15	13.5028	3.4597	13.0521	20.3827	70.5180	-9347.3151	5892.5194	3 20
3	86-54-33	342-3-48	13.6921	13.0266	-4.2167	29.2181	380.6125	-9334.2885	5888.3027	4 21
4	99-20-51	261-24-39	1.8353	-0.2741	-1.8147	23.1867	-6.3555	-9334.5626	5886.4880	5 11
5	168-23-55	249-48-34	11.3857	-3.9297	-10.6860	10.6860	-41.9928	-9338.4923	5875.8020	6 10
	540-0-0		53.2336							
						SASHIHIKI	357.763233			
						1/2	178.881616			
						MENSEKI	178.8816			
						TSUBO MENSEKI	54.1117			

8-2号地

29番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-9-16						-9350.7748	5879.4673	1 96
1	88-13-47	163-23-3	10.4965	-10.0582	3.0015	3.0015	-30.1897	-9360.8330	5882.4688	2 35
2	88-54-28	72-17-31	4.4600	1.3566	4.2487	10.2517	13.9075	-9359.4764	5886.7175	3 100
3	90-34-16	342-51-47	10.2770	9.8207	-3.0282	11.4722	112.6650	-9349.6557	5883.6893	4 97
4	92-17-29	255-9-16	4.3678	-1.1191	-4.2220	4.2220	-4.7248	-9350.7748	5879.4673	5 96
	360-0-0		29.6013							
						SASHIHIKI	91.657963			
						1/2	45.828982			
						MENSEKI	45.8290			
						TSUBO MENSEKI	13.8633			

8-3号地

30番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-9-15						-9349.6557	5883.6893	1 97
1	87-42-32	162-51-47	10.2770	-9.8207	3.0282	3.0282	-29.7390	-9359.4764	5886.7175	2 100
2	89-25-48	72-17-35	4.1907	1.2746	3.9922	10.0486	12.8079	-9358.2018	5890.7097	3 110
3	91-32-37	343-50-12	10.0622	9.6645	-2.8011	11.2397	108.6261	-9348.5373	5887.9086	4 98
4	91-19-3	255-9-15	4.3650	-1.1184	-4.2193	4.2193	-4.7189	-9349.6557	5883.6893	5 97
	360-0-0		28.8949							
						SASHIHIKI	86.976117			
						1/2	43.488059			
						MENSEKI	43.4881			
						TSUBO MENSEKI	13.1551			

8-4号地

31番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-9-14						-9348.5373	5887.9086	1 98
1	88-40-58	163-50-12	10.0622	-9.6645	2.8011	2.8011	-27.0712	-9358.2018	5890.7097	2 110
2	88-27-19	72-17-31	4.5393	1.3807	4.3242	9.9264	13.7054	-9356.8211	5895.0339	3 19
3	92-53-30	345-11-1	9.8329	9.5060	-2.5145	11.7361	111.5634	-9347.3151	5892.5194	4 20
4	89-58-13	255-9-14	4.7700	-1.2222	-4.6108	4.6108	-5.6353	-9348.5373	5887.9086	5 98
360-0-0			29.2044			SASHIHIKI	92.562196			
						1/2	46.281098			
						MENSEKI	46.2811			
						TSUBO MENSEKI	14.0000			

8-5号地

36番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-17-29						-9360.8330	5882.4688	1 35
1	92-10-25	164-27-54	11.2636	-10.8521	3.0167	3.0167	-32.7375	-9371.6851	5885.4855	2 101
2	87-17-57	71-45-51	4.9241	1.5409	4.6768	10.7102	16.5033	-9370.1442	5890.1623	3 102
3	90-28-13	342-14-4	11.2102	10.6756	-3.4205	11.9665	127.7496	-9359.4686	5886.7418	4 99
4	90-3-25	252-17-29	4.4855	-1.3644	-4.2730	4.2730	-5.8301	-9360.8330	5882.4688	5 35
360-0-0			31.8834			SASHIHIKI	105.685303			
						1/2	52.842652			
						MENSEKI	52.8427			
						TSUBO MENSEKI	15.9849			

8-6号地

35番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-17-30						-9359.4686	5886.7418	1 99
1	89-56-34	162-14-4	11.2102	-10.6756	3.4205	3.4205	-36.5159	-9370.1442	5890.1623	2 102
2	89-31-47	71-45-51	4.0859	1.2786	3.8807	10.7217	13.7088	-9368.8656	5894.0430	3 103
3	90-22-22	342-8-13	11.1726	10.6340	-3.4271	11.1753	118.8381	-9358.2316	5890.6159	4 109
4	90-9-17	252-17-30	4.0668	-1.2370	-3.8741	3.8741	-4.7923	-9359.4686	5886.7418	5 99
360-0-0			30.5355			SASHIHIKI	91.238754			
						1/2	45.619377			
						MENSEKI	45.6194			
						TSUBO MENSEKI	13.7999			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-10号 地

32 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-24-43						-9334.2885	5888.3027	1 21
1	80-39- 5	162- 3-48	13.6921	-13.0266	4.2167	4.2167	-54.9293	-9347.3151	5892.5194	2 20
2	183- 7-13	165-11- 1	9.8329	-9.5060	2.5145	10.9479	-104.0707	-9356.8211	5895.0339	3 19
3	101-15-36	86-26-37	27.1870	1.6864	27.1346	40.5970	68.4628	-9355.1347	5922.1685	4 22
4	96-56-40	3-23-17	19.5809	19.5467	1.1572	68.8888	1346.5487	-9335.5880	5923.3257	5 21
5	89-47- 3	273-10-20	31.9645	1.7688	-31.9155	38.1305	67.4452	-9333.8192	5891.4102	6 12
6	168-14-23	261-24-43	3.1427	-0.4693	-3.1075	3.1075	-1.4583	-9334.2885	5888.3027	7 21
720- 0- 0			105.4001				SASHIHIKI	1321.998365		
							1/2	660.999182		
							MENSEKI	660.9992		
							TSUBO. MENSEKI	199.9523		

1-6号地

39番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		93-36-2						-9396.6254	5890.6243	1 58
1	90-16-17	183-52-19	21.1700	-21.1217	-1.4295	-1.4295	30.1935	-9417.7471	5889.1948	2 58
2	89-46-5	93-38-24	29.2161	-1.8548	29.1572	26.2982	-48.7779	-9419.6019	5918.3520	3 57
3	89-44-53	3-23-17	21.1900	21.1530	1.2523	56.7077	1199.5380	-9398.4489	5919.6043	4 58
4	90-12-45	273-36-2	29.0373	1.8235	-28.9800	28.9800	52.8450	-9396.6254	5890.6243	5 58
	360-0-0		100.6134			SASHIHIKI	1233.798577			
						1/2	616.899288			
						MENSEKI	616.8993			
						TSUBO MENSEKI	186.6120			

1-5号地

38番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-36-27						-9377.3179	5891.9310	1 16
1	116-15-51	183-52-18	19.3517	-19.3075	-1.3067	-1.3067	25.2291	-9396.6254	5890.6243	2 58
2	89-43-44	93-36-2	29.0373	-1.8235	28.9800	26.3666	-48.0795	-9398.4489	5919.6043	3 58
3	89-47-15	3-23-17	21.0040	20.9673	1.2413	56.5879	1186.4955	-9377.4816	5920.8456	4 58
4	89-45-16	273-8-33	25.9042	1.4201	-25.8652	31.9640	45.3921	-9376.0615	5894.9804	5 160
5	154-27-54	247-36-27	3.2981	-1.2564	-3.0494	3.0494	-3.8313	-9377.3179	5891.9310	6 16
	540-0-0		98.5953			SASHIHIKI	1205.205901			
						1/2	602.602951			
						MENSEKI	602.6030			
						TSUBO MENSEKI	182.2874			

1-11号地

33番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		86-26-37						-9356.8211	5895.0339	1 19
1	78-53-41	165-20-18	11.9311	-11.5426	3.0199	3.0199	-34.8575	-9368.3637	5898.0538	2 18
2	212-41-13	198-1-31	7.8106	-7.4273	-2.4169	3.6229	-26.9084	-9375.7910	5895.6369	3 17
3	229-34-53	247-36-24	0.7100	-0.2705	-0.6565	0.5495	-0.1486	-9376.0615	5894.9804	4 160
4	25-32-9	93-8-33	25.9042	-1.4201	25.8652	25.7582	-36.5792	-9377.4816	5920.8456	5 58
5	90-14-43	3-23-16	22.3860	22.3469	1.3229	52.9463	1183.1857	-9355.1347	5922.1685	6 52
6	83-3-21	266-26-37	27.1870	-1.6864	-27.1346	27.1346	-45.7598	-9356.8211	5895.0339	7 19
	720-0-0		95.9289			SASHIHIKI	1038.932160			
						1/2	519.466080			
						MENSEKI	519.4661			
						TSUBO MENSEKI	157.1385			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

8-7号 地

34番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-17-37						-9358.2316	5890.6159	1 109
1	89-50-36	162- 8-13	11.1726	-10.6340	3.4271	3.4271	-36.4438	-9368.8656	5894.0430	2 103
2	89-37-34	71-45-47	4.0151	1.2565	3.8134	10.6676	13.4038	-9367.6091	5897.8564	3 104
3	93-34-30	345-20-17	11.1511	10.7880	-2.8225	11.6585	125.7719	-9356.8211	5895.0339	4 19
4	86-57-20	252-17-37	4.6377	-1.4105	-4.4180	4.4180	-6.2316	-9358.2316	5890.6159	5 109
360- 0- 0			30.9765			SASHIHIKI	96.500367			
						1/2	48.250184			
						MENSEKI	48.2502			
						TSUBO MENSEKI	14.5957			

8-8号 地

37番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-45-50						-9371.6851	5885.4855	1 101
1	92-42- 4	164-27-54	7.6538	-7.3742	2.0499	2.0499	-15.1164	-9379.0593	5887.5354	2 86
2	89-24-14	73-52- 8	0.7285	0.2024	0.6998	4.7996	0.9714	-9378.8569	5888.2352	3 20
3	176-40-47	70-32-55	3.9023	1.2995	3.6796	9.1790	11.9281	-9377.5574	5891.9148	4 27
4	113-19-16	3-52-11	0.2400	0.2395	0.0162	12.8748	3.0835	-9377.3179	5891.9310	5 18
5	243-44-16	67-36-27	4.0081	1.5269	3.7059	16.5969	25.3418	-9375.7910	5895.6369	6 19
6	130-25- 4	18- 1-31	7.8106	7.4273	2.4169	22.7197	168.7460	-9368.3637	5898.0538	7 18
7	147-18-54	345-20-25	0.7800	0.7546	-0.1974	24.9392	18.8191	-9367.6091	5897.8564	8 104
8	86-25-25	251-45-50	13.0251	-4.0760	-12.3709	12.3709	-50.4238	-9371.6851	5885.4855	9 101
1080- 0- 0			38.1484			SASHIHIKI	163.349858			
						1/2	81.674929			
						MENSEKI	81.6749			
						TSUBO MENSEKI	24.7067			

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-14号 地

44番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		93-47-52						-9440.9690	5925.0742	1 41
1	89-36-17	183-24-9	6.5963	-6.5847	-0.3915	-0.3915	2.5779	-9447.5537	5924.6827	2 153
2	90-23-43	93-47-52	30.0222	-1.9885	29.9563	29.1733	-58.0111	-9449.5422	5954.6390	3 154
3	90-24-2	4-11-54	6.5963	6.5786	0.4829	59.6125	392.1668	-9442.9636	5955.1219	4 40
4	89-35-58	273-47-52	30.1138	1.9946	-30.0477	30.0477	59.9331	-9440.9690	5925.0742	5 41
	360- 0- 0		73.3286			SASHIHIKI	396.666738			
						1/2	198.333369			
						MENSEKI	198.3334			
						TSUBO MENSEKI	59.9958			

1-2号 地

45番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		94-18-5						-9419.8763	5926.3283	1 45
1	89- 6- 4	183-24-9	21.1299	-21.0927	-1.2541	-1.2541	26.4524	-9440.9690	5925.0742	2 41
2	90-23-43	93-47-52	30.1138	-1.9946	30.0477	27.5395	-54.9303	-9442.9636	5955.1219	3 40
3	90-24-3	4-11-55	20.8627	20.8067	1.5274	59.1146	1229.9797	-9422.1569	5956.6493	4 44
4	90- 6-10	274-18-5	30.4066	2.2806	-30.3210	30.3210	69.1501	-9419.8763	5926.3283	5 45
	360- 0- 0		102.5130			SASHIHIKI	1270.651889			
						1/2	635.325944			
						MENSEKI	635.3259			
						TSUBO MENSEKI	192.1861			

1-3号 地

46番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		94-18-10						-9398.1866	5927.6179	1 47
1	89- 5-59	183-24-9	21.7280	-21.6897	-1.2896	-1.2896	27.9710	-9419.8763	5926.3283	2 45
2	90-53-56	94-18-5	30.4066	-2.2806	30.3210	27.7418	-63.2679	-9422.1569	5956.6493	3 44
3	89-53-50	4-11-55	21.7246	21.6663	1.5905	59.6533	1292.4663	-9400.4906	5958.2398	4 46
4	90- 6-15	274-18-10	30.7085	2.3040	-30.6219	30.6219	70.5529	-9398.1866	5927.6179	5 47
	360- 0- 0		104.5677			SASHIHIKI	1327.722239			
						1/2	663.861120			
						MENSEKI	663.8611			
						TSUBO MENSEKI	200.8180			