

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

8-1 街区計算 (隅切除く)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		6-19-32						-8335.5184	5068.3562	1 54
1	135- 0-34	141-20- 6	45.2468	-35.3292	28.2687	28.2687	-998.7106	-8370.8476	5096.6249	2 51
2	89-49-35	51- 9-41	70.6575	44.3113	55.0363	111.5737	4943.9757	-8326.5363	5151.6612	3 52
3	90- 1-22	321-11- 3	48.5899	37.8595	-30.4571	136.1529	5154.6807	-8288.6768	5121.2041	4 53
4	90- 7-59	231-19- 2	66.9943	-41.8720	-52.2970	53.3988	-2235.9146	-8330.5488	5068.9071	5 70
5	135- 0-30	186-19-32	5.0000	-4.9696	-0.5509	0.5509	-2.7378	-8335.5184	5068.3562	6 54
540- 0- 0			236.4885			SASHIHIKI	6861.293548			
						1/2	3430.646774			
						MENSEKI	3430.6468			
						TSUBO MENSEKI	1037.7706			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

15番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-38-32						-8321.9634	5129.0809	1 85
1	89-32-25	141-10-57	5.1627	-4.0225	3.2362	3.2362	-13.0176	-8325.9859	5132.3171	2 86
2	90-27-34	51-38-31	14.7277	9.1396	11.5487	18.0211	164.7056	-8316.8463	5143.8658	3 80
3	89-32-35	321-11-6	5.1627	4.0226	-3.2360	26.3338	105.9303	-8312.8237	5140.6298	4 61
4	90-27-26	231-38-32	14.7279	-9.1397	-11.5489	11.5489	-105.5535	-8321.9634	5129.0809	5 85
360- 0- 0			39.7810			SASHIHIKI	152.064894			
						1/2	76.032447			
						MENSEKI	76.0324			
						TSUBO MENSEKI	22.9998			

16番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-38-31						-8325.9859	5132.3171	1 86
1	89-32-33	141-11-4	5.8181	-4.5333	3.6469	3.6469	-16.5325	-8330.5192	5135.9640	2 87
2	90- 2- 2	51-13-6	14.7273	9.2245	11.4805	18.7743	173.1835	-8321.2947	5147.4445	3 59
3	89-57-55	321-11-1	5.7092	4.4484	-3.5787	26.6761	118.6660	-8316.8463	5143.8658	4 60
4	90-27-30	231-38-31	14.7277	-9.1396	-11.5487	11.5487	-105.5505	-8325.9859	5132.3171	5 86
360- 0- 0			40.9823			SASHIHIKI	169.766503			
						1/2	84.883252			
						MENSEKI	84.8833			
						TSUBO MENSEKI	25.6772			

2番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-13-6						-8330.5192	5135.9640	1 87
1	89-57-55	141-11-1	6.7417	-5.2529	4.2259	4.2259	-22.1982	-8335.7721	5140.1899	2 58
2	89-58-41	51- 9-42	14.7272	9.2358	11.4713	19.9231	184.0058	-8326.5363	5151.6612	3 52
3	90- 1-22	321-11-4	6.7272	5.2416	-4.2167	27.1777	142.4546	-8321.2947	5147.4445	4 59
4	90- 2- 2	231-13-6	14.7273	-9.2245	-11.4805	11.4805	-105.9019	-8330.5192	5135.9640	5 87
360- 0- 0			42.9234			SASHIHIKI	198.360297			
						1/2	99.180148			
						MENSEKI	99.1801			
						TSUBO MENSEKI	30.0020			

3番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-12-29						-8325.3246	5116.5928	1 79
1	90-58-45	141-11-14	22.9362	-17.8718	14.3759	14.3759	-256.9232	-8343.1964	5130.9687	2 87
2	89-58-27	51-9-41	11.8385	7.4243	9.2212	37.9730	281.9229	-8335.7721	5140.1899	3 88
3	90-1-21	321-11-2	23.1331	18.0244	-14.5004	32.6938	589.2861	-8317.7477	5125.6895	4 81
4	89-1-27	230-12-29	11.8389	-7.5769	-9.0967	9.0967	-68.9248	-8325.3246	5116.5928	5 79
360-0-0			69.7467			SASHIHIKI	545.361077			
						1/2	272.680538			
						MENSEKI	272.6805			
						TSUBO MENSEKI	82.4859			

4番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-12-27						-8326.7641	5114.8646	1 78
1	90-58-49	141-11-16	22.8988	-17.8428	14.3523	14.3523	-256.0852	-8344.6069	5129.2169	2 77
2	89-58-20	51-9-36	2.2491	1.4105	1.7518	30.4564	42.9588	-8343.1964	5130.9687	3 89
3	90-1-38	321-11-14	22.9362	17.8718	-14.3759	17.8323	318.6953	-8325.3246	5116.5928	4 79
4	89-1-13	230-12-27	2.2492	-1.4395	-1.7282	1.7282	-2.4877	-8326.7641	5114.8646	5 78
360-0-0			50.3333			SASHIHIKI	103.081089			
						1/2	51.540545			
						MENSEKI	51.5405			
						TSUBO MENSEKI	15.5910			

11-2番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-19-4						-8324.1835	5105.9193	1 74
1	90-17-44	141-36-48	6.6450	-5.2086	4.1263	4.1263	-21.4922	-8329.3921	5110.0456	2 75
2	178-59-18	140-36-6	1.0649	-0.8229	0.6759	8.9285	-7.3473	-8330.2150	5110.7215	3 76
3	89-36-22	50-12-28	8.7140	5.5770	6.6956	16.3000	90.9051	-8324.6380	5117.4171	4 80
4	90-58-38	321-11-6	7.5409	5.8757	-4.7267	18.2689	107.3426	-8318.7623	5112.6904	5 88
5	90-7-58	231-19-4	8.6739	-5.4212	-6.7711	6.7711	-36.7075	-8324.1835	5105.9193	6 74
540-0-0			32.6387			SASHIHIKI	132.700680			
						1/2	66.350340			
						MENSEKI	66.3503			
						TSUBO MENSEKI	20.0710			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

11-3 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-19- 0						-8304.6093	5101.3049	1 65
1	89-52- 6	141-11- 6	25.7051	-20.0287	16.1122	16.1122	-322.7064	-8324.6380	5117.4171	2 80
2	89- 1-23	50-12-29	10.7661	6.8903	8.2724	40.4968	279.0351	-8317.7477	5125.6895	3 81
3	90-58-32	321-11- 1	9.1472	7.1271	-5.7337	43.0355	306.7183	-8310.6206	5119.9558	4 83
4	90- 5-40	231-16-41	0.6201	-0.3879	-0.4838	36.8180	-14.2817	-8311.0085	5119.4720	5 82
5	269-54-22	321-11- 3	16.3500	12.7394	-10.2485	26.0857	332.3162	-8298.2691	5109.2235	6 84
6	90- 7-57	231-19- 0	10.1441	-6.3402	-7.9186	7.9186	-50.2055	-8304.6093	5101.3049	7 65
720- 0- 0			72.7326			SASHIHIKI	530.875950			
						1/2	265.437975			
						MENSEKI	265.4380			
						TSUBO MENSEKI	80.2950			

5 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-12-29						-8330.2150	5110.7215	1 76
1	90-23-27	140-35-56	12.5041	-9.6622	7.9369	7.9369	-76.6879	-8339.8772	5118.6584	2 77
2	180-31-18	141- 7-14	10.3055	-8.0225	6.4686	22.3424	-179.2419	-8347.8997	5125.1270	3 78
3	90- 2-30	51- 9-44	5.2507	3.2928	4.0899	32.9009	108.3361	-8344.6069	5129.2169	4 79
4	90- 1-32	321-11-16	22.8988	17.8428	-14.3523	22.6385	403.9342	-8326.7641	5114.8646	5 78
5	89- 1-13	230-12-29	5.3920	-3.4509	-4.1431	4.1431	-14.2974	-8330.2150	5110.7215	6 76
540- 0- 0			56.3511			SASHIHIKI	242.043068			
						1/2	121.021534			
						MENSEKI	121.0215			
						TSUBO MENSEKI	36.6090			

11-1 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-19- 2						-8310.0307	5094.5337	1 66
1	89-52- 1	141-11- 3	18.1641	-14.1528	11.3856	11.3856	-161.1381	-8324.1835	5105.9193	2 74
2	90- 8- 1	51-19- 4	8.6739	5.4212	6.7711	29.5423	160.1547	-8318.7623	5112.6904	3 80
3	89-52- 1	321-11- 5	18.1642	14.1530	-11.3855	24.9279	352.8046	-8304.6093	5101.3049	4 65
4	90- 7-57	231-19- 2	8.6741	-5.4214	-6.7712	6.7712	-36.7094	-8310.0307	5094.5337	5 66
360- 0- 0			53.6763			SASHIHIKI	315.111782			
						1/2	157.555891			
						MENSEKI	157.5559			
						TSUBO MENSEKI	47.6607			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-19- 1						-8315.7126	5087.4372	1 67
1	89-52- 2	141-11- 3	18.2109	-14.1893	11.4149	11.4149	-161.9694	-8329.9019	5098.8521	2 73
2	89-50-16	51- 1-19	9.0910	5.7184	7.0672	29.8970	170.9630	-8324.1835	5105.9193	3 74
3	90- 9-44	321-11- 3	18.1641	14.1528	-11.3856	25.5786	362.0088	-8310.0307	5094.5337	4 66
4	90- 7-58	231-19- 1	9.0909	-5.6819	-7.0965	7.0965	-40.3216	-8315.7126	5087.4372	5 67
360- 0- 0			54.5569			SASHIHIKI	330.680771			
						1/2	165.340385			
						MENSEKI	165.3404			
						TSUBO MENSEKI	50.0155			

6

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-22- 1						-8346.9590	5077.5104	1 55
1	89-58- 5	141-20- 6	30.5946	-23.8886	19.1145	19.1145	-456.6186	-8370.8476	5096.6249	2 51
2	89-49-35	51- 9-41	36.5920	22.9479	28.5021	66.7311	1531.3386	-8347.8997	5125.1270	3 56
3	89-57-33	321- 7-14	10.3055	8.0225	-6.4686	88.7646	712.1140	-8339.8772	5118.6584	4 77
4	179-28-43	320-35-57	13.5690	10.4851	-8.6128	73.6832	772.5757	-8329.3921	5110.0456	5 75
5	181- 0-51	321-36-48	6.6450	5.2086	-4.1263	60.9441	317.4334	-8324.1835	5105.9193	6 74
6	89-24-31	231- 1-19	9.0910	-5.7184	-7.0672	49.7506	-284.4938	-8329.9019	5098.8521	7 73
7	180-20-42	231-22- 1	27.3206	-17.0571	-21.3417	21.3417	-364.0275	-8346.9590	5077.5104	8 55
900- 0- 0			134.1177			SASHIHIKI	2228.321786			
						1/2	1114.160893			
						MENSEKI	1114.1609			
						TSUBO MENSEKI	337.0337			

7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		6-19-32						-8335.5184	5068.3562	1 54
1	135- 0-34	141-20- 6	14.6522	-11.4406	9.1542	9.1542	-104.7295	-8346.9590	5077.5104	2 53
2	90- 1-55	51-22- 1	9.1501	5.7127	7.1477	25.4561	145.4231	-8341.2463	5084.6581	3 71
3	89-49- 1	321-11- 2	18.1952	14.1770	-11.4052	21.1986	300.5326	-8327.0693	5073.2529	4 69
4	90- 8- 0	231-19- 2	5.5671	-3.4795	-4.3458	5.4476	-18.9549	-8330.5488	5068.9071	5 70
5	135- 0-30	186-19-32	5.0000	-4.9696	-0.5509	0.5509	-2.7378	-8335.5184	5068.3562	6 54
540- 0- 0			52.5646			SASHIHIKI	319.533397			
						1/2	159.766699			
						MENSEKI	159.7667			
						TSUBO MENSEKI	48.3294			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

9番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-19- 3						-8321.3907	5080.3453	1 65
1	89-51-59	141-11- 2	18.2031	-14.1832	11.4101	11.4101	-161.8317	-8335.5739	5091.7554	2 72
2	90-10-58	51-22- 0	9.0849	5.6720	7.0967	29.9169	169.6887	-8329.9019	5098.8521	3 73
3	89-49- 3	321-11- 3	18.2109	14.1893	-11.4149	25.5987	363.2276	-8315.7126	5087.4372	4 67
4	90- 8- 0	231-19- 3	9.0849	-5.6781	-7.0919	7.0919	-40.2685	-8321.3907	5080.3453	5 68
	360- 0- 0		54.5838			SASHIHIKI	330.816043			
						1/2	165.408022			
						MENSEKI	165.4080			
						TSUBO MENSEKI	50.0359			

8番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-19- 2						-8327.0693	5073.2529	1 69
1	89-52- 0	141-11- 2	18.1952	-14.1770	11.4052	11.4052	-161.6915	-8341.2463	5084.6581	2 71
2	90-10-59	51-22- 1	9.0856	5.6724	7.0973	29.9077	169.6484	-8335.5739	5091.7554	3 72
3	89-49- 1	321-11- 2	18.2031	14.1832	-11.4101	25.5949	363.0176	-8321.3907	5080.3453	4 68
4	90- 8- 0	231-19- 2	9.0856	-5.6786	-7.0924	7.0924	-40.2749	-8327.0693	5073.2529	5 69
	360- 0- 0		54.5695			SASHIHIKI	330.699600			
						1/2	165.349800			
						MENSEKI	165.3498			
						TSUBO MENSEKI	50.0183			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

12番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-19- 3						-8298.2691	5109.2235	1 64
1	89-52- 0	141-11- 3	16.3500	-12.7394	10.2485	10.2485	-130.5597	-8311.0085	5119.4720	2 82
2	90- 5-46	51-16-49	15.3476	9.6001	11.9744	32.4714	311.7287	-8301.4084	5131.4464	3 63
3	89-54-14	321-11- 3	16.3401	12.7316	-10.2423	34.2035	435.4653	-8288.6768	5121.2041	4 53
4	90- 8- 0	231-19- 3	15.3475	-9.5923	-11.9806	11.9806	-114.9215	-8298.2691	5109.2235	5 64
360- 0- 0			63.3852			SASHIHIKI	501.712717			
						1/2	250.856359			
						MENSEKI	250.8564			
						TSUBO MENSEKI	75.8840			

13番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-16-49						-8310.6206	5119.9558	1 83
1	89-54-13	141-11- 2	7.2850	-5.6762	4.5664	4.5664	-25.9198	-8316.2968	5124.5222	2 84
2	90-27-30	51-38-32	14.7279	9.1397	11.5489	20.6817	189.0245	-8307.1571	5136.0711	3 62
3	89-32-31	321-11- 3	7.3780	5.7487	-4.6247	27.6059	158.6980	-8301.4084	5131.4464	4 63
4	90- 5-46	231-16-49	14.7275	-9.2122	-11.4906	11.4906	-105.8537	-8310.6206	5119.9558	5 83
360- 0- 0			44.1184			SASHIHIKI	215.949066			
						1/2	107.974533			
						MENSEKI	107.9745			
						TSUBO MENSEKI	32.6623			

14番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-38-32						-8316.2968	5124.5222	1 84
1	89-32-30	141-11- 2	7.2727	-5.6666	4.5587	4.5587	-25.8323	-8321.9634	5129.0809	2 85
2	90-27-30	51-38-32	14.7279	9.1397	11.5489	20.6663	188.8838	-8312.8237	5140.6298	3 61
3	89-32-30	321-11- 2	7.2727	5.6666	-4.5587	27.6565	156.7183	-8307.1571	5136.0711	4 62
4	90-27-30	231-38-32	14.7279	-9.1397	-11.5489	11.5489	-105.5535	-8316.2968	5124.5222	5 84
360- 0- 0			44.0012			SASHIHIKI	214.216294			
						1/2	107.108147			
						MENSEKI	107.1081			
						TSUBO MENSEKI	32.4002			