

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

倍横距法面積計算書

地番:1B

PAGE 1

器械点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
1-13		258-05-30				-3866.861	1627.421	1- 8		
1- 8	92-59-20	171-04-50	33.757	-33.349	5.234	-3900.210	1632.655	1- 7	5.234	-174.54866600
1- 7	179-59-50	171-04-40	10.433	-10.307	1.618	-3910.517	1634.273	1-35	12.086	-124.57040200
1-35	91-52-50	82-57-30	75.635	9.271	75.065	-3901.246	1709.338	1-36	88.769	822.97739900
1-36	187-14-10	90-11-40	76.710	-0.262	76.710	-3901.508	1786.048	1-37	240.544	-63.02252800
1-37	185-38-50	95-50-30	23.372	-2.379	23.251	-3903.887	1809.299	1-38	340.505	-810.06139500
1-38	82-52-20	358-42-50	10.864	10.861	-0.244	-3893.026	1809.055	7- 1	363.512	3948.10383200
7- 1	179-59-50	358-42-40	68.481	68.464	-1.539	-3824.562	1807.516	8- 1	361.729	24765.41425600
8- 1	74-52-50	253-35-30	5.321	-1.503	-5.104	-3826.065	1802.412	1- 9	355.086	-533.69425800
1- 9	183-17-20	256-52-50	86.441	-19.622	-84.184	-3845.687	1718.228	1-10	265.798	-5215.48835600
1-10	179-52-40	256-45-30	85.196	-19.513	-82.931	-3865.200	1635.297	1-13	98.683	-1925.60137900
1-13	181-20-00	258-05-30	8.049	-1.661	-7.876	-3866.861	1627.421	1- 8	7.876	-13.08203600
合計	1620-00-00		484.259	0.000	0.000					20676.42646700
									面積	10338.21323350
									坪数	3127.30950313

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

神戸市港湾局(1) (2-1)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-37-38						-3900.210	1632.655	1(7)
1	89-27-5	171-4-43	10.433	-10.307	1.618	1.618	-16.676726	-3910.517	1634.273	2(35)
2	91-52-50	82-57-33	75.635	9.271	75.065	78.301	725.928571	-3901.246	1709.338	3(36)
3	187-14-11	90-11-44	76.710	-0.262	76.710	230.076	-60.279912	-3901.508	1786.048	4(37)
4	185-38-47	95-50-31	23.372	-2.379	23.251	330.037	-785.158023	-3903.887	1809.299	5(38)
5	82-52-16	358-42-47	10.864	10.861	-0.244	353.044	3834.410884	-3893.026	1809.055	6(7-)
6	95-0-44	273-43-31	22.117	1.437	-22.070	330.730	475.259010	-3891.589	1786.985	7(6)
7	176-31-27	270-14-58	24.577	0.107	-24.577	284.083	30.396881	-3891.482	1762.408	8(5)
8	179-48-18	270-3-16	33.593	0.032	-33.593	225.913	7.229216	-3891.450	1728.815	9(45)
9	175-3-54	265-7-10	20.698	-1.761	-20.623	171.697	-302.358417	-3893.211	1708.192	10(44)
10	182-4-43	267-11-53	9.697	-0.474	-9.685	141.389	-67.018386	-3893.685	1698.507	11(43)
11	252-24-45	339-36-38	1.650	1.547	-0.575	131.129	202.856563	-3892.138	1697.932	12(42)
12	108-13-54	267-50-32	3.745	-0.141	-3.742	126.812	-17.880492	-3892.279	1694.190	13(40)
13	174-46-27	262-36-59	39.989	-5.139	-39.657	83.413	-428.659407	-3897.418	1654.533	14(12)
14	180-42-38	263-19-37	14.277	-1.659	-14.180	29.576	-49.066584	-3899.077	1640.353	15(14)
15	178-18-1	261-37-38	7.781	-1.133	-7.698	7.698	-8.721834	-3900.210	1632.655	16(7)
	2340-0-0		375.138			SASHIHIKI	3540.261344			
						1/2	1770.130672			
						MENSEKI	1770.131			
						TSUBO MENSEKI	535.46			

倍横距面積計算書

地番: 阪神高速(1)(新) 2-2

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
32		255-51-08				-3877.920	1652.740	31		
31	95-27-39	171-18-47	19.572	-19.347	2.956	-3897.267	-1655.696	2	2.956	-57.189732
2	91-18-14	82-37-01	38.816	4.988	38.494	-3892.279	1694.190	40	44.406	221.497128
40	185-13-31	87-50-32	3.745	0.141	3.742	-3892.138	1697.932	42	86.642	12.216522
42	178-45-15	86-35-47	15.395	0.914	15.368	-3891.224	1713.300	48	105.752	96.657328
48	270-30-48	177-06-35	1.547	-1.545	0.078	-3892.769	1713.378	51	121.198	-187.250910
51	88-00-24	85-06-59	15.493	1.319	15.437	-3891.450	1728.815	45	136.713	180.324447
45	184-56-17	90-03-16	33.593	-0.032	33.593	-3891.482	1762.408	5	185.743	-5.943776
5	180-11-42	90-14-58	24.577	-0.107	24.577	-3891.589	1786.985	6	243.913	-26.098691
6	183-28-33	93-43-31	22.117	-1.437	22.070	-3893.026	1809.055	7-1	290.560	-417.534720
7-1	84-59-13	358-42-44	33.238	33.230	-0.747	-3859.796	1808.308	23-1	311.883	10363.872090
23-1	88-46-09	267-28-53	2.389	-0.105	-2.387	-3859.901	1805.921	22	308.749	-32.418645
22	180-54-40	268-23-33	20.141	-0.565	-20.133	-3860.466	1785.788	21	286.229	-161.719385
21	179-24-20	267-47-53	20.301	-0.780	-20.286	-3861.246	1765.502	20	245.810	-191.731800
20	179-03-32	266-51-25	20.300	-1.113	-20.269	-3862.359	1745.233	19	205.255	-228.448815
19	178-36-41	265-28-06	20.365	-1.609	-20.301	-3863.968	1724.932	18	164.685	-264.978165
18	177-06-59	262-35-05	20.385	-2.631	-20.215	-3866.599	1704.717	17	124.169	-326.688639
17	176-30-12	259-05-17	18.383	-3.480	-18.051	-3870.079	1686.666	26	85.903	-298.942440
26	179-46-26	258-51-43	10.845	-2.095	-10.641	-3872.174	1676.025	33	57.211	-119.857045
33	177-35-56	256-27-39	11.264	-2.637	-10.951	-3874.811	1665.074	32	35.619	-93.927303
32	179-23-29	255-51-08	12.720	-3.109	-12.334	-3877.920	1652.740	31	12.334	-38.346406
合計	3240-00-00		365.186	0.000	0.000				倍面積	8423.491043
									面積	4211.7455215
									坪数	1274.053020

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
 成果（日本測地系）ですので、あくまで参考資料として  
 取り扱ってください。

5-2号地 (2-5)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-45-33						-3865.200	1635.297	1 (13)
1	94-45-8	171-30-41	16.704	-16.521	2.466	2.466	-40.736076	-3881.721	1637.763	2 (49)
2	84-14-55	75-45-36	14.326	3.524	13.886	18.818	66.315457	-3878.197	1651.649	3 (50)
3	95-42-15	351-27-51	16.452	16.270	-2.442	30.262	492.362740	-3861.927	1649.207	4 (11)
4	85-17-42	256-45-33	14.290	-3.273	-13.910	13.910	-45.527430	-3865.200	1635.297	5 (13)
360- 0- 0			61.773	SASHIHIKI			472.414690			
				1/2			236.207345			
				MENSEKI			236.207			
				TSUBO MENSEKI			71.45			

阪神高速(3) 5-1号地 (2-3)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-45-36						-3881.721	1637.763	1 (49)
1	95-45-9	171-30-45	17.548	-17.356	2.590	2.590	-44.952040	-3899.077	1640.353	2 (14)
2	91-48-52	83-19-37	14.277	1.659	14.180	19.360	32.118240	-3897.418	1654.533	3 (12)
3	88- 8-23	351-28- 0	19.436	19.221	-2.884	30.656	589.238976	-3878.197	1651.649	4 (50)
4	84-17-36	255-45-36	14.326	-3.524	-13.886	13.886	-48.934264	-3881.721	1637.763	5 (49)
360- 0- 0			65.587	SASHIHIKI			527.470912			
				1/2			263.735456			
				MENSEKI			263.735			
				TSUBO MENSEKI			79.78			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

神戸市都市計画局 (2-4)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-5-28						-3866.861	1627.421	1 (8)
1	92-59-21	171-4-49	33.757	-33.349	5.234	5.234	-174.548666	-3900.210	1632.655	2 (7)
2	90-32-49	81-37-38	7.781	1.133	7.698	18.166	20.582078	-3899.077	1640.353	3 (14)
3	89-53-3	351-30-41	34.252	33.877	-5.056	20.808	704.912616	-3865.200	1635.297	4 (13)
4	86-34-47	258-5-28	8.049	-1.661	-7.876	7.876	-13.082036	-3866.861	1627.421	5 (8)
	360-0-0		83.839				SASHIHIKI	537.863992		
							1/2	268.931996		
							MENSEKI	268.932		
							TSUBO MENSEKI	81.35		

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

3-5号地

(2-6)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-45-32						-3861.680	1650.258	1 (1')
1	94-33-21	171-18-53	9.880	-9.767	1.492	1.492	-14.572364	-3871.447	1651.750	2 (20')
2	89-0-12	80-19-5	5.530	0.930	5.451	8.435	7.844550	-3870.517	1657.201	3 (29')
3	91-15-17	351-34-22	10.228	10.118	-1.499	12.387	125.331666	-3860.399	1655.702	4 (28')
4	85-11-10	256-45-32	5.593	-1.281	-5.444	5.444	-6.973764	-3861.680	1650.258	5 (1')
	360-0-0		31.231			SASHIHIKI	111.630088			
						1/2	55.815044			
						MENSEKI	55.815			
						TSUBO MENSEKI	16.88			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

(2-8)

子ハシ (3-1 )		** サビヨウ メンセキ セイカヒヨウ **									
NO	フコウ	X	Y	イキヨ	ケイキヨ	ハノイウキヨ	2A	ホウコウカク	ナイカク	ハシチヨウ	ソクセン
2005	(46)	-143859.5325	81659.3842								
2006	(47)	-143875.6021	81661.9354	-16.0696	2.5512	2.5512	-40.99676352	170-58-44	84-52-24	16.2709	2005-2006
	19 (32)	-143874.8110	81665.0740	0.7911	3.1386	8.2410	6.51945510	75-51-08	180-36-31	3.2368	2006- 19
	20 (33)	-143872.1740	81676.0250	2.6370	10.9510	22.3306	58.88579220	76-27-39	94-31-05	11.2640	19- 20
	21 (34)	-143856.2130	81673.4910	15.9610	-2.5340	30.7476	490.76244360	350-58-44	85-46-46	16.1609	20- 21
2005	(46)	-143859.5325	81659.3842	-3.3195	-14.1068	14.1068	-46.82752260	256-45-30	94-13-14	14.4921	21-2005
						ハノイセキ 2A	468.34340478		540-00-00	61.4247	
						メンセキ A	234.17170239	ツホノスウ	70.8369		

(2-7)

子ハシ (3- )		** サビヨウ メンセキ セイカヒヨウ **									
NO	フコウ	X	Y	イキヨ	ケイキヨ	ハノイウキヨ	2A	ホウコウカク	ナイカク	ハシチヨウ	ソクセン
15	(28)	-143860.3990	81655.7020								
16	(29)	-143870.5170	81657.2010	-10.1180	1.4990	1.4990	-15.16688200	171-34-22	268-44-43	10.2284	15- 16
17	(30)	-143871.4470	81651.7500	-0.9300	-5.4510	-2.4530	2.28129000	260-19-05	90-59-11	5.5298 <sup>300</sup>	16- 17
18	(31)	-143877.9200	81652.7400	-6.4730	0.9900	-6.9140	44.75432200	171-18-16	84-32-52	6.5483	17- 18
2006	(47)	-143875.6021	81661.9354	2.3179	9.1954	3.2714	7.58277806	75-51-08	95-07-36	9.4831	18-2006
2005	(46)	-143859.5325	81659.3842	16.0696	-2.5512	9.9156	159.33972576	350-58-44	85-46-46	16.2709	2006-2005
15	(28)	-143860.3990	81655.7020	-0.8665	-3.6822	3.6822	-3.19062630	256-45-30	94-48-52	3.7828	2005- 15
						ハノイセキ 2A	195.60060752		720-00-00	51.8433	
						メンセキ A	97.80030376	ツホノスウ	29.5845		

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

3-2号地

(2-9)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-45-43						-3856.213	1673.491	1 (34')
1	94-13-1	170-58-44	16.16 <sup>0</sup>	-15.961	2.534	2.534	-40.445174	-3872.174	1676.025	2 (33')
2	87-52-59	78-51-43	10.845	2.095	10.641	15.709	32.910355	-3870.079	1686.666	3 (26')
3	92-35-23	351-27-6	16.570	16.386	-2.463	23.887	391.412382	-3853.693	1684.203	4 (25')
4	85-18-37	256-45-43	11.004	-2.520	-10.712	10.712	-26.994240	-3856.213	1673.491	5 (34')
	360-0-0		54.580			SASHIHIKI	356.883323			
						1/2	178.441662			
						MENSEKI	178.442			
						TSUBO MENSEKI	53.98			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

Z - 1

(2-10)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-45-38						-3853.693	1684.203	1 (25)
1	94-41-28	171-27-6	16.570	-16.386	2.463	2.463	-40.358718	-3870.079	1686.666	2 (26)
2	87-38-6	79-5-12	13.405	2.538	13.163	18.089	45.909882	-3867.541	1699.829	3 (16)
3	93-8-21	352-13-33	17.136	16.979	-2.318	28.934	491.270386	-3850.562	1697.511	4 (15)
4	84-32-5	256-45-38	13.671	-3.131	-13.308	13.308	-41.667348	-3853.693	1684.203	5 (25)
	360-0-0		60.782				SASHIHIKI	455.154202		
							1/2	227.577101		
							MENSEKI	227.577		
							TSUBO MENSEKI	68.84		

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

1 - 1 (2-11)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-45-30						-3850.562	1697.511	1 (15')
1	95-28-3	172-13-33	17.136	-16.979	2.318	2.318	-39.357322	-3867.541	1699.829	2 (16')
2	86-51-58	79-5-31	4.978	0.942	4.888	9.524	-8.971608	-3866.599	1704.717	3 (17')
3	183-29-34	82-35-5	20.385	2.631	20.215	34.627	91.103637	-3863.968	1724.932	4 (18')
4	182-53-1	85-28-6	20.365	1.609	20.301	75.143	120.905087	-3862.359	1745.233	5 (19')
5	181-23-19	86-51-25	20.300	1.113	20.269	115.713	128.788569	-3861.246	1765.502	6 (20')
6	180-56-28	87-47-53	20.301	0.780	20.286	156.268	121.889040	-3860.466	1785.788	7 (21')
7	180-35-40	88-23-33	20.141	0.565	20.133	196.687	111.128155	-3859.901	1805.921	8 (22')
8	179-5-20	87-28-53	2.389	0.105	2.387	219.207	23.016735	-3859.796	1808.308	9 (23-1)
9	91-13-51	358-42-44	35.243	35.234	-0.792	220.802	7779.737668	-3824.562	1807.516	10 (8-1)
10	74-52-46	253-35-30	5.321	-1.503	-5.104	214.906	-323.003718	-3826.065	1802.412	11 (9)
11	183-17-16	256-52-46	86.441	-19.622	-84.184	125.618	-2464.876396	-3845.687	1718.228	12 (10)
12	179-52-44	256-45-30	21.283	-4.875	-20.717	20.717	-100.995375	-3850.562	1697.511	13 (15')

1800-0-0	274.283	SASHIHIKI	5457.307688
		1/2	2728.653844
		MENSEKI	2728.654
		TSUBO MENSEKI	825.42

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

倍横距面積計算書

地番：阪神高速（1）（新）2-12

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
48		266-35-47				-3892.138	1697.932	42		
42	73-00-51	159-36-38	1.650	-1.547	0.575	-3893.685	1698.507	43	0.575	-0.889525
43	107-35-15	87-11-53	9.697	0.474	9.685	-3893.211	1708.192	44	10.835	5.135790
44	177-55-50	85-07-43	5.205	0.442	5.186	-3892.769	1713.378	51	25.706	11.362052
51	91-58-52	357-06-35	1.547	1.545	-0.078	-3891.224	1713.300	48	30.814	47.607630
48	89-29-12	266-35-47	15.395	-0.914	-15.368	-3892.138	1697.932	42	15.368	-14.046352
合計	540-00-00		33.494	0.000	0.000					
								倍面積		49.169595
								面積		24.5847975
								坪数		7.436901

