

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

13 街区計算（隅切除く）

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		17-34-48						-8721.3718	5281.3104	1 15
1	134-23-25	151-58-13	6.1164	-5.3990	2.8743	2.8743	-15.5183	-8726.7708	5284.1847	2 A
2	172-57-58	144-56-11	11.1164	-9.0989	6.3862	12.1348	-110.4133	-8735.8697	5290.5709	3 17
3	171-57-54	136-54-5	13.4608	-9.8288	9.1972	27.7182	-272.4366	-8745.6985	5299.7681	4 1
4	146-47-4	103-41-9	4.9578	-1.1730	4.8170	41.7324	-48.9521	-8746.8715	5304.5851	5 Z
5	148-1-28	71-42-37	4.8626	1.5260	4.6170	51.1664	78.0799	-8745.3455	5309.2021	6 4
6	178-4-11	69-46-48	6.8319	2.3613	6.4109	62.1943	146.8594	-8742.9842	5315.6130	7 19
7	180-4-3	69-50-51	32.8984	11.3342	30.8843	99.4895	1127.6339	-8731.6500	5346.4973	8 22
8	180-3-47	69-54-38	41.1243	14.1257	38.6222	168.9960	2387.1868	-8717.5243	5385.1195	9 24
9	135-14-15	25-8-53	5.2316	4.7357	2.2232	209.8414	993.7459	-8712.7886	5387.3427	10 7
10	135-32-18	340-41-11	32.9350	31.0815	-10.8929	201.1717	6252.7182	-8681.7071	5376.4498	11 9
11	133-23-46	294-4-57	5.0496	2.0605	-4.6101	185.6687	382.5704	-8679.6466	5371.8397	12 27
12	133-22-19	247-27-16	12.8872	-4.9412	-11.9023	169.1563	-835.8351	-8684.5878	5359.9374	13 11
13	179-48-38	247-15-54	28.4363	-10.9898	-26.2269	131.0271	-1439.9616	-8695.5776	5333.7105	14 28
14	179-59-12	247-15-6	31.1708	-12.0532	-28.7461	76.0541	-916.6953	-8707.6308	5304.9644	15 13
15	179-45-45	247-0-51	24.2200	-9.4580	-22.2970	25.0110	-236.5540	-8717.0888	5282.6674	16 14
16	130-33-57	197-34-48	4.4928	-4.2830	-1.3570	1.3570	-5.8120	-8721.3718	5281.3104	17 15
2520-0-0			265.7919	SASHIHIKI		7486.615976				
				1/2		3743.307988				
				MENSEKI		3743.3080				
				TSUBO MENSEKI		1132.3507				

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

／ 号 地

67番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-27-16						-8684.5878	5359.9374	1 //
1	93- 2- 3	160-29-19	21.8181	-20.5652	7.2871	7.2871	-149.8607	-8705.1530	5367.2245	2 67
2	90-30-47	71- 0- 6	16.4609	5.3587	15.5642	30.1384	161.5026	-8699.7943	5382.7887	3 26
3	89-41- 5	340-41-11	19.1658	18.0872	-6.3389	39.3637	711.9791	-8681.7071	5376.4498	4 9
4	133-23-46	294- 4-57	5.0496	2.0605	-4.6101	28.4147	58.5485	-8679.6466	5371.8397	5 27
5	133-22-19	247-27-16	12.8872	-4.9412	-11.9023	11.9023	-58.8116	-8684.5878	5359.9374	6 //
540- 0- 0			75.3816	SASHIHIKI			723.357934			
				1/2			361.678967			
				MENSEKI			361.6790			
				TSUBO MENSEKI			109.4079			

2 号 地

68番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71- 0- 6						-8705.1530	5367.2245	1 67
1	89-29-10	160-29-16	10.4546	-9.8542	3.4919	3.4919	-34.4099	-8715.0072	5370.7164	2 56
2	90-30-51	71- 0- 7	16.4247	5.3468	15.5300	22.5138	120.3768	-8709.6604	5386.2464	3 25
3	89-41- 4	340-41-11	10.4545	9.8661	-3.4577	34.5861	341.2299	-8699.7943	5382.7887	4 26
4	90-18-55	251- 0- 6	16.4609	-5.3587	-15.5642	15.5642	-83.4039	-8705.1530	5367.2245	5 67
360- 0- 0			53.7947	SASHIHIKI			343.792948			
				1/2			171.896474			
				MENSEKI			171.8965			
				TSUBO MENSEKI			51.9987			

3 号 地

43番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71- 0- 7						-8715.0072	5370.7164	1 24
1	89-29-19	160-29-26	7.3116	-6.8918	2.4418	2.4418	-16.8284	-8721.8990	5373.1582	2 23
2	89-25-12	69-54-38	12.7362	4.3747	11.9613	16.8449	73.6914	-8717.5243	5385.1195	3 24
3	135-14-15	25- 8-53	5.2316	4.7357	2.2232	31.0294	146.9459	-8712.7886	5387.3427	4 7
4	135-32-19	340-41-12	3.3147	3.1282	-1.0963	32.1563	100.5913	-8709.6604	5386.2464	5 25
5	90-18-55	251- 0- 7	16.4247	-5.3468	-15.5300	15.5300	-83.0358	-8715.0072	5370.7164	6 56
540- 0- 0			45.0188	SASHIHIKI			221.364450			
				1/2			110.682225			
				MENSEKI			110.6822			
				TSUBO MENSEKI			33.4814			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

4-4 号 地

46番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-31-32						-8712.7347	5355.0145	1 77
1	90-22-16	159-53-48	4.6001	-4.3198	1.5811	1.5811	-6.8300	-8717.0545	5356.5956	2 77
2	89- 8- 8	69- 1-56	13.9980	5.0091	13.0711	16.2333	81.3142	-8712.0454	5369.6667	3 63
3	91-27-24	340-29-20	4.4801	4.2228	-1.4963	27.8081	117.4280	-8707.8226	5368.1704	4 66
4	89- 2-12	249-31-32	14.0430	-4.9121	-13.1559	13.1559	-64.6231	-8712.7347	5355.0145	5 77
	360- 0- 0		37.1212			SASHIHIKI	127.289136			
						1/2	63.644568			
						MENSEKI	63.6446			
						TSUBO MENSEKI	19.2525			

4-5 号 地

45番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69- 1-56						-8717.0545	5356.5956	1 75
1	90-51-57	159-53-53	4.8602	-4.5641	1.6704	1.6704	-7.6239	-8721.6186	5358.2660	2 73
2	89-42-17	69-36-10	13.9451	4.8602	13.0707	16.4115	79.7632	-8716.7584	5371.3367	3 64
3	90-53-10	340-29-20	5.0001	4.7130	-1.6700	27.8122	131.0789	-8712.0454	5369.6667	4 65
4	88-32-36	249- 1-56	13.9980	-5.0091	-13.0711	13.0711	-65.4744	-8717.0545	5356.5956	5 75
	360- 0- 0		37.8034			SASHIHIKI	137.743751			
						1/2	68.871876			
						MENSEKI	68.8719			
						TSUBO MENSEKI	20.8337			

4-6 号 地

44番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-36-10						-8726.6533	5344.7261	1 63
1	90-52-45	160-28-55	5.3013	-4.9967	1.7712	1.7712	-8.8502	-8731.6500	5346.4973	2 22
2	89-25-43	69-54-38	28.3881	9.7510	26.6609	30.2033	294.5124	-8721.8990	5373.1582	3 23
3	90-34-42	340-29-20	5.4538	5.1406	-1.8215	55.0427	282.9525	-8716.7584	5371.3367	4 64
4	89- 6-50	249-36-10	28.3907	-9.8949	-26.6106	26.6106	-263.3092	-8726.6533	5344.7261	5 63
	360- 0- 0		67.5339			SASHIHIKI	305.305501			
						1/2	152.652750			
						MENSEKI	152.6528			
						TSUBO MENSEKI	46.1775			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

4-1 号 地

66番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-15-54						-8687.4477	5353.1123	1 69
1	92-53-17	160- 9-11	10.1500	-9.5471	3.4460	3.4460	-32.8993	-8696.9948	5356.5583	2 87
2	270- 9-43	250-18-54	6.8598	-2.3107	-6.4589	0.4331	-1.0008	-8699.3055	5350.0994	3 83
3	89-34-56	159-53-50	5.0503	-4.7426	1.7358	-4.2900	20.3458	-8704.0481	5351.8352	4 81
4	90- 7- 8	70- 0-58	14.1370	4.8314	13.2858	10.7316	51.8487	-8699.2167	5365.1210	5 88
5	90-28-21	340-29-19	15.5201	14.6289	-5.1836	18.8338	275.5178	-8684.5878	5359.9374	6 11
6	86-46-35	247-15-54	7.4001	-2.8599	-6.8251	6.8251	-19.5191	-8687.4477	5353.1123	7 69
	720- 0- 0		59.1173			SASHIHIKI	294.293009			
						1/2	147.146504			
						MENSEKI	147.1465			
						TSUBO MENSEKI	44.5118			

4-2 号 地

48番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		70- 0-58						-8704.0481	5351.8352	1 81
1	89-52-53	159-53-51	4.7000	-4.4137	1.6154	1.6154	-7.1299	-8708.4618	5353.4506	2 79
2	89-54-54	69-48-45	14.0890	4.8620	13.2235	16.4543	80.0008	-8703.5998	5366.6741	3 67
3	90-40-35	340-29-20	4.6501	4.3831	-1.5531	28.1247	123.2734	-8699.2167	5365.1210	4 68
4	89-31-38	250- 0-58	14.1370	-4.8314	-13.2858	13.2858	-64.1890	-8704.0481	5351.8352	5 81
	360- 0- 0		37.5761			SASHIHIKI	131.955274			
						1/2	65.977637			
						MENSEKI	65.9776			
						TSUBO MENSEKI	19.9582			

4-3 号 地

47番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-48-45						-8708.4618	5353.4506	1 79
1	90- 5- 5	159-53-50	4.5501	-4.2729	1.5639	1.5639	-6.6824	-8712.7347	5355.0145	2 77
2	89-37-42	69-31-32	14.0430	4.9121	13.1559	16.2837	79.9872	-8707.8226	5368.1704	3 66
3	90-57-48	340-29-20	4.4801	4.2228	-1.4963	27.9433	117.9990	-8703.5998	5366.6741	4 67
4	89-19-25	249-48-45	14.0890	-4.8620	-13.2235	13.2235	-64.2927	-8708.4618	5353.4506	5 79
	360- 0- 0		37.1622			SASHIHIKI	127.011085			
						1/2	63.505542			
						MENSEKI	63.5055			
						TSUBO MENSEKI	19.2104			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

4-10 号 地

49番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-57-23						-8709.1689	5338.5283	1 59
1	90-31-32	160-28-55	4.5501	-4.2886	1.5202	1.5202	-6.5195	-8713.4575	5340.0485	2 60
2	89-28-32	69-57-27	14.3027	4.9018	13.4365	16.4769	80.7665	-8708.5557	5353.4850	3 28
3	89-56-23	339-53-50	4.5501	4.2729	-1.5639	28.3495	121.1346	-8704.2828	5351.9211	4 80
4	90- 3-33	249-57-23	14.2563	-4.8861	-13.3928	13.3928	-65.4386	-8709.1689	5338.5283	5 59
	360- 0- 0		37.6592			SASHIHIKI	129.942957			
						1/2	64.971479			
						MENSEKI	64.9715			
						TSUBO MENSEKI	19.6539			

4-11 号 地

63番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-57-22						-8704.3147	5336.8076	1 58
1	90-31-32	160-28-54	5.1502	-4.8542	1.7207	1.7207	-8.3526	-8709.1689	5338.5283	2 59
2	89-28-29	69-57-23	14.2563	4.8861	13.3928	16.8342	82.2536	-8704.2828	5351.9211	3 80
3	89-56-27	339-53-50	5.1501	4.8363	-1.7701	28.4569	137.6261	-8699.4465	5350.1510	4 82
4	90- 3-32	249-57-22	14.2037	-4.8682	-13.3434	13.3434	-64.9583	-8704.3147	5336.8076	5 58
	360- 0- 0		38.7603			SASHIHIKI	146.568728			
						1/2	73.284364			
						MENSEKI	73.2844			
						TSUBO MENSEKI	22.1685			

4-12 号 地

62番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		70- 4- 2						-8699.7341	5335.1839	1 57
1	90-24-53	160-28-55	4.8599	-4.5806	1.6237	1.6237	-7.4375	-8704.3147	5336.8076	2 58
2	89-28-28	69-57-23	12.1536	4.1655	11.4175	14.6649	61.0866	-8700.1492	5348.2251	3 84
3	89-57-28	339-54-51	4.8362	4.5421	-1.6609	24.4215	110.9249	-8695.6071	5346.5642	4 85
4	90- 9-11	250- 4- 2	12.1055	-4.1270	-11.3803	11.3803	-46.9665	-8699.7341	5335.1839	5 57
	360- 0- 0		33.9552			SASHIHIKI	117.607518			
						1/2	58.803759			
						MENSEKI	58.8038			
						TSUBO MENSEKI	17.7881			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

4-7 号 地

52番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-57-32						-8722.0348	5343.0889	1 62
1	90-31-20	160-28-52	4.9001	-4.6185	1.6372	1.6372	-7.5614	-8726.6533	5344.7261	2 63
2	89-7-18	69-36-10	14.4457	5.0347	13.5399	16.8143	84.6550	-8721.6186	5358.2660	3 74
3	90-17-43	339-53-53	4.8101	4.5171	-1.6532	28.7010	129.6453	-8717.1015	5356.6128	4 74
4	90-3-39	249-57-32	14.3956	-4.9333	-13.5239	13.5239	-66.7175	-8722.0348	5343.0889	5 62
360-0-0			38.5515			SASHIHIKI	140.021379			
						1/2	70.010690			
						MENSEKI	70.0107			
						TSUBO MENSEKI	21.1782			

4-8 号 地

51番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-57-30						-8717.7461	5341.5687	1 61
1	90-31-26	160-28-56	4.5502	-4.2887	1.5202	1.5202	-6.5197	-8722.0348	5343.0889	2 62
2	89-28-36	69-57-32	14.3956	4.9333	13.5239	16.5643	81.7167	-8717.1015	5356.6128	3 74
3	89-56-18	339-53-50	4.5501	4.2729	-1.5639	28.5243	121.8815	-8712.8286	5355.0489	4 76
4	90-3-40	249-57-30	14.3491	-4.9175	-13.4802	13.4802	-66.2889	-8717.7461	5341.5687	5 61
360-0-0			37.8450			SASHIHIKI	130.789577			
						1/2	65.394789			
						MENSEKI	65.3948			
						TSUBO MENSEKI	19.7819			

4-9 号 地

50番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-57-27						-8713.4575	5340.0485	1 60
1	90-31-28	160-28-55	4.5501	-4.2886	1.5202	1.5202	-6.5195	-8717.7461	5341.5687	2 61
2	89-28-35	69-57-30	14.3491	4.9175	13.4802	16.5206	81.2401	-8712.8286	5355.0489	3 76
3	89-56-20	339-53-50	4.5501	4.2729	-1.5639	28.4369	121.5080	-8708.5557	5353.4850	4 78
4	90-3-37	249-57-27	14.3027	-4.9018	-13.4365	13.4365	-65.8630	-8713.4575	5340.0485	5 60
360-0-0			37.7520			SASHIHIKI	130.365515			
						1/2	65.182758			
						MENSEKI	65.1828			
						TSUBO MENSEKI	19.7178			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

4-16 号 地

65番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-15-51						-8689.1869	5348.9619	1 70
1	92- 6-46	159-22-37	9.9118	-9.2766	3.4911	3.4911	-32.3855	-8698.4635	5352.4530	2 28
2	90-56-17	70-18-54	4.3601	1.4687	4.1053	11.0875	16.2842	-8696.9948	5356.5583	3 87
3	89-50-17	340- 9-11	10.1500	9.5471	-3.4460	11.7468	112.1479	-8687.4477	5353.1123	4 69
4	87- 6-40	247-15-51	4.5001	-1.7392	-4.1504	4.1504	-7.2184	-8689.1869	5348.9619	5 70
360- 0- 0			28.9220			SASHIHIKI	88.828172			
						1/2	44.414086			
						MENSEKI	44.4141			
						TSUBO MENSEKI	13.4353			

5-1 号 地

59番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-15- 7						-8702.0671	5318.2334	1 29
1	89-18-52	156-33-59	7.5278	-6.9069	2.9937	2.9937	-20.6772	-8708.9740	5321.2271	2 46
2	88-34-30	65- 8-29	2.8626	1.2034	2.5974	8.5848	10.3309	-8707.7706	5323.8245	3 47
3	184-47-44	69-56-13	13.3923	4.5943	12.5796	23.7618	109.1688	-8703.1763	5336.4041	4 32
4	90-32-40	340-28-53	8.0620	7.5987	-2.6936	33.6478	255.6795	-8695.5776	5333.7105	5 28
5	86-46-14	247-15- 7	16.7826	-6.4895	-15.4771	15.4771	-100.4386	-8702.0671	5318.2334	6 29
540- 0- 0			48.6273			SASHIHIKI	254.063497			
						1/2	127.031748			
						MENSEKI	127.0317			
						TSUBO MENSEKI	38.4271			

5-2 号 地

53番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-56-16						-8703.6477	5335.1133	1 51
1	90-23-58	160-20-14	30.2111	-28.4495	10.1656	10.1656	-289.2062	-8732.0972	5345.2789	2 21
2	89-30-28	69-50-42	1.2979	0.4472	1.2184	21.5496	9.6370	-8731.6500	5346.4973	3 22
3	90-38-13	340-28-55	30.2097	28.4737	-10.0932	12.6748	360.8985	-8703.1763	5336.4041	4 32
4	89-27-21	249-56-16	1.3742	-0.4714	-1.2908	1.2908	-0.6085	-8703.6477	5335.1133	5 51
360- 0- 0			63.0929			SASHIHIKI	80.720714			
						1/2	40.360357			
						MENSEKI	40.3604			
						TSUBO MENSEKI	12.2090			

5-3 号 地

54番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		69-56-12						-8707.7706	5323.8245	1 47
1	90-26-5	160-22-17	30.2301	-28.4734	10.1549	10.1549	-289.1445	-8736.2440	5333.9794	2 20
2	89-28-34	69-50-51	12.0364	4.1468	11.2995	31.6093	131.0774	-8732.0972	5345.2789	3 21
3	90-29-23	340-20-14	30.2111	28.4495	-10.1656	32.7432	931.5277	-8703.6477	5335.1133	4 51
4	89-35-58	249-56-12	12.0181	-4.1229	-11.2888	11.2888	-46.5426	-8707.7706	5323.8245	5 47
	360-0-0		84.4957			SASHIHIKI	726.917990			
						1/2	363.458995			
						MENSEKI	363.4590			
						TSUBO MENSEKI	109.9463			

5-5 号 地

55番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		56-26-42						-8722.9649	5309.0009	1 43
1	103-55-43	160-22-25	3.6360	-3.4248	1.2213	1.2213	-4.1827	-8726.3897	5310.2222	2 44
2	268-3-5	248-25-30	0.5213	-0.1917	-0.4848	1.9578	-0.3753	-8726.5814	5309.7374	3 45
3	95-33-16	163-58-46	0.3355	-0.3225	0.0926	1.5656	-0.5049	-8726.9039	5309.8300	4 54
4	270-0-44	253-59-30	0.0500	-0.0138	-0.0481	1.6101	-0.0222	-8726.9177	5309.7819	5 18
5	86-3-39	160-3-9	17.0919	-16.0665	5.8311	7.3931	-118.7812	-8742.9842	5315.6130	6 19
6	89-47-42	69-50-51	19.5641	6.7402	18.3664	31.5906	212.9270	-8736.2440	5333.9794	7 20
7	90-31-26	340-22-17	20.6225	19.4241	-6.9275	43.0295	835.8093	-8716.8199	5327.0519	8 48
8	92-11-1	252-33-18	17.5021	-5.2470	-16.6971	19.4049	-101.8175	-8722.0669	5310.3548	9 42
9	163-53-24	236-26-42	1.6246	-0.8980	-1.3539	1.3539	-1.2158	-8722.9649	5309.0009	10 43
	1260-0-0		80.9480			SASHIHIKI	821.836576			
						1/2	410.918288			
						MENSEKI	410.9183			
						TSUBO MENSEKI	124.3028			

5-6 号 地

57番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		17-34-48						-8721.3718	5281.3104	1 13
1	134-23-25	151-58-13	6.1164	-5.3990	2.8743	2.8743	-15.5183	-8726.7708	5284.1847	2 14
2	172-57-57	144-56-10	9.1668	-7.5031	5.2662	11.0148	-82.6451	-8734.2739	5289.4509	3 30
3	105-10-22	70-6-32	21.6209	7.3562	20.3310	36.6120	269.3252	-8726.9177	5309.7819	4 48
4	183-52-58	73-59-30	0.0500	0.0138	0.0481	56.9911	0.7865	-8726.9039	5309.8300	5 54
5	89-59-16	343-58-46	0.3355	0.3225	-0.0926	56.9466	18.3653	-8726.5814	5309.7374	6 46
6	264-26-44	68-25-30	0.5213	0.1917	0.4848	57.3388	10.9918	-8726.3897	5310.2222	7 48
7	91-56-55	340-22-25	3.6360	3.4248	-1.2213	56.6023	193.8516	-8722.9649	5309.0009	8 43
8	256-4-17	56-26-42	1.6246	0.8980	1.3539	56.7349	50.9479	-8722.0669	5310.3548	9 42
9	103-30-16	339-56-58	8.7793	8.2472	-3.0100	55.0788	454.2459	-8713.8197	5307.3448	10 41
10	179-0-45	338-57-43	6.6309	6.1889	-2.3804	49.6884	307.5165	-8707.6308	5304.9644	11 13
11	88-3-8	247-0-51	24.2200	-9.4580	-22.2970	25.0110	-236.5540	-8717.0888	5282.6674	12 14
12	130-33-57	197-34-48	4.4928	-4.2830	-1.3570	1.3570	-5.8120	-8721.3718	5281.3104	13 13
	1800-0-0		87.1945			SASHIHIKI	965.501153			
						1/2	482.750576			
						MENSEKI	482.7506			
						TSUBO MENSEKI	146.0320			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

借 地 面 積
5-6 場 地 (あ)

57 番 (カ)

キヤクトラハース クイサンショ

NO.	X	Y	DX	DY	キヨリ	ホウコウカク	キヨウカク	ハノイオウキヨ	ハノイメツセキ
014-148717.0888	75282.674	-4.2830	-1.3570	4.4928	197-34-48	130-33-57	-1.3570	5.81203100	
015-148721.3718	75281.3104	-5.3990	2.8743	6.1164	151-58-13	134-23-25	0.1603	0.86545970	
A14-148726.7708	75284.1847	-7.5031	5.2662	9.1668	144-56-10	172-57-57	8.3008	-62.28173248	
030-148734.2739	75289.4509	2.6824	7.4136	7.8840	70-06-32	105-10-22	20.9806	56.27836144	
003-148731.5915	75296.8645	3.7112	-1.4885	3.9986	338-08-42	88-02-10	26.9057	99.85243384	
002-148727.8803	75295.3760	13.6863	-5.8842	14.8976	336-44-08	178-35-26	19.5330	267.33449790	
001-148714.1940	75289.4918	-2.8948	-6.8244	7.4130	247-00-51	90-16-43	6.8244	-19.75527312	
TOTAL				53.9692		900-00-00		346.37485888	

メツセキ 173.18742944
ツホノ スウ 52.38919740

メツセキ 173.18742944
ツホノ スウ 52.38919740

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

画 地 面 積 (借地)

5 - 6 号 地 の 残 地

57番の残地

キヤクトラハース クイケンシヨ

NO.	X	Y	DX	DY	キヨリ	ホウコウカク	キヨウカク	ハノイオウキヨ	ハノイメンセキ
001-148714.1940	75289.4918	-13.6863	5.8842	14.8976	156-44-08	89-43-17	5.8842	-80.53292646	
002-148727.8803	75295.3760	-3.7112	1.4885	3.9986	158-08-42	181-24-34	13.2569	-49.19900728	
003-148731.5915	75296.8645	4.6738	12.9174	13.7369	70-06-32	91-57-50	27.6628	129.29039464	
018-148726.9177	75309.7819	0.0138	0.0481	0.0500	73-59-30	183-52-58	40.6283	0.56067054	
054-148726.9039	75309.8300	0.3225	-0.0926	0.3355	343-58-46	89-59-16	40.5838	13.08827550	
045-148726.5814	75309.7374	0.1917	0.4848	0.5213	68-25-30	264-26-44	40.9760	7.85509920	
044-148726.3897	75310.2222	3.4248	-1.2213	3.6360	340-22-25	91-56-55	40.2395	137.81223960	
043-148722.9649	75309.0009	0.8980	1.3539	1.6246	56-26-42	256-04-17	40.3721	36.25414580	
042-148722.0669	75310.3548	8.2472	-3.0100	8.7793	339-56-58	103-30-16	38.7160	319.29859520	
041-148713.8197	75307.3448	6.1889	-2.3804	6.6309	338-57-43	179-00-45	33.3256	206.24880584	
013-148707.6308	75304.9644	-6.5632	-15.4726	16.8071	247-00-51	88-03-08	15.4726	-101.54976832	
TOTAL				71.0178		1619-59-60		619.12652426	

メニセキ 309.56326213
ツホ スウ 93.64288679

メニセキ 309.56326213
ツホ スウ 93.64288679

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

号地

56番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		70- 6-32						-8734.2739	5289.4509	1 30
1	74-49-42	144-56-14	1.9496	-1.5958	1.1200	1.1200	-1.7873	-8735.8697	5290.5709	2 17
2	171-57-51	136-54- 5	13.4608	-9.8288	9.1972	11.4372	-112.4140	-8745.6985	5299.7681	3 1
3	146-47- 4	103-41- 9	4.9578	-1.1730	4.8170	25.4514	-29.8545	-8746.8715	5304.5851	4 2
4	148- 1-28	71-42-37	4.8626	1.5260	4.6170	34.8854	53.2351	-8745.3455	5309.2021	5 4
5	178- 4-11	69-46-48	6.8319	2.3613	6.4109	45.9133	108.4151	-8742.9842	5315.6130	6 19
6	90-16-21	340- 3- 9	17.0919	16.0665	-5.8311	46.4931	746.9814	-8726.9177	5309.7819	7 18
7	90- 3-23	250- 6-32	21.6209	-7.3562	-20.3310	20.3310	-149.5589	-8734.2739	5289.4509	8 30
900- 0- 0			70.7755			SASHIHIKI	615.016945			
						1/2	307.508473			
						MENSEKI	307.5085			
						TSUBO MENSEKI	93.0213			

号地

58番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-15- 6						-8707.6308	5304.9644	1 13
1	91-42-37	158-57-43	6.6309	-6.1889	2.3804	2.3804	-14.7321	-8713.8197	5307.3448	2 41
2	180-59-15	159-56-58	8.7793	-8.2472	3.0100	7.7708	-64.0873	-8722.0669	5310.3548	3 42
3	92-36-20	72-33-18	17.5021	5.2470	16.6971	27.4779	144.1765	-8716.8199	5327.0519	4 48
4	87-48-59	340-22-17	9.6076	9.0493	-3.2274	40.9476	370.5471	-8707.7706	5323.8245	5 47
5	84-46-12	245- 8-29	2.8626	-1.2034	-2.5974	35.1228	-42.2668	-8708.9740	5321.2271	6 46
6	271-25-30	336-33-59	7.5278	6.9069	-2.9937	29.5317	203.9725	-8702.0671	5318.2334	7 29
7	90-41- 7	247-15- 6	14.3882	-5.5637	-13.2690	13.2690	-73.8247	-8707.6308	5304.9644	8 13
900- 0- 0			67.2985			SASHIHIKI	523.785245			
						1/2	261.892622			
						MENSEKI	261.8926			
						TSUBO MENSEKI	79.2225			

4-13

60番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-15-53						-8695 5776	5333 7105	1 28
1	93-13-1	160-28-54	4.4099	-4.1565	1.4734	1.4734	-6.1242	-8699 7341	5335 1839	2 37
2	89-35-8	70-4-2	7.3009	2.4890	6.8635	9.8103	24.4178	-8697.2451	5342 0474	3 86
3	89-54-31	339-58-33	4.7653	4.4772	-1.6317	15.0421	67.3465	-8692.7679	5340 4157	4 72
4	87-17-20	247-15-53	7.2701	-2.8097	-6.7052	6.7052	-18.8396	-8695.5776	5333 7105	5 28
	360-0-0		23.7462			SASHIHIKI	66.800539			
						1/2	33.400270			
						MENSEKI	33.4003			
						TSUBO MENSEKI	10.1036			

4-14

61番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-15-55						-8692 7679	5340.4157	1 72
1	92-42-38	159-58-33	4.7653	-4.4772	1.6317	1.6317	-7.3054	-8697.2451	5342 0474	2 86
2	90-5-28	70-4-1	4.8046	1.6380	4.5168	7.7802	12.7440	-8695.6071	5346 5642	3 83
3	89-50-49	339-54-50	5.0001	4.6960	-1.7172	10.5798	49.6827	-8690 9111	5344 8470	4 71
4	87-21-5	247-15-55	4.8046	-1.8568	-4.4313	4.4313	-8.2280	-8692.7679	5340 4157	5 72
	360-0-0		19.3746			SASHIHIKI	46.893223			
						1/2	23.446612			
						MENSEKI	23.4466			
						TSUBO MENSEKI	7.0926			

4-15

64番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-15-56						-8690 9111	5344 8470	1 71
1	92-38-55	159-54-51	9.8364	-9.2381	3.3781	3.3781	-31.2072	-8700 1492	5348 2251	2 84
2	90-2-25	69-57-16	2.0501	0.7027	1.9259	8.6821	6.1009	-8699 4465	5350 1510	3 82
3	89-56-42	339-53-58	0.1501	0.1410	-0.0516	10.5564	1.4885	-8699.3055	5350.0994	4 83
4	270-24-57	70-18-55	2.4997	0.8420	2.3536	12.8584	10.8268	-8698.4635	5352 4530	5 88
5	89-3-42	339-22-37	9.9118	9.2766	-3.4911	11.7209	108.7301	-8689.1869	5348.9619	6 70
6	87-53-19	247-15-56	4.4615	-1.7242	-4.1149	4.1149	-7.0949	-8690 9111	5344 8470	7 71
	720-0-0		28.9096			SASHIHIKI	88.844102			
						1/2	44.422051			
						MENSEKI	44.4221			
						TSUBO MENSEKI	13.4377			