

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

33-2街区計算（隅切除く）

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		65-21-45						-8891.1778	5404.6879	1 5
1	90-37-29	155-59-14	49.5947	-45.3025	20.1821	20.1821	-914.2996	-8936.4803	5424.8700	2 7
2	136-27-24	112-26-38	4.4219	-1.6882	4.0870	44.4512	-75.0425	-8938.1685	5428.9570	3 1
3	119-34-2	52-0-40	22.2202	13.6767	17.5124	66.0506	903.3542	-8924.4918	5446.4694	4 2
4	104-16-47	336-17-27	26.6675	24.4167	-10.7229	72.8401	1778.5149	-8900.0751	5435.7465	5 3
5	177-33-28	333-50-55	21.0423	18.8882	-9.2743	52.8429	998.1073	-8881.1869	5426.4722	6 4
6	91-30-50	245-21-45	23.9661	-9.9909	-21.7843	21.7843	-217.6448	-8891.1778	5404.6879	7 5

720-0-0	147.9127	SASHIHIKI	2472.989511
		1/2	1236.494755
		MENSEKI	1236.4948
		TSUBO MENSEKI	374.0397

13-4号地

89番

取極注意
この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		337- 1-56						-928.6896	441.0943	1 39
1	74-58-44	52- 0-40	6.8201	4.1978	5.3751	5.3751	22.5636	-924.4918	446.4694	2 4
2	104-16-47	336-17-27	6.1501	5.6310	-2.4729	8.2773	46.6095	-918.8608	443.9965	3 40
3	89- 5-42	245-23- 9	6.5102	-2.7115	-5.9186	-0.1142	0.3097	-921.5723	438.0779	4 43
4	91-38-47	157- 1-56	7.7301	-7.1173	3.0164	-3.0164	21.4686	-928.6896	441.0943	5 39
	360- 0- 0		27.2105			SASHIHIKI	90.951348			
						1/2	45.475674			
						MENSEKI	45.4757			
						TSUBO MENSEKI	13.7564			

13-5号地

106番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		337- 7-14						-921.1324	438.0118	1 46
1	90-12-48	67-20- 2	6.3940	2.4640	5.9002	5.9002	14.5381	-918.6684	443.9120	2 41
2	88-57-25	336-17-27	7.9125	7.2447	-3.1816	8.6188	62.4406	-911.4237	440.7304	3 13
3	90-58-34	247-16- 1	6.2794	-2.4266	-5.7916	-0.3544	0.8600	-913.8503	434.9388	4 45
4	89-51-13	157- 7-14	7.9039	-7.2821	3.0730	-3.0730	22.3779	-921.1324	438.0118	5 46
	360- 0- 0		28.4898			SASHIHIKI	100.216594			
						1/2	50.108297			
						MENSEKI	50.1083			
						TSUBO MENSEKI	15.1578			

13-6号地

107番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		337- 7-43						-921.5264	438.1780	1 44
1	88-15-28	65-23-11	6.4000	2.6656	5.8185	5.8185	15.5098	-918.8608	443.9965	2 40
2	90-54-11	336-17-22	0.2101	0.1924	-0.0845	11.5525	2.2227	-918.6684	443.9120	3 41
3	91- 2-40	247-20- 2	6.3940	-2.4640	-5.9002	5.5678	-13.7191	-921.1324	438.0118	4 46
4	89-47-41	157- 7-43	0.4276	-0.3940	0.1662	-0.1662	0.0655	-921.5264	438.1780	5 42
	360- 0- 0		13.4317			SASHIHIKI	4.078918			
						1/2	2.039459			
						MENSEKI	2.0395			
						TSUBO MENSEKI	0.6169			

13-1号地

104-1番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		66-9-36						-8905.8611	5422.9548	1 (72)
1	91-30-23	157-39-59	4.2542	-3.9351	1.6166	1.6166	-6.3615	-8909.7962	5424.5714	2 (46)
2	89-13-0	66-52-59	14.1415	5.5521	13.0060	16.2392	90.1617	-8904.2441	5437.5774	3 (47)
3	89-24-26	336-17-25	4.4312	4.0572	-1.7818	27.4634	111.4245	-8900.1869	5435.7956	4 (9)
4	89-52-11	246-9-36	14.0386	-5.6742	-12.8408	12.8408	-72.8613	-8905.8611	5422.9548	5 (27)
	360-0-0		36.8655							
						SASHIHIKI	122.363419			
						1/2	61.181709			
						MENSEKI	61.1817			
						TSUBO MENSEKI	18.5075			

13-2号地

90番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		337-39-59						-933.8699	434.4611	1 8
1	74-20-42	52-0-41	8.4163	5.1803	6.6332	6.6332	34.3620	-928.6896	441.0943	2 30
2	105-1-15	337-1-56	7.7301	7.1173	-3.0164	10.2500	72.9523	-921.5723	438.0779	3 43
3	268-20-4	65-22-0	0.1101	0.0459	0.1001	7.3337	0.3366	-921.5264	438.1780	4 44
4	91-45-43	337-7-43	0.4276	0.3940	-0.1662	7.2676	2.8634	-921.1324	438.0118	5 46
5	90-12-18	247-20-1	8.1247	-3.1310	-7.4972	-0.3958	1.2392	-924.2634	430.5146	6 47
6	90-19-58	157-39-59	10.3856	-9.6065	3.9465	-3.9465	37.9121	-933.8699	434.4611	7 8
	720-0-0		35.1944							
						SASHIHIKI	149.665644			
						1/2	74.832822			
						MENSEKI	74.8328			
						TSUBO MENSEKI	22.6369			

13-3号地

105番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		337-40-0						-924.2634	430.5146	1 42
1	89-40-1	67-20-1	8.1247	3.1310	7.4972	7.4972	23.4737	-921.1324	438.0118	2 46
2	89-47-13	337-7-14	7.9039	7.2821	-3.0730	11.9214	86.8128	-913.8503	434.9388	3 45
3	90-8-45	247-15-59	8.0495	-3.1107	-7.4241	1.4243	-4.4306	-916.9610	427.5147	4 36
4	90-24-1	157-40-0	7.8946	-7.3024	2.9999	-2.9999	21.9065	-924.2634	430.5146	5 42
	360-0-0		31.9727							
						SASHIHIKI	127.762460			
						1/2	63.881230			
						MENSEKI				

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

9-2号地

91番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		336-46-49						-937.4533	429.8727	1 37
1	75-13-52 ⁵¹	52- 0-41 ⁴⁵	5.8219	3.5834	4.5884	4.5884	16.4421	-933.8699	434.4611	2 8
2	105-39-19 ²⁰	337-40- 0	9.7164	8.9876	-3.6922	5.4846	49.2934	-924.8823	430.7689	3 21
3	89-23- 9 ¹²	247- 3- 9 ¹⁰	5.7799	-2.2535	-5.3225	-3.5301	7.9551	-927.1358	425.4464	4 38
4	89-43-40 ⁴⁰	156-46-49 ⁴⁰	11.2269	-10.3175	4.4263	-4.4263	45.6684	-937.4533	429.8727	5 37
	360- 0- 0		32.5451			SASHIHIKI 1/2 MENSEKI TSUBO MENSEKI	119.358894 59.679447 59.6794 18.0530			

10-1号地

93番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		335-59-14						-928.8239	421.4591	1 12
1	91- 3-57	67- 3-11	10.1098	3.9416	9.3098	9.3098	36.6955	-924.8823	430.7689	2 21
2	90-36-48 ⁴⁸	337-39-59	8.4182	7.7867	-3.1989	15.4207	120.0764	-917.0956	427.5700	3 28
3	89-59- 5	247-39- 4	10.3591	-3.9390	-9.5810	2.6408	-10.4021	-921.0346	417.9890	4 28
4	88-20-10	155-59-14	8.5273	-7.7893	3.4701	-3.4701	27.0296	-928.8239	421.4591	5 12
	360- 0- 0		37.4144			SASHIHIKI 1/2 MENSEKI TSUBO MENSEKI	173.399411 86.699706 86.6997 26.2267			

倍横距面積計算書

地番：(旧) 9-1 (新) 92

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
38		247-03-13				-928.8239	421.4591	12		
12	88-56-01	155-59-14	8.3818	-7.6564	3.4109	-936.4803	424.8700	7	3.4109	-26.115215
7	136-27-24	112-26-38	4.4219	-1.6882	4.0870	-938.1685	428.9570	1	10.9088	-18.416236
1	119-33-53	52-00-31	1.1619	0.7152	0.9157	-937.4533	429.8727	37	15.9115	11.379905
37	104-46-18	336-46-49	11.2269	10.3175	-4.4263	-927.1358	425.4464	38	12.4009	127.946286
38	90-16-24	247-03-13	4.3299	-1.6881	-3.9873	-928.8239	421.4591	12	3.9873	-6.730961
合計	540-00-00		29.5224	0.0000	0.0000			倍面積 面積 坪数		88.063779 44.0318895 13.319647

10-2 号地

94 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		335-59-14						-921.0346	417.9890	1 20
1	91-39-50	67-39-4	10.3591	3.9390	9.5810	9.5810	37.7396	-917.0956	427.5700	2 20
2	90-0-57	337-40-1	10.4695	9.6842	-3.9783	15.1837	147.0420	-907.4114	423.5917	3 30
3	87-40-14	245-20-15	10.6623	-4.4491	-9.6897	1.5157	-6.7435	-911.8605	413.9020	4 10
4	90-38-59	155-59-14	10.0433	-9.1741	4.0870	-4.0870	37.4945	-921.0346	417.9890	5 20
	360-0-0		41.5342			SASHIHIKI 1/2 MENSEKI TSUBO MENSEKI	215.532592 107.766296 107.7663 32.5993			

10-3 号地

96 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		66-20-42						-8905.9579	5411.2724	1 14
1	89-38-25	155-59-7	2.3378	-2.1354	0.9514	0.9514	-2.0316	-8908.0933	5412.2238	2 14
2	89-21-8	65-20-15	14.2974	5.9659	12.9932	14.8960	88.8680	-8902.1274	5425.2170	3 14
3	90-8-58	335-29-13	2.1870	1.9899	-0.9074	26.9818	53.6911	-8900.1375	5424.3096	4 24
4	89-59-50	245-29-3	6.6864	-2.7745	-6.0836	19.9908	-55.4645	-8902.9120	5418.2260	5 25
5	180-51-39	246-20-42	7.5914	-3.0459	-6.9536	6.9536	-21.1800	-8905.9579	5411.2724	6
	540-0-0		33.1000			SASHIHIKI 1/2 MENSEKI TSUBO MENSEKI	63.883066 31.941533 31.9415 9.6623			

10-4

95 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		65-20-15						-8908.0933	5412.2238	1 14
1	90-39-2	155-59-17	4.1241	-3.7672	1.6782	1.6782	-6.3221	-8911.8605	5413.9020	2 19
2	89-20-58	65-20-15	10.6623	4.4491	9.6897	13.0461	58.0434	-8907.4114	5423.5917	3 30
3	92-19-43	337-39-58	1.6760	1.5503	-0.6369	22.0989	34.2599	-8905.8611	5422.9548	4 22
4	268-29-40	66-9-38	3.6076	1.4581	3.2998	24.7618	36.1052	-8904.4030	5426.2546	5 23
5	89-19-41	335-29-19	2.5010	2.2756	-1.0376	27.0240	61.4958	-8902.1274	5425.2170	6 14
6	89-50-56	245-20-15	14.2974	-5.9659	-12.9932	12.9932	-77.5161	-8908.0933	5412.2238	7 14
	720-0-0		36.8684			SASHIHIKI 1/2 MENSEKI TSUBO MENSEKI	106.066076 53.033038 53.0330 16.0425			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

11-1 号地

97番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		335-59-14 10	-					-905.9579	411.2724	1 //
1	90-21-30	66-20-44 10	7.4134	2.9744	6.7905	6.7905	20.1977	-902.9835	418.0629	2 33
2	88-57-39 40	335-18-23 70	16.3067	14.8155	-6.8124	6.7686	100.2802	-888.1680	411.2505	3 18
3	90- 3-22 70	245-21-45 50	7.2199	-3.0098	-6.5626	-6.6064	19.8839	-891.1778	404.6879	4 5
4	90-37-29 70	155-59-14 10	16.1805	-14.7801	6.5845	-6.5845	97.3196	-905.9579	411.2724	5 //
	360- 0- 0		47.1205			SASHIHIKI 1/2	237.681368			
						MENSEKI	118.840684			
						TSUBO MENSEKI	118.8407			
							35.9493			

11-2号地

99番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		335-18-17 ²⁰						-902.2804	419.6110	1
1	90-10-41 ⁴⁶	65-28-58 ²⁸⁻⁰³	1.8686	0.7754	1.7001	1.7001	1.3183	-901.5050	421.3111	2 ³²
2	89-50-58 ⁵³	335-19-56 ⁰	16.3168	14.8278	-6.8099	-3.4097	-50.5583	-886.6772	414.5012	3 ¹⁶
3	90-1-53 ⁴⁹	245-21-49 ⁴⁵	1.8764	-0.7822	-1.7056	-11.9252	9.3279	-887.4594	412.7956	4 ¹⁷
4	89-56-28 ³²	155-18-17 ²⁰	16.3129	-14.8210	6.8154	-6.8154	101.0110	-902.2804	419.6110	5 ³²
	360-0-0		36.3747			SASHIHIKI	61.098843			
						1/2	30.549421			
						MENSEKI	30.5494			
						TSUBO MENSEKI	9.2412			

11-3号地

98番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		335-18-23 ²⁰						-902.9835	418.0629	1 ³³
1	91-1-19 ²⁻²¹	66-19-42 ²⁰⁻⁴¹	0.1781	0.0715	0.1631	0.1631	0.0117	-902.9120	418.2260	2 ²⁵
2	179-9-26 ⁸⁻¹⁸	65-29-8 ⁰	1.5222	0.6316	1.3850	1.7112	1.0808	-902.2804	419.6110	3 ³²
3	89-49-9 ¹⁴	335-18-17 ²⁰	16.3129	14.8210	-6.8154	-3.7192	-55.1223	-887.4594	412.7956	4 ¹⁷
4	90-3-31 ²⁸	245-21-48 ⁴¹	1.6998	-0.7086	-1.5451	-12.0797	8.5597	-888.1680	411.2505	5 ¹⁸
5	89-56-35 ³⁸	155-18-23 ²⁰	16.3067	-14.8155	6.8124	-6.8124	100.9291	-902.9835	418.0629	6 ³³
	540-0-0		36.0197			SASHIHIKI	55.458980			
						1/2	27.729490			
						MENSEKI	27.7295			
						TSUBO MENSEKI	8.3882			

12-1号地

101番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		338-8-28 ³⁰						-900.8728	422.6973	1 ²⁶
1	87-20-36 ³⁵	65-29-4 ⁰	1.7721	0.7353	1.6123	1.6123	1.1855	-900.1375	424.3096	2 ²⁴
2	90-0-23 ¹³	335-29-27 ¹⁶	0.1384	0.1259	-0.0574	3.1672	0.3988	-900.0116	424.2522	3 ³⁴
3	269-51-50 ⁵²⁻⁰²	65-21-17 ¹⁸	3.9353	1.6410	3.5768	6.6866	10.9727	-898.3706	427.8290	4 ³⁵
4	92-55-14 ¹³	338-16-31 ⁰	16.2059	15.0548	-5.9986	4.2648	64.2057	-883.3158	421.8304	5 ¹⁵
5	87-5-12 ¹⁴	245-21-43 ⁴⁰	5.1868	-2.1623	-4.7146	-6.4484	13.9434	-885.4781	417.1158	6 ¹⁰
6	92-40-4 ²	158-1-47 ⁵⁰	9.5692	-8.8743	3.5801	-7.5829	67.2929	-894.3524	420.6959	7 ²⁸
7	268-26-36 ³⁰	246-28-23 ²⁰	0.5704	-0.2277	-0.5230	-4.5258	1.0305	-894.5801	420.1729	8 ²⁷
8	91-40-5 ¹⁶	158-8-28 ³⁰	6.7802	-6.2927	2.5244	-2.5244	15.8853	-900.8728	422.6973	9 ²⁶
	1080-0-0		44.1583			SASHIHIKI	174.914818			
						1/2	87.457409			
						MENSEKI	87.4574			
						TSUBO MENSEKI	26.4559			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

12-2号地

103番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		335-29-16						-904.4030	426.2546	1 23
1	90-40-19	66- 9-35	10.4310	4.2161	9.5410	9.5410	40.2258	-900.1869	435.7956	2 9
2	90- 7-49	336-17-24	0.1221	0.1118	-0.0491	19.0329	2.1279	-900.0751	435.7465	3 3
3	177-33-30	333-50-54	4.8524	4.3557	-2.1387	16.8451	73.3722	-895.7194	433.6078	4 14
4	91-30-24	245-21-18	10.2932	-4.2922	-9.3556	5.3508	-22.9667	-900.0116	424.2522	5 34
5	90- 7-58	155-29-16	4.8264	-4.3914	2.0024	-2.0024	8.7933	-904.4030	426.2546	6 23
540- 0- 0			30.5251			SASHIHIKI 1/2 MENSEKI TSUBO MENSEKI	101.552526 50.776263 50.7763 15.3598			

12-3号地

102番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		338-16-31						-898.3706	427.8290	1 35
1	87- 4-48	65-21-19	6.3579	2.6512	5.7788	5.7788	15.3208	-895.7194	433.6078	2 14
2	88-29-36	333-50-55	16.1898	14.5325	-7.1356	4.4220	64.2627	-881.1869	426.4722	3 4
3	91-30-48	245-21-43	5.1067	-2.1289	-4.6418	-7.3554	15.6589	-883.3158	421.8304	4 75
4	92-54-48	158-16-31	16.2059	-15.0548	5.9986	-5.9986	90.3077	-898.3706	427.8290	5 35
360- 0- 0			43.8603			SASHIHIKI 1/2 MENSEKI TSUBO MENSEKI	185.550104 92.775052 92.7751 28.0645			

12-4号地

100番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		335-19-56						-901.5050	421.3111	1 31
1	90- 9- 6	65-29- 2	1.5236	0.6322	1.3862	1.3862	0.8764	-900.8728	422.6973	2 26
2	92-39-26	338- 8-28	6.7802	6.2927	-2.5244	0.2480	1.5606	-894.5801	420.1729	3 27
3	268-19-55	66-28-23	0.5704	0.2277	0.5230	-1.7534	-0.3992	-894.3524	420.6959	4 28
4	91-33-24	338- 1-47	9.5692	8.8743	-3.5801	-4.8105	-42.6898	-885.4781	417.1158	5 10
5	87-20- 0	245-21-47	2.8765	-1.1991	-2.6146	-11.0052	13.1963	-886.6772	414.5012	6 16
6	89-58- 9	155-19-56	16.3168	-14.8278	6.8099	-6.8099	100.9758	-901.5050	421.3111	7 31
720- 0- 0			37.6367			SASHIHIKI 1/2 MENSEKI TSUBO MENSEKI	73.520046 36.760023 36.7600 11.1 99			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

23

13-7号地

104-2番

24

25

26

27

28

29

30

31

32

33

34

35

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		66-52-59						-8909.7962	5424.5714	1(46)
1	90-47-3	157-40-2	3.6970	-3.4197	1.4048	1.4048	-4.8040	-8913.2159	5425.9762	2(48)
2	89-12-56	66-52-58	14.2303	5.5870	13.0877	15.8973	88.8182	-8907.6289	5439.0639	3(49)
3	89-24-27	336-17-25	3.6968	3.3848	-1.4865	27.4985	93.0769	-8904.2441	5437.5774	4(47)
4	90-35-34	246-52-59	14.1415	-5.5521	-13.0060	13.0060	-72.2106	-8909.7962	5424.5714	5(46)
360-0-0			35.7656	SASHIHIKI			104.880531			
				1/2			52.440265			
				MENSEKI			52.44092			
				TSUBO MENSEKI			15.8632			

39

40

41

42

43

44

45

46

47

48

49

50

51

52

13-8号地

104-3番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		66-52-58						-8913.2159	5425.9762	1(48)
1	90-47-3	157-40-1	4.0488	-3.7451	1.5385	1.5385	-5.7618	-8916.9610	5427.5147	2(36)
2	89-35-59	67-16-0	14.3289	5.5373	13.2157	16.2927	90.2176	-8911.4237	5440.7304	3(13)
3	89-1-28	336-17-28	4.1446	3.7948	-1.6665	27.8419	105.6544	-8907.6289	5439.0639	4(49)
4	90-35-30	246-52-58	14.2303	-5.5870	-13.0877	13.0877	-73.1210	-8913.2159	5425.9762	5(48)
360-0-0			36.7526	SASHIHIKI			116.989194			
				1/2			58.494597			
				MENSEKI			58.49485			
				TSUBO MENSEKI			17.6946			