

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

50-2街区(有効面積)

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	
50B - 4	270 2 4	47.0697	249 41 40	-16.3345	-44.1446	-2068.0069	3525.3735	-44.1446	721.0800	
50B - 5	89 47 20	12.8612	159 29 00	-12.0454	4.5076	-2080.0523	3529.8811	-83.7816	1009.1829	
50B - 6	90 52 45	62.5281	70 21 45	21.0136	58.8914	-2059.0387	3588.7725	-20.3826	-428.3118	
50B - 7	179 23 22	30.7790	69 45 7	10.6521	28.8770	-2048.3866	3617.6495	67.3858	717.8003	
50B - 9	89 33 46	49.3623	339 18 53	46.1802	-17.4364	-2002.2064	3600.2131	78.8264	3640.2189	
50B - 10	90 18 19	45.9750	249 37 12	-16.0105	-43.0972	-2018.2169	3557.1159	18.2928	-292.8769	
50B - 15	90 2 24	35.6803	159 39 36	-33.4555	12.4022	-2051.6724	3569.5181	-12.4022	414.9218	
	900 00 00	284.2556		.0001	-.0003					
						2A:	5782.0152	A:	2891.0076	874.5297 t

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

六 甲 換地区 50 街区

12-1 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	( Z - 3 )
50B - 34	90 18 55	10.2300	249 35 49	-3.5664	-9.5882	-2046.2675	3584.0493	-9.5882	34.1953	
50B - 6	90 6 25	13.6166	159 42 14	-12.7712	4.7232	-2059.0387	3588.7725	-14.4532	184.5847	
50B - 28	90 2 54	10.3306	69 45 8	3.5752	9.6922	-2055.4635	3598.4647	-.0378	-.1351	
50B - 33	89 31 46	13.6448	339 16 54	12.7624	-4.8272	-2042.7011	3593.6375	4.8272	61.6066	
	360 00 00	47.8220		.0000	.0000					
						2A:	280.2515	A:	140.1257	42.3880 t

ACCURACY \*\*

12-2 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	( Z - 2 )
50B - 33	90 26 5	10.2299	249 35 51	-3.5663	-9.5882	-2042.7011	3593.6375	-9.5882	34.1944	
50B - 28	89 41 3	13.6448	159 16 54	-12.7624	4.8272	-2055.4635	3598.4647	-14.3492	183.1302	
50B - 29	90 28 11	10.2585	69 45 5	3.5504	9.6245	-2051.9131	3608.0892	.1025	.3639	
50B - 31	89 24 41	13.6725	339 9 46	12.7783	-4.8635	-2039.1348	3603.2257	4.8635	62.1473	
	360 00 00	47.8057		-.0001	.0001					
						2A:	279.8358	A:	139.9179	42.3251 t

12-3 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	( Z - 1 )
50B - 31	90 16 56	10.2260	249 35 49	-3.5650	-9.5845	-2039.1348	3603.2257	-9.5845	34.1687	
50B - 29	89 33 57	13.6725	159 9 46	-12.7783	4.8635	-2051.9131	3608.0892	-14.3055	182.8000	
50B - 7	90 35 23	10.1900	69 45 9	3.5265	9.5603	-2048.3866	3617.6495	.1183	.4172	
50B - 30	89 33 44	13.7000	339 18 53	12.8168	-4.8393	-2035.5698	3612.8102	4.8393	62.0243	
	360 00 00	47.7885		.0001	.0001					
						2A:	279.4102	A:	139.7051	42.2607 t

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

六甲換地区50街区

13-1号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	(Z-4)
50B - 36	89 53 36	14.1815	249 35 50	-4.9439	-13.2918	-2051.2114	3570.7575	-13.2918	65.7133	
50B - 27	90 34 15	13.4265	160 10 5	-12.6302	4.5551	-2063.8416	3575.3126	-22.0285	278.2244	
50B - 6	90 11 38	14.2911	70 21 43	4.8029	13.4599	-2059.0387	3588.7725	-4.0135	-19.2764	
50B - 34	89 20 31	13.6166	339 42 14	12.7712	-4.7232	-2046.2675	3584.0493	4.7232	60.3209	
	360 00 00	55.5157		.0000	-.0001					

2A: 384.9822 A: 192.4911 58.2285 t

ACCURACY 555157

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

六 甲換地区 50 街区

13-2号地

( Z-5 )

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
50B - 37	180 5 52	7.8581	249 41 42	-2.7269	-7.3698	-2054.3993	3562.1483	-7.3698	20.0967
50B - 26	91 32 53	13.3187	161 14 35	-12.6114	4.2827	-2067.0107	3566.4310	-10.4569	131.8761
50B - 27	89 7 11	9.4300	70 21 46	3.1691	8.8816	-2063.8416	3575.3126	2.7074	8.5800
50B - 36	89 48 19	13.4265	340 10 5	12.6302	-4.5551	-2051.2114	3570.7575	7.0339	88.8396
50B - 15	89 25 45	1.3223	249 35 50	-4.4610	-1.2394	-2051.6724	3569.5181	1.2394	-5.714
	540 00 00	45.3556		.0001	.0000				
						2A: 248.8210	A: 124.4105	37.6341 t	

ACCURACY 453556

14号地

( Z-6 )

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
50B - 38	88 27 5	6.2989	249 41 40	-2.1859	-5.9075	-2056.5852	3556.2408	-5.9075	12.9132
50B - 25	90 45 34	13.2437	160 27 14	-12.4805	4.4309	-2069.0657	3560.6717	-7.3841	92.1573
50B - 26	89 54 32	6.1149	70 21 46	2.0550	5.7593	-2067.0107	3566.4310	2.8061	5.7665
50B - 37	90 52 49	13.3187	341 14 35	12.6114	-4.2827	-2054.3993	3562.1483	4.2827	54.0108
	360 00 00	38.9762		-.0001	.0000				
						2A: 164.8478	A: 82.4239	24.9332 t	

ACCURACY 389762

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

六 甲換地区 50 街区

15 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	( Z - 7 )
50B - 39	89 14 26	8.2731	249 41 40	-2.8710	-7.7590	-2059.4562	3548.4818	-7.7590	22.2761	
50B - 24	90 45 39	13.1472	160 27 19	-12.3897	4.3983	-2071.8459	3552.8801	-11.1197	137.7697	
50B - 25	89 54 26	8.2727	70 21 45	2.7802	7.7916	-2069.0657	3560.6717	1.0702	2.9754	
50B - 38	90 5 29	13.2437	340 27 14	12.4805	-4.4309	-2056.5852	3556.2408	4.4309	55.2998	
	360 00 00	42.9367		.0000	-.0001					
						2A:	218.3210	A:	109.1605	33.0210 t

ACCURACY 429367

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	16-1 号地
50B - 40	89 14 19	7.6404	249 41 38	-2.6515	-7.1656	-2062.1077	3541.3162	-7.1656	18.9996	( Z - 8 )
50B - 23	90 48 23	13.0581	160 30 1	-12.3091	4.3588	-2074.4168	3545.6750	-9.9724	122.7513	
50B - 24	89 51 45	7.6500	70 21 46	2.5709	7.2051	-2071.8459	3552.8801	1.5915	4.0916	
50B - 39	90 5 33	13.1472	340 27 19	12.3897	-4.3983	-2059.4562	3548.4818	4.3983	54.4936	
	360 00 00	41.4957		.0000	.0000					
						2A:	200.3361	A:	100.1680	30.3008 t

ACCURACY \* \*

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

六 甲換地区 50 街区

16-2号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
50B - 41	89 11 39	9.1805	249 41 40	-3.1859	-8.6100	-2065.2936	3532.7062	-8.6100	27.4306
50B - 22	91 48 11	12.9534	161 29 51	-12.2839	4.1107	-2077.5775	3536.8169	-13.1093	161.0333
50B - 23	88 51 55	9.4051	70 21 46	3.1607	8.8581	-2074.4168	3545.6750	-.1405	-.4441
50B - 40	90 8 15	13.0581	340 30 1	12.3091	-4.3588	-2062.1077	3541.3162	4.3588	53.6529
	360 00 00	44.5971		.0001	.0000				

2A: 241.6727 A: 120.8363 36.5529 t

ACCURACY 445971

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

六 甲換地区 50 街区

17-2号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	(Z-11)
50B - 4	88 11 47	7.8186	249 41 39	-2.7133	-7.3327	-2068.0069	3525.3735	-7.3327	19.8958	
50B - 20	89 47 22	6.2258	159 29 1	-5.8309	2.1820	-2073.8378	3527.5555	-12.4834	72.7894	
50B - 21	90 19 48	7.5992	69 48 49	2.6223	7.1324	-2071.2155	3534.6879	-3.1690	-8.3101	
50B - 41	91 41 3	6.2447	341 29 52	5.9219	-1.9817	-2065.2936	3532.7062	1.9817	11.7354	
	360 00 00	27.8883		.0000	.0000					
				2A:	96.1105	A:	48.0552	14.5367 t		

ACCURACY \*\*

17-1号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	(Z-10)
50B - 20	88 18 58	7.5992	249 48 49	-2.6223	-7.1324	-2073.8378	3527.5555	-7.1324	18.7033	
50B - 5	89 40 10	6.6354	159 28 59	-6.2145	2.3256	-2080.0523	3529.8811	-11.9392	74.1961	
50B - 22	90 52 47	7.3641	70 21 46	2.4748	6.9358	-2077.5775	3536.8169	-2.6778	-6.6270	
50B - 21	91 8 5	6.7088	341 29 51	6.3620	-2.1290	-2071.2155	3534.6879	2.1290	13.5447	
	360 00 00	28.3075		.0000	.0000					
				2A:	99.8171	A:	49.9085	15.0973 t		

ACCURACY \*\*

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

六 甲換地区 50 街区

1-1号地

( Z - 16 )

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	
50B - 45	90 18 21	15.9195	249 37 13	-5.5438	-14.9230	-2015.6336	3564.0697	-14.9230	82.7301	
50B - 52	90 2 54	11.7525	159 40 7	-11.0203	4.0834	-2026.6539	3568.1531	-25.7626	283.9116	
50B - 53	90 31 19	3.5026	70 11 26	1.1870	3.2953	-2025.4669	3571.4484	-18.3839	-21.8217	
50B - 54	269 29 24	6.0100	159 40 50	-5.6360	2.0870	-2031.1029	3573.5354	-13.0016	73.2770	
50B - 50	89 58 34	12.5283	69 39 24	4.3554	11.7469	-2026.7475	3585.2823	.8323	3.6250	
50B - 46	89 39 28	17.8056	339-18 52	16.6577	-6.2896	-2010.0898	3578.9927	6.2896	104.7703	
	720 00 00	67.5185		.0000	.0000					
						2A:	526.4923	A:	263.2461	79.6319 t

ACCURACY \*\*

1-2号地

( Z - 12 )

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	
50B - 15	90 3 50	1.8404	159 39 39	-1.7257	.6397	-2051.6724	3569.5181	.6397	-1.1039	
50B - 35	89 56 12	10.9100	69.35 51	3.8034	10.2256	-2047.8690	3579.7437	11.5050	43.7581	
50B - 55	90 5 00	11.8486	339 40 51	11.1113	-4.1144	-2036.7577	3575.6293	17.6162	195.7389	
50B - 56	89 20 53	5.6119	249 1 44	-2.0085	-5.2402	-2038.7662	3570.3891	8.2616	-16.5934	
50B - 57	90 42 17	9.9524	159 44 1	-9.3363	3.4474	-2048.1025	3573.8365	6.4688	-60.3946	
50B - 42	269 51 48	5.2900	249 35 49	-1.8442	-4.9581	-2049.9467	3568.8784	4.9581	-9.1437	
	720 00 00	45.4533		.0001	.0000					
						2A:	152.2614	A:	76.1307	23.0295 t

ACCURACY 454533

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

六 甲換地区 50 街区

1-3号地

( Z - 14 )

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
50B - 44	89 35 7	7.4169	249 15 10	-2.6274	-6.9359	-2026.7308	3560.2721	-6.9359	18.2234
50B - 43	90 24 24	14.8600	159 39 34	-13.9334	5.1653	-2040.6642	3565.4374	-8.7065	121.3111
50B - 55	89 22 8	10.9149	69 1 42	3.9065	10.1919	-2036.7577	3575.6293	6.6507	25.9809
50B - 53	90 39 9	12.0400	339 40 51	11.2908	-4.1809	-2025.4669	3571.4484	12.6617	142.9607
50B - 52	90 30 35	3.5026	250 11 26	-1.1870	-3.2953	-2026.6539	3568.1531	5.1855	-6.1552
50B - 51	269 28 37	2.7200	339 40 3	2.5505	-.9451	-2024.1034	3567.2080	.9451	2.4105
	720 00 00	51.4544		.0000	.0000				
									2A: 304.7314 A: 152.3657 46.0906 t

ACCURACY \*\*

1-4号地

( Z - 13 )

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
50B - 43	89 17 40	5.3030	249 1 41	-1.8980	-4.9517	-2040.6642	3565.4374	-4.9517	9.3983
50B - 42	90 37 56	9.8998	159 39 37	-9.2825	3.4410	-2049.9467	3568.8784	-6.4624	59.9872
50B - 57	89 56 12	5.2900	69 35 49	1.8442	4.9581	-2048.1025	3573.8365	1.9367	3.5717
50B - 56	90 8 12	9.9524	339 44 1	9.3363	-3.4474	-2038.7662	3570.3891	3.4474	32.1860
	360 00 00	30.4452		.0000	.0000				
									2A: 105.1432 A: 52.5716 15.9029 t

ACCURACY \*\*

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

六 甲 換 地 区 5 0 街 区

1 - 7 号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
50B - 49	90 20 29	18.1368	249 39 23	-6.3052	-17.0055	-2026.1184	3589.8555	-17.0055	107.2231
50B - 32	89 39 33	16.8611	159 18 56	-15.7742	5.9557	-2041.8926	3595.8112	-28.0553	442.5499
50B - 30	90 16 54	18.1368	69 35 50	6.3228	16.9990	-2035.5698	3612.8102	-5.1006	-32.2501
50B - 48	89 43 4	16.8423	339 18 54	15.7566	-5.9492	-2019.8132	3606.8610	5.9492	93.7392
	360 00 00	69.9770		.0000	.0000				

2A: 611.2621 A: 305.6310 92.4533 t

ACCURACY \*\*

2 号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
50B - 10	89 57 5	7.4181	249 37 13	-2.5833	-6.9538	-2018.2169	3557.1159	-6.9538	17.9637
50B - 44	90 2 22	9.0801	159 39 35	-8.5139	3.1562	-2026.7308	3560.2721	-10.7514	91.5363
50B - 51	89 35 35	7.4169	69 15 10	2.6274	6.9359	-2024.1034	3567.2080	-.6593	-1.7322
50B - 45	90 24 58	9.0325	339 40 8	8.4698	-3.1383	-2015.6336	3564.0697	3.1383	26.5808
	360 00 00	32.9476		.0000	.0000				

2A: 134.3486 A: 67.1743 20.3202 t

ACCURACY \*\*

( 2 - 19 )

( 2 - 15 )

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

六 甲換地区 50 街区

1 - 5号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
50B - 46	90 18 19	22.6374	249 37 12	-7.8834	-21.2204	-2010.0898	3578.9927	-21.2204	167.2889
50B - 50	89 41 40	17.8056	159 18 52	-16.6577	6.2896	-2026.7475	3585.2823	-36.1512	602.1958
50B - 47	90 20 31	22.6374	69 39 23	7.8699	21.2254	-2018.8776	3606.5077	-8.6362	-67.9660
50B - 9	89 39 30	17.8199	339 18 53	16.6712	-6.2946	-2002.2064	3600.2131	6.2946	104.9385
	360 00 00	80.9003		.0000	.0000				

2A: 806.4572 A: 403.2286 121.9766 t

ACCURACY \*\*

1 - 6号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
50B - 54	90 20 38	35.1657	249 39 23	-12.2253	-32.9723	-2031.1029	3573.5354	-32.9723	403.0962
50B - 35	90 1 28	17.8786	159 40 51	-16.7661	6.2083	-2047.8690	3579.7437	-59.7363	1001.5448
50B - 32	89 54 58	17.1430	69 35 49	5.9764	16.0675	-2041.8926	3595.8112	-37.4605	-223.8789
50B - 49	89 43 7	16.8611	339 18 56	15.7742	-5.9557	-2026.1184	3589.8555	-27.3487	-431.4039
50B - 48	270 20 27	18.1368	69 39 23	6.3052	17.0055	-2019.8132	3606.8610	-16.2989	-102.7678
50B - 47	89 39 22	1.0001	339 18 45	.9356	-.3533	-2018.8776	3606.5077	.3533	.3305
	720 00 00	106.1853		.0000	.0001				

2A: 646.9209 A: 323.4604 97.8467 t

ACCURACY 1061853