

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

PAGE 1

倍横距面積計算書

地番：雲中換地区1街区

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
16		202-04-24				-341.9546	706.0599	1		
1	134-23-29	156-27-53	39.760	-36.4527	15.8767	-378.4073	721.9366	2	15.877	-578.748582
2	177-50-49	154-18-42	5.495	-4.9516	2.3818	-383.3589	724.3184	3	34.135	-169.023856
3	182-03-43	156-22-25	24.052	-22.0362	9.6395	-405.3951	733.9579	4	46.157	-1017.113865
4	180-07-49	156-30-14	4.075	-3.7368	1.6245	-409.1319	735.5824	5	57.421	-214.568924
5	179-55-08	156-25-22	24.051	-22.0430	9.6199	-431.1749	745.2023	6	68.665	-1513.580391
6	98-41-57	75-07-19	24.876	6.3872	24.0419	-424.7877	769.2442	7	102.327	653.581098
7	178-57-40	74-04-59	32.420	8.8910	31.1770	-415.8967	800.4212	8	157.546	1400.737930
8	179-55-30	74-00-29	16.913	4.6596	16.2586	-411.2371	816.6798	9	204.981	955.130400
9	179-25-43	73-26-12	13.673	3.8978	13.1055	-407.3393	829.7853	10	234.345	913.431110
10	81-24-15	334-50-27	59.434	53.7955	-25.2675	-353.5438	804.5178	11	222.183	-11952.461715
11	183-26-11	338-16-38	5.962	5.5390	-2.2068	-348.0048	802.3110	19	194.709	1078.493151
19	181-30-11	339-46-49	10.457	9.8127	-3.6142	-338.1921	798.6968	12	188.888	1853.501278
12	180-12-58	339-59-47	12.861	12.0849	-4.3994	-326.1072	794.2974	13	180.874	2185.849037
13	182-44-02	342-43-49	14.213	13.5721	-4.2194	-312.5351	790.0780	14	172.256	2337.870229
14	134-02-19	296-46-08	5.000	2.2520	-4.4642	-310.2831	785.6138	15	163.572	368.364144
15	134-02-21	250-48-29	82.245	-27.0369	-77.6745	-337.3200	707.9393	16	81.433	-2201.703989
16	131-15-55	202-04-24	5.001	-4.6346	-1.8794	-341.9546	706.0599	1	1.879	-8.710267
合計	2700-00-00		380.488	0.0000	0.0000					
								倍面積 面積 坪数		17995.970216 8997.985108 2721.890495

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

雲 中 換地区 1 街区

(1 号地) (4-9)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY					
0		22- 4-24								
1	134-23-29	156-27-53	39.7601	-36.4527	15.8767	15.8767	-578.7486	-341.9546	706.0599	1 /
2	177-50-49	154-18-42	5.4947	-4.9516	2.3818	34.1352	-169.0239	-378.4073	721.9366	2 2
3	96-58- 8	71-16-50	60.4752	19.4085	57.2762	93.7932	1820.3853	-383.3589	724.3184	3 3
4	179- 8- 5	70-24-55	16.0438	5.3779	15.1156	166.1850	893.7263	-363.9504	781.5946	4 23
5	179-37-23	70- 2-18	9.2428	3.1554	8.6875	189.9881	599.4885	-358.5725	796.7102	5 49
6	84-48- 7	334-50-25	2.0697	1.8733	-0.8799	197.7957	370.5307	-355.4171	805.3977	6 25
7	183-26-13	338-16-38	5.9624	5.5390	-2.2068	194.7090	-1078.4932	-353.5438	804.5178	7 11
8	181-30-11	339-46-49	10.4571	9.8127	-3.6142	188.8880	1853.5013	-348.0048	802.3110	8 19
9	180-12-58	339-59-47	12.8608	12.0849	-4.3994	180.8744	2185.8490	-338.1921	798.6968	9 12
10	182-44- 2	342-43-49	14.2129	13.5721	-4.2194	172.2556	2337.8702	-326.1072	794.2974	10 13
11	134- 2-19	296-46- 8	5.0001	2.2520	-4.4642	163.5720	368.3641	-312.5351	790.0780	11 14
12	134- 2-21	250-48-29	82.2455	-27.0369	-77.6745	81.4333	-2201.7040	-310.2831	785.6138	12 15
13	131-15-55	202- 4-24	5.0012	-4.6346	-1.8794	1.8794	-8.7103	-337.3200	707.9393	13 16
								-341.9546	706.0599	14 1

1980-0-0

268.8263

SASHIHIKI 8550.021913

1/2 4275.010956

MENSEKI 4275.0110

TSUBO MENSEKI 1293.1908

(2 号地) (4-10)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		70-24-54								
1	92-0-57	162-25-51	22.7436	-21.6827	6.8653	6.8653	-148.8582	-359.7968	793.2691	1 /
2	90-40-42	73-6-33	16.0105	4.6518	15.3198	29.0504	135.1367	-381.4795	800.1344	2 /
3	81-43-53	334-50-26	23.6547	21.4106	-10.0565	34.3137	734.6769	-376.8277	815.4542	3 /
4	95-11-52	250-2-18	9.2428	-3.1554	-8.6875	15.5697	-49.1286	-355.4171	805.3977	4 /
5	180-22-36	250-24-54	3.6524	-1.2243	-3.4411	3.4411	-4.2129	-358.5725	796.7102	5 /
								-359.7968	793.2691	6 /

540-0-0

75.3040

SASHIHIKI 667.613746

1/2 333.806873

MENSEKI 333.8069

TSUBO MENSEKI 100.9766

(3 号地) (4-11)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		70-24-55								
1	92-4-53	162-29-48	22.1609	-21.1348	6.6651	6.6651	-140.8656	-363.9504	781.5946	1 /
2	90-36-46	73-6-34	9.4371	2.7419	9.0300	22.3602	61.3094	-385.0852	788.2597	2 /
3	269-59-58	163-6-32	2.5001	-2.3922	0.7264	32.1166	-76.8293	-382.3433	797.2897	3 /
4	90-0-22	73-6-54	19.3470	5.6194	18.5129	51.3559	288.5893	-384.7355	798.0161	4 /
5	81-43-37	334-50-31	2.5282	2.2884	-1.0748	68.7940	157.4282	-379.1161	816.5290	5 /
6	98-16-2	253-6-33	16.0105	-4.6518	-15.3198	52.3994	-243.7515	-376.8277	815.4542	6 /
7	269-19-18	342-25-51	22.7436	21.6827	-6.8653	30.2143	655.1276	-381.4795	800.1344	7 /
8	87-59-4	250-24-55	12.3214	-4.1536	-11.6745	11.6745	-48.4912	-359.7968	793.2691	8 /
								-363.9504	781.5946	9 /

1080-0-0

107.1188

SASHIHIKI 652.516951

1/2 326.258475

MENSEKI 326.2585

TSUBO MENSEKI 98.6932

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

(4 号地) (4-12)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY						
0		71-16-50									
1	90-54-53	162-11-43	24.2876	-23.1243	7.4265	7.4265	-171.7326	-367.7028	770.5210	1	22
2	90-55-11	73- 6-54	20.9728	6.0916	20.0686	34.9216	212.7284	-390.8271	777.9475	2	32
3	89-59-38	343- 6-32	2.5001	2.3922	-0.7264	54.2638	129.8099	-384.7355	798.0161	3	39-1
4	90- 0- 2	253- 6-34	9.4371	-2.7419	-9.0300	44.5074	-122.0348	-382.3433	797.2897	4	28
5	269-23-14	342-29-48	22.1609	21.1348	-6.6651	28.8123	608.9422	-385.0852	788.2597	5	29
6	88-47- 2	251-16-50	11.6921	-3.7524	-11.0736	11.0736	-41.5526	-363.9504	781.5946	6	23
	720- 0- 0		91.0506					-367.7028	770.5210	7	22
						SASHIHIKI	616.160448				
						1/2	308.080224				
						MENSEKI	308.0802				
						TSUBO MENSEKI	93.1943				

(5 号地) (4-13)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		73- 6-54								
1	89- 4-50	162-11-44	4.4197	-4.2080	1.3514	1.3514	-5.6867	-390.8271	777.9475	1 32
2	268-47-57	250-59-41	0.0731	-0.0238	-0.0691	2.6337	-0.0627	-395.0351	779.2989	2 48
3	91-56-45	162-56-26	12.7268	-12.1668	3.7336	6.2982	-76.6289	-395.0589	779.2298	3 33-1
4	90-40-41	73-37- 7	42.8333	12.0803	41.0945	51.1263	617.6210	-407.2257	782.9634	4 34
5	81-13-20	334-50-27	17.7094	16.0293	-7.5289	84.6919	1357.5519	-395.1454	824.0579	5 35
6	98-16-27	253- 6-54	40.3197	-11.7110	-38.5815	38.5815	-451.8279	-379.1161	816.5290	6 31
								-390.8271	777.9475	7 32
	720- 0- 0		118.0820			SASHIHIKI	1440.966655			
						1/2	720.483328			
						MENSEKI	720.4833			
						TSUBO MENSEKI	217.9462			

(6 号地) (4-1)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		73-37- 7								
1	89-37-40	163-14-47	13.3524	-12.7856	3.8489	3.8489	-49.2105	-397.9519	814.5107	1 36
2	90-11-25	73-26-12	11.9203	3.3982	11.4257	19.1235	64.9855	-410.7375	818.3596	2 37
3	81-24-15	334-50-27	13.4720	12.1939	-5.7274	24.8218	302.6745	-407.3393	829.7853	3 10
4	98-46-40	253-37- 7	9.9512	-2.8065	-9.5472	9.5472	-26.7942	-395.1454	824.0579	4 35
								-397.9519	814.5107	5 38
	360- 0- 0		48.6959			SASHIHIKI	291.655312			
						1/2	145.827656			
						MENSEKI	145.8277			
						TSUBO MENSEKI	44.1129			

(7 号地) (4-2)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		73-37- 7						-403.2158	796.6040	1 38
1	89-37-43	163-14-50	13.2430	-12.6809	3.8172	3.8172	-48.4055	-415.8967	800.4212	2 8
2	90-45-39	74- 0-29	16.9131	4.6596	16.2586	23.8930	111.3318	-411.2371	816.6798	3 9
3	179-25-43	73-26-12	1.7525	0.4996	1.6798	41.8314	20.8990	-410.7375	818.3596	4 37
4	89-48-35	343-14-47	13.3524	12.7856	-3.8489	39.6623	507.1063	-397.9519	814.5107	5 36
5	90-22-20	253-37- 7	18.6644	-5.2639	-17.9067	17.9067	-94.2591	-403.2158	796.6040	6 38
540- 0- 0			63.9254	SASHIHIKI			496.672484			
				1/2			248.336242			
				MENSEKI			248.3362			
				TSUBO MENSEKI			75.1217			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

(8 号地) (4-3)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		73-37-6						-407.2257	782.9634	1 34
1	87-37-12	161-14-18	13.1424	-12.4441	4.2270	4.2270	-52.6012	-419.6698	787.1904	2 40
2	92-50-41	74-4-59	13.7583	3.7731	13.2308	21.6848	81.8189	-415.8967	800.4212	3 8
3	89-9-51	343-14-50	13.2430	12.6809	-3.8172	31.0984	394.3557	-403.2158	796.6040	4 38
4	90-22-16	253-37-6	14.2178	-4.0099	-13.6406	13.6406	-54.6974	-407.2257	782.9634	5 34
360-0-0			54.3615			SASHIHIKI	368.875967			
						1/2	184.437983			
						MENSEKI	184.4380			
						TSUBO MENSEKI	55.7925			

(9 号地) (4-7)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-16-50						-374.3736	750.8349	1 21
1	90-28-49	161-45-39	13.3727	-12.7008	4.1854	4.1854	-53.1579	-387.0744	755.0203	2 42-1
2	179-52-24	161-38-3	10.6289	-10.0875	3.3490	11.7198	-118.2235	-397.1619	758.3693	3 41
3	269-43-42	251-21-45	25.7624	-8.2332	-24.4114	-9.3426	76.9195	-405.3951	733.9579	4 4
4	85-8-29	156-30-14	4.0746	-3.7368	1.6245	-32.1295	120.0615	-409.1319	735.5824	5 5
5	95-42-50	72-13-4	42.4241	12.9563	40.3973	9.8923	128.1676	-396.1756	775.9797	6 43
6	178-49-9	71-2-13	3.5097	1.1405	3.3192	53.6088	61.1408	-395.0351	779.2989	7 48
7	91-9-30	342-11-43	28.7072	27.3323	-8.7779	48.1501	1316.0530	-367.7028	770.5210	8 22
8	89-5-7	251-16-50	20.7856	-6.6708	-19.6861	19.6861	-131.3220	-374.3736	750.8349	9 21
1080-0-0			149.2652			SASHIHIKI	1399.638984			
						1/2	699.819492			
						MENSEKI	699.8195			
						TSUBO MENSEKI	211.6954			

(10 号地) (4-8)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-16-50						-383.3589	724.3184	1 3
1	85-5-35	156-22-25	24.0523	-22.0362	9.6395	9.6395	-212.4179	-405.3951	733.9579	2 4
2	94-59-20	71-21-45	25.7624	8.2332	24.4114	43.6904	359.7118	-397.1619	758.3693	3 41
3	90-16-18	341-38-3	10.6289	10.0875	-3.3490	64.7528	653.1939	-387.0744	755.0203	4 42-1
4	180-7-36	341-45-39	13.3727	12.7008	-4.1854	57.2184	726.7195	-374.3736	750.8349	5 21
5	89-31-11	251-16-50	27.9975	-8.9853	-26.5165	26.5165	-238.2587	-383.3589	724.3184	6 3
540-0-0			101.8138			SASHIHIKI	1288.948469			
						1/2	644.474234			
						MENSEKI	644.4742			
						TSUBO MENSEKI	194.9535			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

(11 号地) (4-4)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-13-4						-399.6257	765.2224	1 44
1	89-58-54	162-11-58	25.3139	-24.1020	7.7386	7.7386	-186.5157	-423.7277	772.9610	2 45
2	91-53-1	74-4-59	14.7967	4.0579	14.2294	29.7066	120.5464	-419.6698	787.1904	3 40
3	87-9-19	341-14-18	13.1424	12.4441	-4.2270	39.7090	494.1428	-407.2257	782.9634	4 34
4	181-42-8	342-56-26	12.7268	12.1668	-3.7336	31.7484	386.2764	-395.0589	779.2298	5 33-1
5	88-5-50	251-2-16	3.4366	-1.1167	-3.2501	24.7647	-27.6547	-396.1756	775.9797	6 43
6	181-10-48	252-13-4	11.2970	-3.4501	-10.7573	10.7573	-37.1138	-399.6257	765.2224	7 44
	720-0-0		80.7134			SASHIHIKI	749.681374			
						1/2	374.840687			
						MENSEKI	374.8407			
						TSUBO MENSEKI	113.3893			

(12 号地) (4-5)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-13-4						-403.0751	754.4674	1 46
1	90-3-33	162-16-37	24.8094	-23.6319	7.5524	7.5524	-178.4776	-426.7070	762.0198	2 47
2	92-50-42	75-7-19	7.4750	1.9193	7.2244	22.3292	42.8564	-424.7877	769.2442	3 7
3	178-57-37	74-4-56	3.8650	1.0600	3.7168	33.2704	35.2666	-423.7277	772.9610	4 45
4	88-7-2	342-11-58	25.3139	24.1020	-7.7386	29.2486	704.9498	-399.6257	765.2224	5 44
5	90-1-6	252-13-4	11.2946	-3.4494	-10.7550	10.7550	-37.0983	-403.0751	754.4674	6 46
	540-0-0		72.7579			SASHIHIKI	567.496956			
						1/2	283.748478			
						MENSEKI	283.7485			
						TSUBO MENSEKI	85.8339			

(13 号地) (4-6)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-13-4						-409.1319	735.5824	1 5
1	84-12-18	156-25-22	24.0507	-22.0430	9.6199	9.6199	-212.0515	-431.1749	745.2023	2 6
2	98-41-57	75-7-19	17.4009	4.4679	16.8175	36.0573	161.1004	-426.7070	762.0198	3 47
3	87-9-18	342-16-37	24.8094	23.6319	-7.5524	45.3224	1071.0544	-403.0751	754.4674	4 46
4	89-56-27	252-13-4	19.8325	-6.0568	-18.8850	18.8850	-114.3827	-409.1319	735.5824	5 5
	360-0-0		86.0935			SASHIHIKI	905.720712			
						1/2	452.860356			
						MENSEKI	452.8604			
						TSUBO MENSEKI	136.9903			