

倍横距面積計算書

地番：雲中換地区10-1街区

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
14		248-40-02				-621.2196	408.6468	1		
1	88-04-21	156-44-23	4.722	-4.3378	1.8646	-625.5574	410.5114	2	1.865	-8.088262
2	169-09-44	145-54-07	5.000	-4.1406	2.8032	-629.6980	413.3146	3	6.532	-27.048055
3	182-43-37	148-37-44	7.117	-6.0768	3.7051	-635.7748	417.0197	4	13.041	-79.245726
4	183-25-53	152-03-37	8.940	-7.8982	4.1889	-643.6730	421.2086	5	20.935	-165.346448
5	103-35-50	75-39-27	5.803	1.4374	5.6217	-642.2356	426.8303	6	30.745	44.193294
6	182-35-26	78-14-53	22.173	4.5161	21.7083	-637.7195	448.5386	15	58.075	262.273862
15	185-43-59	83-58-52	6.345	0.6653	6.3099	-637.0542	454.8485	7	86.094	57.278006
7	170-19-27	74-18-19	25.588	6.9218	24.6340	-630.1324	479.4825	34	117.037	810.109475
34	179-21-32	73-39-51	4.324	1.2161	4.1491	-628.9163	483.6316	8	145.821	177.332310
8	89-49-28	343-29-19	21.551	20.6627	-6.1250	-608.2536	477.5066	9	143.845	2972.217816
9	146-20-13	309-49-32	3.322	2.1276	-2.5513	-606.1260	474.9553	10	135.168	287.584075
10	131-44-32	261-34-04	33.648	-4.9341	-33.2840	-611.0601	441.6713	11	99.333	-490.118955
11	181-01-03	262-35-07	3.616	-0.4667	-3.5862	-611.5268	438.0851	12	62.463	-29.151389
12	171-17-31	253-52-38	6.910	-1.9190	-6.6386	-613.4458	431.4465	13	52.238	-100.244722
13	179-01-46	252-54-24	14.244	-4.1868	-13.6150	-617.6326	417.8315	14	31.984	-133.912286
14	175-45-38	248-40-02	9.860	-3.5870	-9.1847	-621.2196	408.6468	1	9.185	-32.945519
合計	2520-00-00		183.163	0.0000	0.0000					
								倍面積 面積 坪数		3544.887477 1772.4437385 536.164231

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

11-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		74-34-59						-623.3516	477.4729	1 32
1	88-54-32	163-29-31	7.0723	-6.7808	2.0096	2.0096	-13.6267	-630.1324	479.4825	2 34
2	90-10-20	73-39-51	4.3236	1.2161	4.1491	8.1683	9.9335	-628.9163	483.6316	3 8
3	89-49-28	343-29-19	7.0030	6.7142	-1.9903	10.3271	69.3382	-622.2021	481.6413	4 30
4	91- 5-40	254-34-59	4.3240	-1.1495	-4.1684	4.1684	-4.7916	-623.3516	477.4729	5 32
360- 0- 0			22.7229			SASHIHIKI	60.853413			
						1/2	30.426706			
						MENSEKI	30.4267			
						TSUBO MENSEKI	9.2041			

11-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		74-34-58						-624.4434	473.5138	1 31
1	88-54-32	163-29-30	7.0923	-6.7999	2.0153	2.0153	-13.7038	-631.2433	475.5291	2 33
2	90-48-47	74-18-17	4.1065	1.1109	3.9534	7.9840	8.8694	-630.1324	479.4825	3 34
3	89-11-14	343-29-31	7.0723	6.7808	-2.0096	9.9278	67.3184	-623.3516	477.4729	4 32
4	91- 5-27	254-34-58	4.1069	-1.0918	-3.9591	3.9591	-4.3225	-624.4434	473.5138	5 31
360- 0- 0			22.3780			SASHIHIKI	58.161468			
						1/2	29.080734			
						MENSEKI	29.0807			
						TSUBO MENSEKI	8.7969			

11-3

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		74-35- 0						-625.5952	469.3370	1 29
1	90-15-39	164-50-39	7.1128	-6.8654	1.8596	1.8596	-12.7669	-632.4606	471.1966	2 22
2	89-27-44	74-18-23	4.5003	1.2173	4.3325	8.0517	9.8013	-631.2433	475.5291	3 33
3	89-11- 7	343-29-30	7.0923	6.7999	-2.0153	10.3689	70.5075	-624.4434	473.5138	4 31
4	91- 5-30	254-35- 0	4.3327	-1.1518	-4.1768	4.1768	-4.8108	-625.5952	469.3370	5 29
360- 0- 0			23.0381			SASHIHIKI	62.731081			
						1/2	31.365541			
						MENSEKI	31.3655			
						TSUBO MENSEKI	9.4881			

11-4

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		79-16-36						-620.6001	456.3480	1 41
1	85-22-58	164-39-34	15.4354	-14.8854	4.0835	4.0835	-60.7845	-635.4855	460.4315	2 28
2	89-38-44	74-18-18	11.1820	3.0249	10.7651	18.9321	57.2677	-632.4606	471.1966	3 22
3	90-32-22	344-50-40	14.1026	13.6121	-3.6870	26.0102	354.0534	-618.8485	467.5096	4 21
4	96-15-58	261- 6-38	11.1183	-1.7181	-10.9847	11.3385	-19.4807	-620.5666	456.5249	5 25
5	178- 9-58	259-16-36	0.1800	-0.0335	-0.1769	0.1769	-0.0059	-620.6001	456.3480	6 41
540- 0- 0			52.0183			SASHIHIKI	331.050019			
						1/2	165.525009			
						MENSEKI	165.5250			
						TSUBO MENSEKI	-50.0713			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

11-5

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		79-16-58						-621.6728	450.6802	1 ≈ 7
1	85-22-9	164-39-7	15.9358	-15.3675	4.2179	4.2179	-64.8186	-637.0403	454.8981	2 ≈ 2
2	89-39-13	74-18-20	5.7477	1.5548	5.5334	13.9692	21.7193	-635.4855	460.4315	3 ≈ 8
3	90-21-14	344-39-34	15.4354	14.8854	-4.0835	15.4191	229.5195	-620.6001	456.3480	4 ≈ 1
4	94-37-24	259-16-58	5.7684	-1.0727	-5.6678	5.6678	-6.0798	-621.6728	450.6802	5 ≈ 7
	360-0-0		42.8873			SASHIHIKI	180.340356			
						1/2	90.170178			
						MENSEKI	90.1702			
						TSUBO MENSEKI	27.2765			

11-6

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		79-16-58						-622.8004	444.7224	1 ≈ 6
1	86-22-8	165-39-6	15.3994	-14.9191	3.8162	3.8162	-56.9343	-637.7195	448.5386	2 ≈ 5
2	98-19-46	83-58-52	6.3449	0.6653	6.3099	13.9423	9.2758	-637.0542	454.8485	3 ≈ 7
3	170-21-50	74-20-42	0.0515	0.0139	0.0496	20.3018	0.2822	-637.0403	454.8981	4 ≈ 2
4	90-18-25	344-39-7	15.9358	15.3675	-4.2179	16.1335	247.9316	-621.6728	450.6802	5 ≈ 7
5	94-37-51	259-16-58	6.0636	-1.1276	-5.9578	5.9578	-6.7180	-622.8004	444.7224	6 ≈ 6
	540-0-0		43.7952			SASHIHIKI	193.837284			
						1/2	96.918642			
						MENSEKI	96.9186			
						TSUBO MENSEKI	29.3179			

11-7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-54-24						-617.6326	417.8315	1 ≈ 4
1	92-5-36	165-0-0	4.4911	-4.3381	1.1624	1.1624	-5.0426	-621.9707	418.9939	2 ≈ 6
2	172-31-9	157-31-9	6.3469	-5.8646	2.4269	4.7517	-27.8668	-627.8353	421.4208	3 ≈ 7
3	192-52-2	170-23-11	2.3017	-2.2694	0.3844	7.5630	-17.1635	-630.1047	421.8052	4 ≈ 8
4	172-40-15	163-3-26	2.3729	-2.2699	0.6915	8.6389	-19.6094	-632.3746	422.4967	5 ≈ 5
5	272-30-11	255-33-37	6.7385	-1.6803	-6.5256	2.8048	-4.7129	-634.0549	415.9711	6 ≈ 9
6	73-4-11	148-37-48	2.0144	-1.7199	1.0486	-2.6722	4.5959	-635.7748	417.0197	7 ≈ 4
7	183-25-49	152-3-37	8.9403	-7.8982	4.1889	2.5653	-20.2613	-643.6730	421.2086	8 ≈ 5
8	103-35-50	75-39-27	5.8026	1.4374	5.6217	12.3759	17.7891	-642.2356	426.8303	9 ≈ 6
9	182-35-26	78-14-53	22.1731	4.5161	21.7083	39.7059	179.3158	-637.7195	448.5386	10 ≈ 5
10	87-24-13	345-39-6	15.3994	14.9191	-3.8162	57.5980	859.3103	-622.8004	444.7224	11 ≈ 6
11	93-37-45	259-16-51	0.7000	-0.1302	-0.6878	53.0940	-6.9128	-622.9306	444.0346	12 ≈ 0
12	269-27-34	348-44-25	12.1035	11.8705	-2.3633	50.0429	594.0342	-611.0601	441.6713	13 ≈ 1
13	93-50-42	262-35-7	3.6164	-0.4667	-3.5862	44.0934	-20.5784	-611.5268	438.0851	14 ≈ 2
14	171-17-31	253-52-38	6.9104	-1.9190	-6.6386	33.8686	-64.9938	-613.4458	431.4465	15 ≈ 3
15	179-1-46	252-54-24	14.2442	-4.1868	-13.6150	13.6150	-57.0033	-617.6326	417.8315	16 ≈ 4
	2340-0-0		114.1554			SASHIHIKI	1410.900566			
						1/2	705.450283			
						MENSEKI	705.4503			
						TSUBO MENSEKI	213.3987			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

11-8

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		68-40- 2						-621.2196	408.6468	1 /
1	88- 4-21	156-44-23	4.7216	-4.3378	1.8646	1.8646	-8.0883	-625.5574	410.5114	2 >
2	169- 9-44	145-54- 7	5.0002	-4.1406	2.8032	6.5324	-27.0481	-629.6980	413.3146	3 >
3	182-43-35	148-37-42	5.1029	-4.3569	2.6565	11.9921	-52.2484	-634.0549	415.9711	4 >
4	106-55-55	75-33-37	6.7385	1.6803	6.5256	21.1742	35.5790	-632.3746	422.4967	5 >
5	87-29-49	343- 3-26	2.3729	2.2699	-0.6915	27.0083	61.3061	-630.1047	421.8052	6 >
6	187-19-45	350-23-11	2.3017	2.2694	-0.3844	25.9324	58.8510	-627.8353	421.4208	7 >
7	167- 7-58	337-31- 9	6.3469	5.8646	-2.4269	23.1211	135.5960	-621.9707	418.9939	8 >
8	187-28-51	345- 0- 0	4.4911	4.3381	-1.1624	19.5318	84.7309	-617.6326	417.8315	9 /
9	83-40- 2	248-40- 2	9.8603	-3.5870	-9.1847	9.1847	-32.9455	-621.2196	408.6468	10 /

1260- 0- 0

46.9361

SASHIHIKI

255.732825

1/2

127.866412

MENSEKI

127.8664

TSUBO MENSEKI

38.6796

11-9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-34- 4						-611.0601	441.6713	1 //
1	87-10-21	168-44-25	12.1035	-11.8705	2.3633	2.3633	-28.0536	-622.9306	444.0346	2 >
2	90-32-32	79-16-57	12.7120	2.3640	12.4903	17.2169	40.7008	-620.5666	456.5249	3 >
3	181-49-41	81- 6-38	11.1183	1.7181	10.9847	40.6919	69.9128	-618.8485	467.5096	4 >
4	78-22- 6	339-28-44	2.7540	2.5792	-0.9654	50.7112	130.7943	-616.2693	466.5442	5 /
5	151-26-19	310-55- 3	11.5991	7.5971	-8.7649	40.9809	311.3360	-608.6722	457.7793	6 /
6	130-39- 1	261-34- 4	16.2840	-2.3879	-16.1080	16.1080	-38.4643	-611.0601	441.6713	7 //

720- 0- 0

66.5709

SASHIHIKI

486.225982

1/2

243.112991

MENSEKI

243.1130

TSUBO MENSEKI

73.5417

11-10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-34- 4						-608.6722	457.7793	1 /
1	49-20-59	130-55- 3	11.5991	-7.5971	8.7649	8.7649	-66.5878	-616.2693	466.5442	2 /
2	133- 0-56	83-55-59	5.9609	0.6300	5.9275	23.4573	14.7781	-615.6393	472.4717	3 /
3	179- 0-14	82-56-13	7.0216	0.8634	6.9683	36.3531	31.3873	-614.7759	479.4400	4 >
4	80-33- 6	343-29-19	6.8028	6.5223	-1.9334	41.3880	269.9450	-608.2536	477.5066	5 >
5	146-20-13	309-49-32	3.3220	2.1276	-2.5513	36.9033	78.5155	-606.1260	474.9553	6 /
6	131-44-32	261-34- 4	17.3637	-2.5462	-17.1760	17.1760	-43.7335	-608.6722	457.7793	7 /

720- 0- 0

52.0701

SASHIHIKI

284.304426

1/2

142.152213

MENSEKI

142.1522

TSUBO MENSEKI

43.0010

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

11-11

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		83-55-59						-616.2693	466.5442	1 18
1	75-32-45	159-28-44	2.7540	-2.5792	0.9654	0.9654	-2.4900	-618.8485	467.5096	2 21
2	185-21-57	164-50-41	6.9898	-6.7467	1.8274	3.7582	-25.3554	-625.5952	469.3370	3 29
3	89-44-18	74-34-59	12.7636	3.3931	12.3043	17.8899	60.7022	-622.2021	481.6413	4 30
4	88-54-21	343-29-20	7.7456	7.4262	-2.2013	27.9929	207.8809	-614.7759	479.4400	5 20
5	99-26-53	262-56-13	7.0216	-0.8634	-6.9683	18.8233	-16.2520	-615.6393	472.4717	6 18
6	180-59-46	263-55-59	5.9609	-0.6300	-5.9275	5.9275	-3.7343	-616.2693	466.5442	7 18
720- 0- 0			43.2355	SASHIHIKI			220.751324			
				1/2			110.375662			
				MENSEKI			110.3757			
				TSUBO MENSEKI			33.3886			