

倍横距面積計算書

地 番：雲中換地区9街区

測 点	測 角	方向角	距 離	DX	DY	X	Y	測 点	倍横距	倍面積
1		257-36-55				-555.8747	411.5307	2		
2	132-54-32	210-31-27	7.717	-6.6476	-3.9195	-562.5223	407.6112	3	-3.920	26.055268
3	171-17-11	201-48-38	2.666	-2.4756	-0.9907	-564.9979	406.6205	4	-8.830	21.858805
4	186-42-48	208-31-26	4.932	-4.3336	-2.3553	-569.3315	404.2652	5	-12.176	52.764614
5	191-31-40	220-03-06	5.370	-4.1108	-3.4557	-573.4423	400.8095	6	-17.987	73.939726
6	183-19-38	223-22-44	24.518	-17.8204	-16.8394	-591.2627	383.9701	21	-38.282	682.196989
21	211-37-25	255-00-09	0.733	-0.1897	-0.7081	-591.4524	383.2620	22	-55.829	10.590818
22	147-09-34	222-09-43	18.410	-13.6461	-12.3570	-605.0985	370.9050	23	-68.894	940.139872
23	109-05-56	151-15-39	15.351	-13.4600	7.3811	-618.5585	378.2861	24	-73.870	994.294238
24	117-15-33	88-31-12	22.596	0.5836	22.5881	-617.9749	400.8742	25	-43.901	-25.620682
25	175-14-18	83-45-30	7.942	0.8635	7.8950	-617.1114	408.7692	26	-13.418	-11.586443
26	166-33-05	70-18-35	4.199	1.4147	3.9532	-615.6967	412.7224	27	-1.570	-2.220796
27	182-35-49	72-54-24	4.519	1.3282	4.3192	-614.3685	417.0416	15	6.703	8.902393
15	176-35-57	69-30-21	12.157	4.2562	11.3872	-610.1123	428.4288	18	22.409	95.377186
18	185-16-47	74-47-08	10.949	2.8734	10.5653	-607.2389	438.9941	19	44.362	127.468334
19	188-03-28	82-50-36	37.189	4.6331	36.8990	-602.6058	475.8931	20	91.826	425.438114
20	80-49-18	343-39-54	59.589	57.1840	-16.7596	-545.4218	459.1335	1	111.965	6402.617997
1	93-57-01	257-36-55	48.737	-10.4529	-47.6028	-555.8747	411.5307	2	47.603	-497.587308
合 計	2700-00-00		287.574	0.0000	0.0000			倍面積 面積 坪 数		9324.629125 4662.3145625 1410.350155

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

12-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77- 8-25						-589.2201	450.0784	1 39
1	92-39-25	169-47-50	16.5208	-16.2596	2.9264	2.9264	-47.5821	-605.4797	453.0048	2 38
2	93- 2-46	82-50-36	23.0680	2.8739	22.8883	28.7411	82.5990	-602.6058	475.8931	3 20
3	80-49-18	343-39-54	18.8300	18.0699	-5.2960	46.3334	837.2399	-584.5359	470.5971	4 40
4	93-28-31	257- 8-25	21.0466	-4.6842	-20.5187	20.5187	-96.1137	-589.2201	450.0784	5 39
	360- 0- 0		79.4654			SASHIHIKI	776.143164			
						1/2	388.071582			
						MENSEKI	388.0716			
						TSUBO MENSEKI	117.3917			

12-2

道路面積

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-33-57						-578.4962	427.0633	1 4
1	92- 7-46	169-41-43	9.5274	-9.3737	1.7043	1.7043	-15.9756	-587.8699	428.7676	2 35
2	90-39- 9	80-20-52	1.0372	0.1739	1.0225	4.4311	0.7706	-587.6960	429.7901	3 36
3	268-56-36	169-17-28	5.2934	-5.2012	0.9836	6.4372	-33.4812	-592.8972	430.7737	4 4
4	89-55-34	79-13- 2	1.0744	0.2010	1.0554	8.4762	1.7037	-592.6962	431.8291	5 4
5	90-15- 2	349-28- 4	13.6940	13.4633	-2.5031	7.0285	94.6268	-579.2329	429.3260	6 5
6	268- 1-56	77-30- 0	38.1992	8.2678	37.2937	41.8191	345.7520	-570.9651	466.6197	7 5
7	86- 9-51	343-39-51	1.1654	1.1184	-0.3278	78.7850	88.1131	-569.8467	466.2919	8 4
8	93-54- 6	257-33-57	40.1708	-8.6495	-39.2286	39.2286	-339.3078	-578.4962	427.0633	9 4
	1080- 0- 0		110.1618			SASHIHIKI	142.201650			
						1/2	71.100825			
						MENSEKI	71.1008			
						TSUBO MENSEKI	21.5080			

ア

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-30- 0						-576.6317	441.0591	1 2
1	92-32-33	170- 2-33	14.0552	-13.8435	2.4304	2.4304	-33.6452	-590.4752	443.4895	2 3
2	89-10-21	79-12-54	6.7074	1.2551	6.5889	11.4497	14.3705	-589.2201	450.0784	3 39
3	177-55-31	77- 8-25	21.0466	4.6842	20.5187	38.5573	180.6101	-584.5359	470.5971	4 40
4	86-31-29	343-39-54	14.1417	13.5708	-3.9774	55.0986	747.7321	-570.9651	466.6197	5 5
5	93-50- 6	257-30- 0	26.1812	-5.6666	-25.5606	25.5606	-144.8417	-576.6317	441.0591	6 2
	540- 0- 0		82.1321			SASHIHIKI	764.225766			
						1/2	382.112883			
						MENSEKI	382.1129			
						TSUBO MENSEKI	115.5891			

イ

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-29-59						-579.2329	429.3260	1 5
1	91-58- 5	169-28- 4	13.6940	-13.4633	2.5031	2.5031	-33.7000	-592.6962	431.8291	2 4
2	89-44-53	79-12-57	11.8700	2.2210	11.6604	16.6666	37.0165	-590.4752	443.4895	3 3
3	90-49-36	350- 2-33	14.0552	13.8435	-2.4304	25.8966	358.4996	-576.6317	441.0591	4 2
4	87-27-26	257-29-59	12.0180	-2.6012	-11.7331	11.7331	-30.5201	-579.2329	429.3260	5 5
	360- 0- 0		51.6372			SASHIHIKI	331.295975			
						1/2	165.647987			
						MENSEKI	165.6480			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

TSUBO MENSEKI 50.1085

ウ

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		79-12-56						-592.8972	430.7737	14
1	90- 4-34	169-17-30	16.0459	-15.7665	2.9815	2.9815	-47.0078	-608.6637	433.7552	237
2	85-29-38	74-47- 8	5.4292	1.4248	5.2389	11.2019	15.9605	-607.2389	438.9941	317
3	188- 3-28	82-50-36	14.1207	1.7592	14.0107	30.4515	53.5703	-605.4797	453.0048	438
4	86-57-14	349-47-50	16.5208	16.2596	-2.9264	41.5358	675.3555	-589.2201	450.0784	539
5	89-25- 6	259-12-56	19.6518	-3.6771	-19.3047	19.3047	-70.9853	-592.8972	430.7737	64
540- 0- 0			71.7684			SASHIHIKI	626.893107			
						1/2	313.446554			
						MENSEKI	313.4466			
						TSUBO MENSEKI	94.8176			

12-2 全体

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-33-57						-578.4962	427.0633	14
1	92- 7-46	169-41-43	9.5274	-9.3737	1.7043	1.7043	-15.9756	-587.8699	428.7676	235
2	90-39- 9	80-20-52	1.0372	0.1739	1.0225	4.4311	0.7706	-587.6960	429.7901	336
3	268-56-37	169-17-29	21.3393	-20.9677	3.9651	9.4187	-197.4885	-608.6637	433.7552	437
4	85-29-39	74-47- 8	5.4292	1.4248	5.2389	18.6227	26.5336	-607.2389	438.9941	517
5	188- 3-28	82-50-36	14.1207	1.7592	14.0107	37.8723	66.6250	-605.4797	453.0048	638
6	86-57-14	349-47-50	16.5208	16.2596	-2.9264	48.9566	796.0147	-589.2201	450.0784	739
7	267-20-35	77- 8-25	21.0466	4.6842	20.5187	66.5489	311.7284	-584.5359	470.5971	840
8	86-31-29	343-39-54	15.3071	14.6892	-4.3052	82.7624	1215.7134	-569.8467	466.2919	94
9	93-54- 3	257-33-57	40.1708	-8.6495	-39.2286	39.2286	-339.3078	-578.4962	427.0633	104
1260- 0- 0			144.4991			SASHIHIKI	1864.613830			
						1/2	932.306915			
						MENSEKI	932.3069			
						TSUBO MENSEKI	282.0228			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

13-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		80-20-42						-590.8299	411.3691	1 45
1	97-51- 1	178-11-43	12.1490	-12.1430	0.3826	0.3826	-4.6459	-602.9729	411.7517	2 68
2	176-40-49	174-52-32	7.9680	-7.9362	0.7117	1.4769	-11.7210	-610.9091	412.4634	3 58
3	182- 1-40	176-54-12	4.7946	-4.7876	0.2590	2.4476	-11.7181	-615.6967	412.7224	4 27
4	76- 0-12	72-54-24	4.5188	1.3282	4.3192	7.0258	9.3317	-614.3685	417.0416	5 15
5	176-35-57	69-30-21	12.1566	4.2562	11.3872	22.7322	96.7528	-610.1123	428.4288	6 18
6	185-16-47	74-47- 8	5.5199	1.4486	5.3264	39.4458	57.1412	-608.6637	433.7552	7 37
7	94-30-21	349-17-29	21.3393	20.9677	-3.9651	40.8071	855.6310	-587.6960	429.7901	8 36
8	91- 3-13	260-20-42	18.6857	-3.1339	-18.4210	18.4210	-57.7296	-590.8299	411.3691	9 45
1080- 0- 0			87.1319			SASHIHIKI	933.042087			
						1/2	466.521043			
						MENSEKI	466.5210			
						TSUBO MENSEKI -	141.1226			

13-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		89-55-40						-610.7245	400.8432	1 4
1	89-49-38	179-45-18	7.2505	-7.2504	0.0310	0.0310	-0.2248	-617.9749	400.8742	2 25
2	84- 0-12	83-45-30	7.9421	0.8635	7.8950	7.9570	6.8709	-617.1114	408.7692	3 26
3	166-33- 5	70-18-35	4.1987	1.4147	3.9532	19.8052	28.0184	-615.6967	412.7224	4 27
4	106-35-37	356-54-12	4.7946	4.7876	-0.2590	23.4994	112.5057	-610.9091	412.4634	5 58
5	177-57-43	354-51-55	0.2000	0.1992	-0.0179	23.2225	4.6259	-610.7099	412.4455	6 17
6	95- 3-45	269-55-40	11.6023	-0.0146	-11.6023	11.6023	-0.1694	-610.7245	400.8432	7 4
720- 0- 0			35.9882			SASHIHIKI	151.626779			
						1/2	75.813390			
						MENSEKI	75.8134			
						TSUBO MENSEKI	22.9336			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

13-3

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		89-25-44						-611.0701	395.2179	1 Ⅰ
1	92-34- 0	181-59-44	7.0616	-7.0573	-0.2459	-0.2459	1.7354	-618.1274	394.9720	2 57
2	86-31-28	88-31-12	5.9042	0.1525	5.9022	5.4104	0.8251	-617.9749	400.8742	3 25
3	91-14- 8	359-45-20	6.9610	6.9609	-0.0297	11.2829	78.5391	-611.0140	400.8445	4 Ⅱ
4	89-40-24	269-25-44	5.6269	-0.0561	-5.6266	5.6266	-0.3157	-611.0701	395.2179	5 Ⅰ
360- 0- 0			25.5537			SASHIHIKI	80.783962			
						1/2	40.391981			
						MENSEKI	40.3920			
						TSUBO MENSEKI	12.2186			

13-4

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		89-25-40						-611.1309	389.1294	1 69
1	93-44-43	183-10-23	7.1687	-7.1577	-0.3968	-0.3968	2.8402	-618.2886	388.7326	2 53
2	85-20-49	88-31-12	6.2415	0.1612	6.2394	5.4458	0.8779	-618.1274	394.9720	3 57
3	93-28-32	1-59-44	7.0616	7.0573	0.2459	11.9311	84.2014	-611.0701	395.2179	4 Ⅰ
4	87-25-56	269-25-40	6.0888	-0.0608	-6.0885	6.0885	-0.3702	-611.1309	389.1294	5 69
360- 0- 0			26.5606			SASHIHIKI	87.549210			
						1/2	43.774605			
						MENSEKI	43.7746			
						TSUBO MENSEKI	13.2418			

13-5

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		91-51- 3						-605.8286	371.3054	1 54
1	59-24-36	151-15-39	14.5183	-12.7299	6.9807	6.9807	-88.8636	-618.5585	378.2861	2 24
2	117-15-33	88-31-12	10.4500	0.2699	10.4465	24.4079	6.5877	-618.2886	388.7326	3 53
3	94-39-11	3-10-23	7.3549	7.3436	0.4071	35.2615	258.9464	-610.9450	389.1397	4 66
4	266-44-40	89-55- 3	0.1390	0.0002	0.1390	35.8076	0.0072	-610.9448	389.2787	5 50
5	92-23-14	2-18-17	4.6648	4.6610	0.1876	36.1342	168.4215	-606.2838	389.4663	6 49
6	88-54-42	271-12-59	11.8812	0.2522	-11.8785	24.4433	6.1646	-606.0316	377.5878	7 70
7	180-38- 4	271-51- 3	6.2857	0.2030	-6.2824	6.2824	1.2753	-605.8286	371.3054	8 54
900- 0- 0			55.2939			SASHIHIKI	352.539026			
						1/2	176.269513			
						MENSEKI	176.2695			
						TSUBO MENSEKI	53.3215			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

13-6

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75- 0- 9						-591.4524	383.2620	1 22
1	147- 9-34	222- 9-43	18.4095	-13.6461	-12.3570	-12.3570	168.6249	-605.0985	370.9050	2 23
2	109- 5-49	151-15-32	0.8327	-0.7301	0.4004	-24.3136	17.7514	-605.8286	371.3054	3 54
3	120-35-31	91-51- 3	6.2857	-0.2030	6.2824	-17.6308	3.5791	-606.0316	377.5878	4 70
4	179-21-56	91-12-59	10.5944	-0.2249	10.5920	-0.7564	0.1701	-606.2565	388.1798	5 48
5	91-57-58	3-10-57	14.6429	14.6203	0.8129	10.6485	155.6843	-591.6362	388.9927	6 47
6	91- 4-13	274-15-10	5.0365	0.3735	-5.0226	6.4388	2.4049	-591.2627	383.9701	7 21
7	160-44-59	255- 0- 9	0.7331	-0.1897	-0.7081	0.7081	-0.1343	-591.4524	383.2620	8 22
--- 900- 0- 0			56.5348			SASHIHIKI	348.080214			
						1/2	174.040107			
						MENSEKI	174.0401			
						TSUBO MENSEKI	52.6471			

13-7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		92-35-12						-581.9953	392.7273	1 43
1	130-47-31	223-22-43	12.7504	-9.2674	-8.7572	-8.7572	81.1565	-591.2627	383.9701	2 21
2	50-52-27	94-15-10	5.0365	-0.3735	5.0226	-12.4918	4.6657	-591.6362	388.9927	3 47
3	268-55-47	183-10-57	14.6429	-14.6203	-0.8129	-8.2821	121.0868	-606.2565	388.1798	4 48
4	88- 1-59	91-12-56	1.2868	-0.0273	1.2865	-7.8085	0.2132	-606.2838	389.4663	5 49
5	271- 5-21	182-18-17	4.6648	-4.6610	-0.1876	-6.7096	31.2734	-610.9448	389.2787	6 50
6	267-36-46	269-55- 3	0.1390	-0.0002	-0.1390	-7.0362	0.0014	-610.9450	389.1397	7 66
7	93-15-14	183-10-17	0.1862	-0.1859	-0.0103	-7.1855	1.3358	-611.1309	389.1294	8 69
8	86-15-25	89-25-42	11.7157	0.1169	11.7151	4.5193	0.5283	-611.0140	400.8445	9 7
9	90-18-52	359-44-34	0.2895	0.2895	-0.0013	16.2331	4.6995	-610.7245	400.8432	10 1
10	270-11- 6	89-55-40	11.6023	0.0146	11.6023	27.8341	0.4064	-610.7099	412.4455	11 7
11	84-56-53	354-52-33	7.7680	7.7370	-0.6938	38.7426	299.7515	-602.9729	411.7517	12 68
12	183-19-10	358-11-43	12.1490	12.1430	-0.3826	37.6662	457.3807	-590.8299	411.3691	13 45
13	177-11-54	355-23-37	8.0476	8.0216	-0.6463	36.6373	293.8898	-582.8083	410.7228	14 44
14	97-11-35	272-35-12	18.0139	0.8130	-17.9955	17.9955	14.6303	-581.9953	392.7273	15 43
2160- 0- 0			108.2926			SASHIHIKI	1311.019195			
						1/2	655.509598			
						MENSEKI	655.5096			
						TSUBO MENSEKI	198.2917			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

13-8

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81- 2-28						-569.3315	404.2652	1 5
1	139- 0-38	220- 3- 6	5.3703	-4.1108	-3.4557	-3.4557	14.2057	-573.4423	400.8095	2 6
2	183-19-38	223-22-44	11.7676	-8.5530	-8.0822	-14.9936	128.2403	-581.9953	392.7273	3 43
3	49-12-28	92-35-12	18.0139	-0.8130	17.9955	-5.0803	4.1303	-582.8083	410.7228	4 44
4	262-48-25	175-23-37	8.0476	-8.0216	0.6463	13.5615	-108.7849	-590.8299	411.3691	5 45
5	84-57- 4	80-20-41	17.6485	2.9600	17.3985	31.6063	93.5546	-587.8699	428.7676	6 45
6	89-21- 1	349-41-42	17.1739	16.8969	-3.0722	45.9326	776.1185	-570.9730	425.6954	7 34
7	89-35-30	259-17-12	15.2198	-2.8293	-14.9545	27.9059	-78.9542	-573.8023	410.7409	8 42
8	269-27-23	348-44-35	5.4290	5.3246	-1.0598	11.8916	63.3180	-568.4777	409.6811	9 41
9	92-17-53	261- 2-28	5.4828	-0.8538	-5.4159	5.4159	-4.6241	-569.3315	404.2652	10 5
1260- 0- 0			104.1534			SASHIHIKI	887.204260			
						1/2	443.602130			
						MENSEKI	443.6021			
						TSUBO MENSEKI	134.1896			

13-9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		80- 2-44						-562.5223	407.6112	1 3
1	121-45-54	201-48-38	2.6665	-2.4756	-0.9907	-0.9907	2.4526	-564.9979	406.6205	2 4
2	186-42-48	208-31-26	4.9323	-4.3336	-2.3553	-4.3367	18.7935	-569.3315	404.2652	3 5
3	52-31- 2	81- 2-28	5.4828	0.8538	5.4159	-1.2761	-1.0895	-568.4777	409.6811	4 41
4	267-42- 7	168-44-35	5.4290	-5.3246	1.0598	5.1996	-27.6858	-573.8023	410.7409	5 42
5	90-32-37	79-17-12	16.3470	3.0388	16.0621	22.3215	67.8306	-570.7635	426.8030	6 33
6	89-44-54	349- 2- 6	11.4365	11.2277	-2.1753	36.2083	406.5359	-559.5358	424.6277	7 32
7	91- 0-38	260- 2-44	17.2766	-2.9865	-17.0165	17.0165	-50.8198	-562.5223	407.6112	8 3
900- 0- 0			63.5707			SASHIHIKI	416.017503			
						1/2	208.008751			
						MENSEKI	208.0088			
						TSUBO MENSEKI	62.9226			

13-10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-36-54						-555.8747	411.5307	1 2
1	132-54-33	210-31-27	7.7171	-6.6476	-3.9195	-3.9195	26.0553	-562.5223	407.6112	2 3
2	49-31-17	80- 2-44	17.2766	2.9865	17.0165	9.1775	27.4086	-559.5358	424.6277	3 32
3	88-59-24	349- 2- 8	6.3869	6.2703	-1.2148	24.9792	156.6271	-553.2655	423.4129	4 31
4	88-34-46	257-36-54	12.1653	-2.6092	-11.8822	11.8822	-31.0030	-555.8747	411.5307	5 2
360- 0- 0			43.5459			SASHIHIKI	179.087913			
						1/2	89.543957			
						MENSEKI	89.5440			
						TSUBO MENSEKI	27.0870			

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

全体

地番;13-11

測点	X	Y	DX	DY	距離	方向角	ギョウ角	倍横距	倍面積
31	-553.2655	423.4129	-17.4980	3.3901	17.8234	169-02-07	91-25-12	3.3901	-59.31996980
33	-570.7635	426.8030	-0.2095	-1.1076	1.1272	259-17-21	270-15-14	5.6726	-1.18840970
34	-570.9730	425.6954	-7.5232	1.3679	7.6465	169-41-41	90-24-20	5.9329	-44.63439328
9	-578.4962	427.0633	8.6495	39.2286	40.1708	77-33-57	87-52-16	46.5294	402.45604530
11	-569.8467	466.2919	13.5025	-3.9573	14.0705	343-39-55	86-05-58	81.8007	1104.51395175
30	-556.3442	462.3346	-3.1415	-14.0539	14.4007	257-23-59	93-44-04	63.7895	-200.39471425
29	-559.4857	448.2807	11.1109	-2.5951	11.4099	346-51-13	269-27-14	47.1405	523.77338145
28	-548.3748	445.6856	-4.8907	-22.2727	22.8033	257-36-55	90-45-42	22.2727	-108.92909389
合計					129.4523		1080-00-00		1616.27679758
								面積	808.13839879
								坪数	244.46186563

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

13-11

残地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-36-56						-553.2655	423.4129	1 3/
1	91-25-10	169-2-6	11.5000	-11.2901	2.1874	2.1874	-24.6960	-564.5556	425.6003	2 65
2	88-21-52	77-23-58	13.2156	2.8830	12.8973	17.2721	49.7955	-561.6726	438.4976	3 60
3	90-28-11	347-52-9	11.4468	11.1912	-2.4055	27.7639	310.7114	-550.4814	436.0921	4 59
4	89-44-47	257-36-56	12.9813	-2.7841	-12.6792	12.6792	-35.3002	-553.2655	423.4129	5 3/

360-0-0	49.1437	SASHIHIKI	300.510697
		1/2	150.255348
		MENSEKI	150.2553
		TSUBO MENSEKI	45.4522

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-36-55						-550.4814	436.0921	1 59
1	90-15-14	167-52-9	11.4468	-11.1912	2.4055	2.4055	-26.9204	-561.6726	438.4976	2 60
2	89-31-49	77-23-58	10.0245	2.1869	9.7831	14.5941	31.9158	-559.4857	448.2807	3 29
3	89-27-15	346-51-13	11.4099	11.1109	-2.5951	21.7821	242.0187	-548.3748	445.6856	4 28
4	90-45-42	257-36-55	9.8221	-2.1066	-9.5935	9.5935	-20.2097	-550.4814	436.0921	5 59

360-0-0	42.7033	SASHIHIKI	226.804473
		1/2	113.402237
		MENSEKI	113.4022
		TSUBO MENSEKI	34.3042

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-23-58						-560.3016	444.6310	1 4
1	85-57-2	163-21-0	12.8356	-12.2974	3.6777	3.6777	-45.2261	-572.5990	448.3087	2 4
2	94-16-47	77-37-47	18.0746	3.8721	17.6550	25.0104	96.8428	-568.7269	465.9637	3 4
3	86-2-8	343-39-55	12.9036	12.3827	-3.6291	39.0363	483.3748	-556.3442	462.3346	4 30
4	93-44-3	257-23-58	18.1405	-3.9574	-17.7036	17.7036	-70.0602	-560.3016	444.6310	5 4

360-0-0	61.9543	SASHIHIKI	464.931187
		1/2	232.465594
		MENSEKI	232.4656
		TSUBO MENSEKI	70.3208

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-23-58						-562.2236	436.0328	1 4
1	88-54-19	166-18-17	12.7678	-12.4048	3.0229	3.0229	-37.4985	-574.6284	439.0557	2 4
2	91-19-29	77-37-46	9.4729	2.0294	9.2530	15.2988	31.0474	-572.5990	448.3087	3 4
3	85-43-14	343-21-0	12.8356	12.2974	-3.6777	20.8741	256.6972	-560.3016	444.6310	4 4
4	94-2-58	257-23-58	8.8104	-1.9220	-8.5982	8.5982	-16.5257	-562.2236	436.0328	5 4

360-0-0	43.8867	SASHIHIKI	233.720332
		1/2	116.860166
		MENSEKI	116.8602
		TSUBO MENSEKI	35.3502

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

工

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-23-59						-564.5556	425.6003	1 65
1	91-38-9	169-2-8	6.3233	-6.2079	1.2027	1.2027	-7.4662	-570.7635	426.8030	2 33
2	270-15-13	259-17-21	1.1272	-0.2095	-1.1076	1.2978	-0.2719	-570.9730	425.6954	3 34
3	90-24-20	169-41-41	6.4368	-6.3330	1.1515	1.3417	-8.4970	-577.3060	426.8469	4 コ
4	87-56-7	77-37-48	12.4990	2.6776	12.2088	14.7020	39.3661	-574.6284	439.0557	5 H
5	88-40-29	346-18-17	12.7678	12.4048	-3.0229	23.8879	296.3246	-562.2236	436.0328	6 オ
6	91-5-42	257-23-59	10.6900	-2.3320	-10.4325	10.4325	-24.3286	-564.5556	425.6003	7 65

720-0-0	49.8441	SASHIHIKI	295.126991
		1/2	147.563495
		MENSEKI	147.5635
		TSUBO MENSEKI	44.6380

道路

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-37-47						-577.3060	426.8469	1 コ
1	92-3-56	169-41-43	1.2097	-1.1902	0.2164	0.2164	-0.2576	-578.4962	427.0633	2 オ
2	87-52-14	77-33-57	40.1708	8.6495	39.2286	39.6614	343.0513	-569.8467	466.2919	3 ㄥ
3	86-5-56	343-39-53	1.1669	1.1198	-0.3282	78.5618	87.9735	-568.7269	465.9637	4 ㄥ
4	93-57-54	257-37-47	40.0465	-8.5791	-39.1168	39.1168	-335.5869	-577.3060	426.8469	5 ㄱ

360-0-0	82.5939	SASHIHIKI	95.180285
		1/2	47.590142
		MENSEKI	47.5901
		TSUBO MENSEKI	14.3960

13-12

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-36-54						-548.3748	445.6856	1 ㄥ
1	89-14-19	166-51-13	11.4099	-11.1109	2.5951	2.5951	-28.8339	-559.4857	448.2807	2 ㄥ
2	90-32-46	77-23-59	14.4007	3.1415	14.0539	19.2441	60.4553	-556.3442	462.3346	3 30
3	86-15-56	343-39-55	11.3818	10.9224	-3.2011	30.0969	328.7304	-545.4218	459.1335	4 1
4	93-56-59	257-36-54	13.7683	-2.9530	-13.4479	13.4479	-39.7116	-548.3748	445.6856	5 ㄥ

360-0-0	50.9607	SASHIHIKI	320.640175
		1/2	160.320088
		MENSEKI	160.3201
		TSUBO MENSEKI	48.4968