

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

熊内換地区 10 街区

街区面積 第5座標

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		27-32-50						-229.5200	681.4602	1 /
1	134-57-14	162-30- 4	30.5595	-29.1453	9.1888	9.1888	-267.8103	-258.6653	690.6490	2 2
2	135-26-46	117-56-50	2.2044	-1.0331	1.9473	20.3249	-20.9977	-259.6984	692.5963	3 3
3	144-10-29	82- 7-19	42.4391	5.8170	42.0386	64.3108	374.0959	-253.8814	734.6349	4 4
4	259- 8-22	161-15-41	20.7961	-19.6938	6.6808	113.0302	-2225.9942	-273.5752	741.3157	5 5
5	135-57-34	117-13-15	5.0046	-2.2892	4.4503	124.1613	-284.2300	-275.8644	745.7660	6 6
6	135-51-17	73- 4-32	5.9906	1.7439	5.7311	134.3427	234.2802	-274.1205	751.4971	7 36
7	180-28-31	73-33- 3	9.6396	2.7296	9.2451	149.3189	407.5809	-271.3909	760.7422	8 37
8	179-13-59	72-47- 2	12.2418	3.6233	11.6933	170.2573	616.8933	-267.7676	772.4355	9 7
9	136-14- 8	29- 1-10	5.0243	4.3935	2.4373	184.3879	810.1082	-263.3741	774.8728	10 8
10	136-34- 7	345-35-17	46.9359	45.4589	-11.6819	175.1433	7961.8218	-217.9152	763.1909	11 9
11	139-25- 2	305- 0-19	5.0100	2.8740	-4.1037	159.3577	457.9940	-215.0412	759.0872	12 10
12	137-20-27	262-20-46	33.9366	-4.5200	-33.6342	121.6198	-549.7215	-219.5612	725.4530	13 18
13	179-52- 4	262-12-50	28.8335	-3.9063	-28.5677	59.4179	-232.1041	-223.4675	696.8853	14 11
14	172-56-59	255- 9-49	5.8897	-1.5081	-5.6933	25.1569	-37.9391	-224.9756	691.1920	15 39
15	177-23-52	252-33-41	9.2280	-2.7655	-8.8039	10.6597	-29.4794	-227.7411	682.3881	16 12
16	134-59- 9	207-32-50	2.0064	-1.7789	-0.9279	0.9279	-1.6506	-229.5200	681.4602	17 /
2520- 0- 0			265.7401	SASHIHIKI			7212.847343			
				1/2			3606.423671			
				MENSEKI			3606.4237			
				TSUBO MENSEKI			1090.9432			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

5-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-34-41						-261.4781	758.1550	1 31
1	89-47-39	165-22-20	10.2449	-9.9128	2.5872	2.5872	-25.6464	-271.3909	760.7422	2 37
2	87-24-42	72-47-2	12.2418	3.6233	11.6933	16.8677	61.1167	-267.7676	772.4355	3 7
3	136-14-8	29-1-10	5.0243	4.3935	2.4373	30.9983	136.1910	-263.3741	774.8728	4 8
4	136-34-5	345-35-15	6.0000	5.8112	-1.4934	31.9422	185.6225	-257.5629	773.3794	5 33
5	89-59-26	255-34-41	15.7198	-3.9152	-15.2244	15.2244	-59.6066	-261.4781	758.1550	6 31
540-0-0			49.2308			SASHIHIKI	297.677314			
						1/2	-148.838657			
						MENSEKI	148.8387			
						TSUBO MENSEKI	45.0237			

5-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-51-24						-263.8342	748.8049	1 30
1	89-28-35	165-19-59	10.6328	-10.2863	2.6922	2.6922	-27.6928	-274.1205	751.4971	2 36
2	88-13-4	73-33-3	9.6396	2.7296	9.2451	14.6295	39.9327	-271.3909	760.7422	3 37
3	91-49-17	345-22-20	10.2449	9.9128	-2.5872	21.2874	211.0177	-261.4781	758.1550	4 31
4	90-29-4	255-51-24	9.6424	-2.3561	-9.3501	9.3501	-22.0298	-263.8342	748.8049	5 30
360-0-0			40.1597			SASHIHIKI	201.227874			
						1/2	100.613937			
						MENSEKI	100.6139			
						TSUBO MENSEKI	30.4357			

5-3

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-22-52						-266.4207	738.8886	1 29
1	85-52-47	161-15-39	7.5550	-7.1545	2.4271	2.4271	-17.3647	-273.5752	741.3157	2 5
2	135-57-36	117-13-15	5.0046	-2.2892	4.4503	9.3045	-21.2999	-275.8644	745.7660	3 6
3	135-51-17	73-4-32	5.9906	1.7439	5.7311	19.4859	33.9815	-274.1205	751.4971	4 36
4	92-15-27	345-19-59	10.6328	10.2863	-2.6922	22.5248	231.6969	-263.8342	748.8049	5 30
5	90-2-53	255-22-52	10.2481	-2.5865	-9.9163	9.9163	-25.6485	-266.4207	738.8886	6 29
540-0-0			39.4311			SASHIHIKI	201.365253			
						1/2	100.682626			
						MENSEKI	100.6826			
						TSUBO MENSEKI	30.4565			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

5-4

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		87- 8-14						-247.2625	716.8272	1 27
1	84- 1- 2	171- 9-16	8.9985	-8.8915	1.3837	1.3837	-12.3032	-256.1540	718.2109	2 28
2	90-58- 3	82- 7-19	16.5805	2.2726	16.4240	19.1914	43.6144	-253.8814	734.6349	3 4
3	259- 8-23	161-15-42	13.2411	-12.5393	4.2537	39.8691	-499.9306	-266.4207	738.8886	4 29
4	94- 7-10	75-22-52	10.2481	2.5865	9.9163	54.0391	139.7721	-263.8342	748.8049	5 30
5	180-28-32	75-51-24	9.6424	2.3561	9.3501	73.3055	172.7151	-261.4781	758.1550	6 31
6	179-43-17	75-34-41	15.7198	3.9152	15.2244	97.8800	383.2198	-257.5629	773.3794	7 33
7	90- 0-37	345-35-18	22.5908	21.8799	-5.6226	107.4818	2351.6910	-235.6830	767.7568	8 20
8	95- 1-24	260-36-42	42.2860	-6.8979	-41.7196	60.1396	-414.8369	-242.5809	726.0372	9 25
9	102-17-44	182-54-26	4.2373	-4.2318	-0.2149	18.2051	-77.0403	-246.8127	725.8223	10 24
10	264-13-48	267- 8-14	9.0063	-0.4498	-8.9951	8.9951	-4.0460	-247.2625	716.8272	11 27

1440- 0- 0

152.5508

SASHIHIKI
1/2 1041.427674

MENSEKI 1041.4277
TSUBO MENSEKI 315.0319

5-5

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-55- 4						-248.2837	701.9703	1 34
1	88-19- 6	171-14-10	10.0233	-9.9063	1.5272	1.5272	-15.1289	-258.1900	703.4975	2 35
2	90-53- 8	82- 7-18	14.8536	2.0360	14.7134	17.7678	36.1752	-256.1540	718.2109	3 28
3	89- 1-58	351- 9-16	8.9985	8.8915	-1.3837	31.0975	276.5034	-247.2625	716.8272	4 27
4	95-58-59	267- 8-15	11.1216	-0.5554	-11.1077	18.6061	-10.3338	-247.8179	705.7195	5 23
5	175-46-49	262-55- 4	3.7780	-0.4658	-3.7492	3.7492	-1.7464	-248.2837	701.9703	6 34

540- 0- 0

48.7750

SASHIHIKI
1/2 285.469555
142.734778

MENSEKI 142.7348
TSUBO MENSEKI 43.1773

5-6

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81- 5-32						-250.3512	688.0278	1 26
1	81-24-33	162-30- 5	8.7175	-8.3141	2.6212	2.6212	-21.7929	-258.6653	690.6490	2 2
2	135-26-45	117-56-50	2.2044	-1.0331	1.9473	7.1897	-7.4277	-259.6984	692.5963	3 3
3	144-10-29	82- 7-19	11.0051	1.5084	10.9012	20.0382	30.2256	-258.1900	703.4975	4 35
4	89- 6-51	351-14-10	10.1397	10.0213	-1.5449	29.3945	294.5711	-248.1687	701.9526	5 22
5	89-51-22	261- 5-32	14.0948	-2.1825	-13.9248	13.9248	-30.3909	-250.3512	688.0278	6 26

540- 0- 0

46.1615

SASHIHIKI
1/2 265.185250
132.592625

MENSEKI 132.5926
TSUBO MENSEKI 40.1093

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

5-7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		27-32-50						-229.5200	681.4602	1 /
1	134-57-14	162-30-4	21.8420	-20.8312	6.5676	6.5676	-136.8110	-250.3512	688.0278	2 26
2	98-35-28	81-5-32	14.0948	2.1825	13.9248	27.0600	59.0585	-248.1687	701.9526	3 22
3	270-9-28	171-15-0	0.1164	-0.1150	0.0177	41.0025	-4.7153	-248.2837	701.9703	4 34
4	91-40-4	82-55-4	3.7780	0.4658	3.7492	44.7694	20.8536	-247.8179	705.7195	5 23
5	88-24-26	351-19-30	25.3258	25.0361	-3.8199	44.6987	1119.0811	-222.7818	701.8996	6 2/
6	90-53-17	262-12-47	5.0610	-0.6857	-5.0143	35.8645	-24.5923	-223.4675	696.8853	7 //
7	172-57-2	255-9-49	5.8897	-1.5081	-5.6933	25.1569	-37.9391	-224.9756	691.1920	8 39
8	177-23-52	252-33-41	9.2280	-2.7655	-8.8039	10.6597	-29.4794	-227.7411	682.3881	9 /2
9	134-59-9	207-32-50	2.0064	-1.7789	-0.9279	0.9279	-1.6506	-229.5200	681.4602	10 /

1260-0-0 87.3421 SASHIHIKI 963.805433
1/2 481.902716
MENSEKI 481.9027
TSUBO MENSEKI 145.7756

5-8

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-12-50						-222.7818	701.8996	1 2/
1	89-6-40	171-19-30	25.3258	-25.0361	3.8199	3.8199	-95.6354	-247.8179	705.7195	2 23
2	95-48-45	87-8-15	20.1279	1.0052	20.1028	27.7426	27.8869	-246.8127	725.8223	3 24
3	95-46-11	2-54-26	4.2373	4.2318	0.2149	48.0603	203.3816	-242.5809	726.0372	4 25
4	257-42-57	80-37-23	0.2424	0.0395	0.2392	48.5144	1.9163	-242.5414	726.2764	5 /9
5	97-19-30	357-56-53	22.9949	22.9802	-0.8234	47.9302	1101.4456	-219.5612	725.4530	6 /8
6	84-15-57	262-12-50	23.7726	-3.2206	-23.5534	23.5534	-75.8561	-222.7818	701.8996	7 2/

720-0-0 96.7009 SASHIHIKI 1163.138861
1/2 581.569431
MENSEKI 581.5694
TSUBO MENSEKI 175.9248

5-9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-20-46						-219.5612	725.4530	1 /8
1	95-36-7	177-56-53	22.9949	-22.9802	0.8234	0.8234	-18.9219	-242.5414	726.2764	2 /9
2	82-39-49	80-36-42	15.8730	2.5893	15.6604	17.3072	44.8135	-239.9521	741.9368	3 /
3	92-44-30	353-21-12	22.4081	22.2575	-2.5937	30.3739	676.0471	-217.6946	739.3431	4 /
4	88-59-34	262-20-46	14.0150	-1.8666	-13.8901	13.8901	-25.9273	-219.5612	725.4530	5 /8

360-0-0 75.2910 SASHIHIKI 676.011455
1/2 338.005727
MENSEKI 338.0057
TSUBO MENSEKI 102.2467

5-10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-20-45						-217.6946	739.3431	1 /
1	91-0-27	173-21-12	22.4081	-22.2575	2.5937	2.5937	-57.7293	-239.9521	741.9368	2 /
2	87-15-30	80-36-42	26.1705	4.2691	25.8200	31.0074	132.3737	-235.6830	767.7568	3 20
3	84-58-35	345-35-17	18.3451	17.7678	-4.5659	52.2615	928.5719	-217.9152	763.1909	4 9
4	139-25-2	305-0-19	5.0100	2.8740	-4.1037	43.5919	125.2831	-215.0412	759.0872	5 /0
5	137-20-26	262-20-45	19.9216	-2.6534	-19.7441	19.7441	-52.3890	-217.6946	739.3431	6 /

540-0-0 91.8553 SASHIHIKI 1076.110419
1/2 538.055209
MENSEKI 538.0552
TSUBO MENSEKI 162.7617