

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

熊内換地区13街区

街区面積 第5座標

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		24-54-14						-308.0021	678.8283	1 /
1	138-30-25	163-24-39	18.7144	-17.9354	5.3431	5.3431	-95.8306	-325.9375	684.1714	2 Z
2	134-32-23	117-57- 2	4.9351	-2.3131	4.3594	15.0456	-34.8020	-328.2506	688.5308	3 3
3	133- 1-18	70-58-20	33.5473	10.9373	31.7143	51.1193	559.1071	-317.3133	720.2451	4 22
4	179-53- 0	70-51-20	21.2392	6.9654	20.0646	102.8982	716.7271	-310.3479	740.3097	5 26
5	179-51- 5	70-42-25	30.5171	10.0828	28.8033	151.7661	1530.2272	-300.2651	769.1130	6 3/
6	179-55-54	70-38-19	12.9800	4.3032	12.2459	192.8153	829.7228	-295.9619	781.3589	7 4
7	135-57-12	26-35-31	4.9549	4.4308	2.2180	207.2792	918.4127	-291.5311	783.5769	8 5
8	135-22-56	341-58-27	16.0662	15.2776	-4.9716	204.5256	3124.6603	-276.2535	778.6053	9 6
9	136- 6-51	298- 5-18	5.4537	2.5678	-4.8114	194.7426	500.0600	-273.6857	773.7939	10 7
10	134-53-35	252-58-53	32.8565	-9.6165	-31.4177	158.5135	-1524.3451	-283.3022	742.3762	11 8
11	180-19-18	253-18-11	4.5091	-1.2955	-4.3190	122.7768	-159.0573	-284.5977	738.0572	12 17
12	178-13-59	251-32-10	27.2688	-8.6362	-25.8651	92.5927	-799.6491	-293.2339	712.1921	13 Z/
13	179-59-48	251-31-58	33.0746	-10.4767	-31.3714	35.3562	-370.4163	-303.7106	680.8207	14 9
14	133-22-16	204-54-14	4.7315	-4.2915	-1.9924	1.9924	-8.5504	-308.0021	678.8283	15 /

2160- 0- 0	250.8484	SASHIHIKI	5186.266517
		1/2	2593.133259
		MENSEKI	2593.1333
		TSUBO MENSEKI	784.4228

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-29-45						-289.0619	769.5613	134
1	90-13-19	161-43-4	10.4228	-9.8967	3.2696	3.2696	-32.3583	-298.9586	772.8309	232
2	88-55-16	70-38-20	9.0392	2.9967	8.5280	15.0672	45.1519	-295.9619	781.3589	34
3	135-57-11	26-35-31	4.9549	4.4308	2.2180	25.8132	114.3731	-291.5311	783.5769	45
4	135-22-57	341-58-28	6.7900	6.4567	-2.1011	25.9301	167.4229	-285.0744	781.4758	533
5	89-31-17	251-29-45	12.5641	-3.9875	-11.9145	11.9145	-47.5091	-289.0619	769.5613	634

540- 0- 0 -43.7710 SASHIHIKI 247.080562
1/2 123.540281
MENSEKI 123.5403
TSUBO MENSEKI 37.3709

3-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-29-47						-289.3134	768.8098	17
1	90-13-14	161-43-1	10.4347	-9.9079	3.2735	3.2735	-32.4335	-299.2213	772.0833	21
2	88-55-19	70-38-20	0.7924	0.2627	0.7476	7.2946	1.9163	-298.9586	772.8309	332
3	91-4-44	341-43-4	10.4228	9.8967	-3.2696	4.7726	47.2330	-289.0619	769.5613	434
4	89-46-43	251-29-47	0.7925	-0.2515	-0.7515	0.7515	-0.1890	-289.3134	768.8098	57

360- 0- 0 22.4424 SASHIHIKI 16.526769
1/2 8.263384
MENSEKI 8.2634
TSUBO MENSEKI 2.4997

3-3

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-29-37						-290.3116	765.8276	136
1	90-14-23	161-44-0	10.4817	-9.9535	3.2854	3.2854	-32.7012	-300.2651	769.1130	231
2	88-54-16	70-38-16	3.1484	1.0438	2.9703	9.5411	9.9590	-299.2213	772.0833	31
3	91-4-45	341-43-1	10.4347	9.9079	-3.2735	9.2379	91.5282	-289.3134	768.8098	47
4	89-46-36	251-29-37	3.1448	-0.9982	-2.9822	2.9822	-2.9768	-290.3116	765.8276	536

360- 0- 0 27.2096 SASHIHIKI 65.809129
1/2 32.904564
MENSEKI 32.9046
TSUBO MENSEKI 9.9536

3-4

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-29-45						-292.3984	759.5919	137
1	90-7-1	161-36-46	10.5719	-10.0322	3.3348	3.3348	-33.4554	-302.4306	762.9267	230
2	89-5-41	70-42-27	6.5544	2.1655	6.1863	12.8559	27.8395	-300.2651	769.1130	331
3	91-1-25	341-43-52	10.4818	9.9535	-3.2858	15.7564	156.8313	-290.3116	765.8272	436
4	89-45-53	251-29-45	6.5752	-2.0868	-6.2353	6.2353	-13.0118	-292.3984	759.5919	537

360- 0- 0 34.1833 SASHIHIKI 138.203574
1/2 69.101787
MENSEKI 69.1018
TSUBO MENSEKI 20.9033

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-5

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-29-43						-294.8727	752.1990	1 37
1	90- 4-55	161-34-38	10.6792	-10.1319	3.3749	3.3749	-34.1941	-305.0046	755.5739	2 27
2	89- 7-45	70-42-23	7.7903	2.5740	7.3528	14.1026	36.3001	-302.4306	762.9267	3 20
3	90-54-23	341-36-46	10.5719	10.0322	-3.3348	18.1206	181.7895	-292.3984	759.5919	4 37
4	89-52-57	251-29-43	7.7960	-2.4743	-7.3929	7.3929	-18.2923	-294.8727	752.1990	5 37
	360- 0- 0		36.8374			SASHIHIKI	165.603174			
						1/2	82.801587			
						MENSEKI	82.8016			
						TSUBO MENSEKI	25.0475			

3-6

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-29-46						-296.8281	746.3562	1 41
1	90- 7-57	161-37-43	10.7642	-10.2156	3.3926	3.3926	-34.6574	-307.0437	749.7488	2 28
2	89- 4-43	70-42-26	6.1717	2.0391	5.8251	12.6103	25.7137	-305.0046	755.5739	3 27
3	90-52-12	341-34-38	10.6792	10.1319	-3.3749	15.0605	152.5915	-294.8727	752.1990	4 37
4	89-55- 8	251-29-46	6.1613	-1.9554	-5.8428	5.8428	-11.4250	-296.8281	746.3562	5 41
	360- 0- 0		33.7764			SASHIHIKI	132.222687			
						1/2	66.111344			
						MENSEKI	66.1113			
						TSUBO MENSEKI	19.9987			

3-7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-29-44						-300.0084	736.8537	1 44
1	90- 1-20	161-31- 4	10.9018	-10.3395	3.4560	3.4560	-35.7333	-310.3479	740.3097	2 26
2	89-11-22	70-42-26	10.0007	3.3042	9.4391	16.3511	54.0273	-307.0437	749.7488	3 28
3	90-55-17	341-37-43	10.7642	10.2156	-3.3926	22.3976	228.8049	-296.8281	746.3562	4 41
4	89-52- 1	251-29-44	10.0206	-3.1803	-9.5025	9.5025	-30.2208	-300.0084	736.8537	5 44
	360- 0- 0		41.6873			SASHIHIKI	216.878114			
						1/2	108.439057			
						MENSEKI	108.4391			
						TSUBO MENSEKI	32.8028			

3-8

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-40-26						-301.8015	731.4401	1 45
1	89-50-30	161-30-56	10.9832	-10.4166	3.4822	3.4822	-36.2727	-312.2181	734.9223	2 25
2	89-20-25	70-51-21	5.7028	1.8702	5.3874	12.3518	23.1003	-310.3479	740.3097	3 26
3	90-39-43	341-31- 4	10.9018	10.3395	-3.4560	14.2832	147.6811	-300.0084	736.8537	4 44
4	90- 9-22	251-40-26	5.7028	-1.7931	-5.4136	5.4136	-9.7071	-301.8015	731.4401	5 45
	360- 0- 0		33.2906			SASHIHIKI	124.801672			
						1/2	62.400836			
						MENSEKI	62.4008			
						TSUBO MENSEKI	18.8763			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-40-28						-303.6900	725.7383	1 5/
1	89-50-21	161-30-49	11.0691	-10.4979	3.5098	3.5098	-36.8455	-314.1879	729.2481	2 24
2	89-20-31	70-51-20	6.0064	1.9698	5.6742	12.6938	25.0042	-312.2181	734.9223	3 25
3	90-39-36	341-30-56	10.9832	10.4166	-3.4822	14.8858	155.0594	-301.8015	731.4401	4 45
4	90- 9-32	251-40-28	6.0064	-1.8885	-5.7018	5.7018	-10.7678	-303.6900	725.7383	5 5/
360- 0- 0			34.0651			SASHIHIKI	132.450293			
						1/2	66.225146			
						MENSEKI	66.2251			
						TSUBO MENSEKI	20.0331			

3-10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-40-27						-304.8502	722.2355	1 48
1	89-50-18	161-30-45	11.1219	-10.5479	3.5267	3.5267	-37.1993	-315.3981	725.7622	2 23
2	89-20-31	70-51-16	3.6900	1.2102	3.4859	10.5393	12.7547	-314.1879	729.2481	3 24
3	90-39-33	341-30-49	11.0691	10.4979	-3.5098	10.5154	110.3896	-303.6900	725.7383	4 5/
4	90- 9-38	251-40-27	3.6899	-1.1602	-3.5028	3.5028	-4.0639	-304.8502	722.2355	5 48
360- 0- 0			29.5709			SASHIHIKI	81.881051			
						1/2	40.940526			
						MENSEKI	40.9405			
						TSUBO MENSEKI	12.3845			

3-11

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-40-26						-306.7014	716.6465	1 49
1	89-35-38	161-16- 4	11.2055	-10.6119	3.5986	3.5986	-38.1880	-317.3133	720.2451	2 22
2	89-35-18	70-51-22	5.8401	1.9152	5.5171	12.7143	24.3504	-315.3981	725.7622	3 23
3	90-39-23	341-30-45	11.1219	10.5479	-3.5267	14.7047	155.1037	-304.8502	722.2355	4 48
4	90- 9-41	251-40-26	5.8876	-1.8512	-5.5890	5.5890	-10.3464	-306.7014	716.6465	5 49
360- 0- 0			34.0551			SASHIHIKI	130.919792			
						1/2	65.459896			
						MENSEKI	65.4599			
						TSUBO MENSEKI	19.8016			

3-12

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		24-54-14						-308.0021	678.8283	1 /
1	138-30-25	163-24-39	18.7144	-17.9354	5.3431	5.3431	-95.8306	-325.9375	684.1714	2 2
2	134-32-23	117-57- 2	4.9351	-2.3131	4.3594	15.0456	-34.8020	-328.2506	688.5308	3 3
3	133- 1-18	70-58-20	33.5473	10.9373	31.7143	51.1193	559.1071	-317.3133	720.2451	4 22
4	90-17-44	341-16- 4	11.2055	10.6119	-3.5986	79.2350	840.8339	-306.7014	716.6465	5 49
5	180-25-50	341-41-54	14.1850	13.4675	-4.4544	71.1820	958.6436	-293.2339	712.1921	6 2/
6	89-50- 4	251-31-58	33.0746	-10.4767	-31.3714	35.3562	-370.4163	-303.7106	680.8207	7 9
7	133-22-16	204-54-14	4.7315	-4.2915	-1.9924	1.9924	-8.5504	-308.0021	678.8283	8 /
900- 0- 0			120.3934			SASHIHIKI	1848.985303			
						1/2	924.492652			
						MENSEKI	924.4927			
						TSUBO MENSEKI	279.6590			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-13

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-32-11						-293.2339	712.1921	1 21
1	90- 9-43	161-41-54	14.1850	-13.4675	4.4544	4.4544	-59.9896	-306.7014	716.6465	2 49
2	89-58-32	71-40-26	7.3423	2.3086	6.9699	15.8787	36.6576	-304.3928	723.6164	3 47
3	89-50-44	341-31-10	14.2026	13.4702	-4.5020	18.3466	247.1324	-290.9226	719.1144	4 20
4	90- 1- 1	251-32-11	7.2980	-2.3113	-6.9223	6.9223	-15.9995	-293.2339	712.1921	5 21
	360- 0- 0		43.0279			SASHIHIKI	207.800794			
						1/2	103.900397			
						MENSEKI	103.9004			
						TSUBO MENSEKI	31.4299			

3-14

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-32- 7						-290.9226	719.1144	1 20
1	89-59- 3	161-31-10	14.2026	-13.4702	4.5020	4.5020	-60.6428	-304.3928	723.6164	2 47
2	90- 9-21	71-40-31	2.0715	0.6513	1.9665	10.9705	7.1451	-303.7415	725.5829	3 46
3	89-50-39	341-31-10	14.2077	13.4750	-4.5036	8.4334	113.6401	-290.2665	721.0793	4 19
4	90- 0-57	251-32- 7	2.0715	-0.6561	-1.9649	1.9649	-1.2892	-290.9226	719.1144	5 20
	360- 0- 0		32.5533			SASHIHIKI	58.853140			
						1/2	29.426570			
						MENSEKI	29.4266			
						TSUBO MENSEKI	8.9015			

3-15

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-32-11						-290.2665	721.0793	1 19
1	89-58-59	161-31-10	14.2077	-13.4750	4.5036	4.5036	-60.6860	-303.7415	725.5829	2 46
2	90- 9-17	71-40-27	11.8730	3.7331	11.2708	20.2780	75.6998	-300.0084	736.8537	3 44
3	89-50-44	341-31-11	14.2362	13.5021	-4.5126	27.0362	365.0455	-286.5063	732.3411	4 18
4	90- 1- 0	251-32-11	11.8730	-3.7602	-11.2618	11.2618	-42.3466	-290.2665	721.0793	5 19
	360- 0- 0		52.1899			SASHIHIKI	337.712647			
						1/2	168.856324			
						MENSEKI	168.8563			
						TSUBO MENSEKI	51.0790			

3-16

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-32- 9						-286.5063	732.3411	1 18
1	89-59- 2	161-31-11	14.2362	-13.5021	4.5126	4.5126	-60.9296	-300.0084	736.8537	2 44
2	89-58-35	71-29-46	5.9861	1.8998	5.6766	14.7018	27.9305	-298.1086	742.5303	3 43
3	90-11- 8	341-40-54	14.2321	13.5109	-4.4731	15.9053	214.8949	-284.5977	738.0572	4 17
4	89-51-15	251-32- 9	6.0263	-1.9086	-5.7161	5.7161	-10.9097	-286.5063	732.3411	5 18
	360- 0- 0		40.4807			SASHIHIKI	170.986072			
						1/2	85.493036			
						MENSEKI	85.4930			
						TSUBO MENSEKI	25.8616			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-17

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		73-18-11						-284.5977	738.0572	1 17
1	88-22-43	161-40-54	14.2321	-13.5109	4.4731	4.4731	-60.4356	-298.1086	742.5303	2 43
2	89-48-50	71-29-44	6.0310	1.9141	5.7192	14.6654	28.0710	-296.1945	748.2495	3 40
3	90- 3-41	341-33-25	14.0511	13.3294	-4.4452	15.9394	212.4626	-282.8651	743.8043	4 16
4	91-25-31	252-58-56	1.4935	-0.4371	-1.4281	10.0661	-4.3999	-283.3022	742.3762	5 8
5	180-19-15	253-18-11	4.5091	-1.2955	-4.3190	4.3190	-5.5953	-284.5977	738.0572	6 17

540- 0- 0 40.3168 SASHIHIKI 170.102917
1/2 85.051458
MENSEKI 85.0515
TSUBO MENSEKI 25.7281

3-18

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-58-53						-282.8651	743.8043	1 16
1	88-34-32	161-33-25	14.0511	-13.3294	4.4452	4.4452	-59.2518	-296.1945	748.2495	2 40
2	89-56-19	71-29-44	6.0665	1.9254	5.7529	14.6433	28.1942	-294.2691	754.0024	3 38
3	90- 3-15	341-32-59	13.8938	13.1796	-4.3971	15.9991	210.8617	-281.0895	749.6053	4 15
4	91-25-54	252-58-53	6.0667	-1.7756	-5.8010	5.8010	-10.3003	-282.8651	743.8043	5 16

360- 0- 0 40.0781 SASHIHIKI 169.503844
1/2 84.751922
MENSEKI 84.7519
TSUBO MENSEKI 25.6375

3-19

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-58-52						-281.0895	749.6053	1 15
1	88-34- 7	161-32-59	13.8938	-13.1796	4.3971	4.3971	-57.9520	-294.2691	754.0024	2 38
2	89-56-47	71-29-46	14.0467	4.4580	13.3205	22.1147	98.5873	-289.8111	767.3229	3 35
3	89-48-10	341-17-56	13.5312	12.8168	-4.3385	31.0967	398.5602	-276.9943	762.9844	4 14
4	91-40-56	252-58-52	13.9918	-4.0952	-13.3791	13.3791	-54.7901	-281.0895	749.6053	5 15

360- 0- 0 55.4635 SASHIHIKI 384.405408
1/2 192.202704
MENSEKI 192.2027
TSUBO MENSEKI 58.1413

3-20

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-58-54						-276.9943	762.9844	1 14
1	88-19- 2	161-17-56	13.5312	-12.8168	4.3385	4.3385	-55.6057	-289.8111	767.3229	2 35
2	90-11-48	71-29-44	14.9245	4.7367	14.1529	22.8299	108.1384	-285.0744	781.4758	3 33
3	90-28-43	341-58-27	9.2762	8.8209	-2.8705	34.1123	300.9012	-276.2535	778.6053	4 6
4	136- 6-51	298- 5-18	5.4537	2.5678	-4.8114	26.4304	67.8680	-273.6857	773.7939	5 7
5	134-53-36	252-58-54	11.3045	-3.3086	-10.8095	10.8095	-35.7643	-276.9943	762.9844	6 14

540- 0- 0 54.4901 SASHIHIKI 385.537557
1/2 192.768779
MENSEKI 192.7688
TSUBO MENSEKI 58.3126