

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

熊内換地区 2 街区

街区面積 第5座標

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		115-44-54						-71.6719	802.4643	1 /
1	101-44-44	217-29-38	1.5503	-1.2300	-0.9436	-0.9436	1.1606	-72.9019	801.5207	2 2
2	193-57-0	231-26-38	10.0228	-6.2470	-7.8378	-9.7250	60.7521	-79.1489	793.6829	3 3
3	185-5-56	236-32-34	27.6090	-15.2212	-23.0341	-40.5969	617.9335	-94.3701	770.6488	4 4
4	179-30-18	236-2-52	2.0483	-1.1440	-1.6991	-65.3301	74.7376	-95.5141	768.9497	5 5
5	172-27-39	228-30-31	7.9086	-5.2395	-5.9240	-72.9532	382.2383	-100.7536	763.0257	6 6
6	169-29-23	217-59-54	7.2172	-5.6874	-4.4432	-83.3204	473.8764	-106.4410	758.5825	7 7
7	170-32-16	208-32-10	7.3787	-6.4823	-3.5249	-91.2885	591.7594	-112.9233	755.0576	8 8
8	169-16-59	197-49-9	7.3458	-6.9934	-2.2479	-97.0613	678.7885	-119.9167	752.8097	9 9
9	170-41-7	188-30-16	7.3314	-7.2508	-1.0842	-100.3934	727.9325	-127.1675	751.7255	10 10
10	170-35-42	179-5-58	7.4751	-7.4742	0.1175	-101.3601	757.5857	-134.6417	751.8430	11 11
11	168-45-43	167-51-41	1.5190	-1.4850	0.3194	-100.9232	149.8710	-136.1267	752.1624	12 28
12	181-9-29	169-1-10	2.9442	-2.8903	0.5608	-100.0430	289.1543	-139.0170	752.7232	13 115
13	92-14-48	81-15-58	33.6959	5.1165	33.3052	-66.1770	-338.5946	-133.9005	786.0284	14 33
14	180-2-20	81-18-18	22.4042	3.3869	22.1467	-10.7251	-36.3248	-130.5136	808.1751	15 35
15	259-54-11	161-12-29	8.2717	-7.8308	2.6646	14.0862	-110.3062	-138.3444	810.8397	16 36
16	101-40-29	82-52-58	22.2567	2.7576	22.0852	38.8360	107.0942	-135.5868	832.9249	17 58
17	200-40-39	103-33-37	5.9074	-1.3851	5.7427	66.6639	-92.3362	-136.9719	838.6676	18 59
18	165-36-33	89-10-10	6.3469	0.0920	6.3462	78.7528	7.2453	-136.8799	845.0138	19 K65
19	109-15-59	18-26-9	4.3745	4.1500	1.3834	86.4824	358.9020	-132.7299	846.3972	20 K64
20	173-25-58	11-52-7	2.5322	2.4781	0.5208	88.3866	219.0308	-130.2518	846.9180	21 K63
21	174-37-53	6-30-0	4.6625	4.6325	0.5278	89.4352	414.3086	-125.6193	847.4458	22 K62
22	168-43-11	355-13-11	3.4607	3.4487	-0.2884	89.6746	309.2608	-122.1706	847.1574	23 K61
23	172-4-21	347-17-32	1.8779	1.8319	-0.4131	88.9731	162.9898	-120.3387	846.7443	24 K60
24	162-8-50	329-26-22	2.4172	2.0814	-1.2290	87.3310	181.7707	-118.2573	845.5153	25 K59
25	185-7-13	334-33-35	13.6753	12.3492	-5.8745	80.2275	990.7454	-105.9081	839.6408	26 K58
No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
26	177-38-32	332-12-7	10.0496	8.8898	-4.6867	69.6663	619.3195	-97.0183	834.9541	27 K57
27	175-27-31	327-39-38	12.9294	10.9240	-6.9164	58.0632	634.2824	-86.0943	828.0377	28 K56
28	170-40-17	318-19-55	4.2985	3.2110	-2.8577	48.2891	155.0563	-82.8833	825.1800	29 K55
29	169-57-10	308-17-5	2.8838	1.7867	-2.2636	43.1678	77.1279	-81.0966	822.9164	30 K54
30	171-52-34	300-9-39	3.3563	1.6863	-2.9019	38.0023	64.0833	-79.4103	820.0145	31 K53
31	169-58-44	290-8-23	3.9371	1.3556	-3.6964	31.4040	42.5713	-78.0547	816.3181	32 K52
32	173-26-46	283-35-9	4.2741	1.0040	-4.1545	23.5531	23.6473	-77.0507	812.1636	33 K51
33	201-50-12	305-25-21	3.7560	2.1770	-3.0608	16.3378	35.5674	-74.8737	809.1028	34 153
34	170-19-33	295-44-54	7.3703	3.2018	-6.6385	6.6385	21.2551	-71.6719	802.4643	35 /

5760-0-0 275.0886

SASHIHIKI 8652.486102

1/2 4326.243051

MENSEKI 4326.2431

TSUBO MENSEKI 1308.6885

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-24

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-17-44						-138.0631	752.5381	1 30
1	87-43-23	169-1-7	0.9717	-0.9539	0.1851	0.1851	-0.1766	-139.0170	752.7232	2 118
2	92-14-51	81-15-58	33.6959	5.1165	33.3052	33.6754	172.3002	-133.9005	786.0284	3 33
3	88-34-42	349-50-40	0.9539	0.9390	-0.1682	66.8124	62.7368	-132.9615	785.8602	4 31
4	91-27-4	261-17-44	33.7104	-5.1016	-33.3221	33.3221	-169.9960	-138.0631	752.5381	5 30
360- 0- 0			69.3319			SASHIHIKI	64.864435			
						1/2	32.432218			
						MENSEKI	32.4322			
						TSUBO MENSEKI	9.8107			

2-25

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-17-39						-136.1267	752.1624	1 28
1	87-43-33	169-1-12	1.9725	-1.9364	0.3757	0.3757	-0.7275	-138.0631	752.5381	2 30
2	92-16-32	81-17-44	33.7104	5.1016	33.3221	34.0735	173.8294	-132.9615	785.8602	3 31
3	88-32-45	349-50-29	1.9725	1.9416	-0.3479	67.0477	130.1798	-131.0199	785.5123	4 29
4	91-27-10	261-17-39	33.7386	-5.1068	-33.3499	33.3499	-170.3113	-136.1267	752.1624	5 28
360- 0- 0			71.3940			SASHIHIKI	132.970407			
						1/2	66.485204			
						MENSEKI	66.4852			
						TSUBO MENSEKI	20.1118			

2-26

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-15-30						-135.6085	752.0510	1 162
1	86-36-33	167-52-3	0.5309	-0.5182	0.1114	0.1114	-0.0577	-136.1267	752.1624	2 28
2	93-25-36	81-17-39	33.7386	5.1068	33.3499	33.5727	171.4491	-131.0199	785.5123	3 29
3	268-32-54	169-50-33	2.9265	-2.8806	0.5161	67.4387	-194.2639	-133.9005	786.0284	4 33
4	91-27-45	81-18-18	18.1216	2.7395	17.9133	85.8681	235.2357	-131.1610	803.9417	5 34
5	87-24-59	348-43-17	12.4042	12.1647	-2.4260	101.3554	1232.9580	-118.9963	801.5157	6 17
6	92-50-26	261-33-43	0.5500	-0.0807	-0.5440	98.3854	-7.9397	-119.0770	800.9717	7 15
7	86-49-25	168-23-8	7.6633	-7.5064	1.5428	99.3842	-746.0176	-126.5834	802.5145	8 14
8	225-36-20	213-59-28	1.4460	-1.1989	-0.8084	100.1186	-120.0322	-127.7823	801.7061	9 13
9	226-43-35	260-43-3	19.9959	-3.2254	-19.7341	79.5761	-256.6648	-131.0077	781.9720	10 12
10	180-32-27	261-15-30	30.2727	-4.6008	-29.9210	29.9210	-137.6605	-135.6085	752.0510	11 162
1440- 0- 0			127.6488			SASHIHIKI	177.006372			
						1/2	88.503186			
						MENSEKI	88.5032			
						TSUBO MENSEKI	26.7722			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-27

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-33-50						-120.0000	803.0770	1 787
1	87- 0-27	168-34-17	9.5804	-9.3904	1.8983	1.8983	-17.8258	-129.3904	804.9753	2 46
2	270- 8-57	258-43-14	1.3600	-0.2660	-1.3337	2.4629	-0.6551	-129.6564	803.6416	3 47
3	89-59-58	168-43-12	1.5342	-1.5046	0.3001	1.4293	-2.1505	-131.1610	803.9417	4 34
4	92-35- 7	81-18-19	4.2826	0.6474	4.2334	5.9628	3.8603	-130.5136	808.1751	5 35
5	259-54-10	161-12-29	8.2717	-7.8308	2.6646	12.8608	-100.7104	-138.3444	810.8397	6 36
6	101-40-30	82-52-59	11.1157	1.3772	11.0301	26.5555	36.5722	-136.9672	821.8698	7 37
7	88-40-48	351-33-47	4.8909	4.8380	-0.7176	36.8680	178.3674	-132.1292	821.1522	8 38
8	95- 5-17	266-39- 4	0.1335	-0.0078	-0.1333	36.0171	-0.2809	-132.1370	821.0189	9 39
9	265-19-14	351-58-18	8.5943	8.5101	-1.2003	34.6835	295.1601	-123.6269	819.8186	10 40
10	179- 1-11	350-59-29	4.0247	3.9751	-0.6302	32.8530	130.5940	-119.6518	819.1884	11 41
11	182-34- 1	353-33-30	0.7977	0.7927	-0.0895	32.1333	25.4721	-118.8591	819.0989	12 42
12	176-52-17	350-25-47	1.2222	1.2052	-0.2032	31.8406	38.3743	-117.6539	818.8957	13 43
13	91- 8- 3	261-33-50	15.9917	-2.3461	-15.8187	15.8187	-37.1123	-120.0000	803.0770	14 161

1980- 0- 0

71.7996

SASHIHIKI

549.665316

1/2

274.832658

MENSEKI

274.8327

TSUBO MENSEKI

83.1369

2-28

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		63-28-51						-115.6484	829.5349	1 49
1	278-19- 1	341-47-52	0.8797	0.8357	-0.2748	-0.2748	-0.2297	-114.8127	829.2601	2 50
2	99-24- 5	261-11-57	10.6935	-1.6361	-10.5676	-11.1172	18.1889	-116.4488	818.6925	3 43
3	89-13-49	170-25-46	2.4443	-2.4103	0.4064	-21.2784	51.2873	-118.8591	819.0989	4 42
4	183- 7-44	173-33-30	0.7977	-0.7927	0.0895	-20.7825	16.4743	-119.6518	819.1884	5 41
5	177-25-59	170-59-29	4.0247	-3.9751	0.6302	-20.0628	79.7516	-123.6269	819.8186	6 40
6	180-58-49	171-58-18	8.5943	-8.5101	1.2003	-18.2323	155.1587	-132.1370	821.0189	7 39
7	94-40-46	86-39- 4	0.1335	0.0078	0.1333	-16.8987	-0.1318	-132.1292	821.1522	8 38
8	264-54-43	171-33-47	4.8909	-4.8380	0.7176	-16.0478	77.6393	-136.9672	821.8698	9 37
9	91-19-10	82-52-57	11.1409	1.3804	11.0551	-4.2751	-5.9013	-135.5868	832.9249	10 58
10	200-40-40	103-33-37	5.9074	-1.3851	5.7427	12.5227	-17.3452	-136.9719	838.6676	11 59
11	165-36-33	89-10-10	6.3469	0.0920	6.3462	24.6116	2.2643	-136.8799	845.0138	12 K65
12	109-15-59	18-26- 9	4.3745	4.1500	1.3834	32.3412	134.2160	-132.7299	846.3972	13 K64
13	173-25-58	11-52- 7	2.5322	2.4781	0.5208	34.2454	84.8635	-130.2518	846.9180	14 K63
14	174-37-53	6-30- 0	4.6625	4.6325	0.5278	35.2940	163.4995	-125.6193	847.4458	15 K62
15	168-43-11	355-13-11	3.4607	3.4487	-0.2884	35.5334	122.5440	-122.1706	847.1574	16 K61
16	172- 4-21	347-17-32	1.8779	1.8319	-0.4131	34.8319	63.8086	-120.3387	846.7443	17 K60
17	162- 8-50	329-26-22	2.4172	2.0814	-1.2290	33.1898	69.0812	-118.2573	845.5153	18 K59
18	185- 7-13	334-33-35	9.4713	8.5529	-4.0686	27.8922	238.5592	-109.7044	841.4467	19 154
19	88-55-16	243-28-51	13.3125	-5.9440	-11.9118	11.9118	-70.8037	-115.6484	829.5349	20 49

3060- 0- 0

97.9626

SASHIHIKI

1182.924585

1/2

591.462293

MENSEKI

591.4623

TSUBO MENSEKI

178.9173

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-29

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0										
1	93-54-49	68-5-10	6.3656	-6.0540	1.9671	1.9671	-11.9088	-108.7587	827.2930	1 55
2	179-47-53	161-47-52	0.8797	-0.8357	0.2748	4.2090	-3.5175	-114.8127	829.2601	2 50
3	81-40-59	63-28-51	13.3125	5.9440	11.9118	16.3956	97.4554	-115.6484	829.5349	3 47
4	91-4-43	334-33-34	4.2039	3.7963	-1.8059	26.5015	100.6076	-109.7044	841.4467	4 154
5	177-38-32	332-12-6	2.0092	1.7773	-0.9370	23.7586	42.2262	-105.9081	839.6408	5 158
6	95-42-3	247-54-9	10.8846	-4.0946	-10.0851	12.7365	-52.1509	-104.1308	838.7038	6 147
7	180-11-1	248-5-10	1.4289	-0.5333	-1.3257	1.3257	-0.7070	-108.2254	828.6187	7 56
								-108.7587	827.2930	8 55

900- 0- 0

39.0844

SASHIHIKI 172.005097

1/2 86.002549

MENSEKI 86.0025

TSUBO MENSEKI 26.0158

2-30

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0										
1	89-53-26	81-18-36	0.2700	-0.2668	0.0413	0.0413	-0.0110	-99.9584	823.6244	1 52
2	169-25-10	160-37-12	0.4180	-0.3943	0.1387	0.2213	-0.0873	-100.2252	823.6657	2 57
3	172-44-20	153-21-32	2.7964	-2.4995	1.2539	1.6139	-4.0339	-100.6195	823.8044	3 51
4	184-13-30	157-35-2	3.2229	-2.9794	1.2290	4.0968	-12.2060	-103.1190	825.0583	4 53
5	181-42-27	159-17-29	2.8441	-2.6603	1.0057	6.3315	-16.8437	-106.0984	826.2873	5 54
6	88-47-41	68-5-10	1.4289	0.5333	1.3257	8.6629	4.6199	-108.7587	827.2930	6 55
7	179-48-59	67-54-9	10.8846	4.0946	10.0851	20.0737	82.1938	-108.2254	828.6187	7 56
8	84-17-59	332-12-8	6.7762	5.9942	-3.1601	26.9987	161.8356	-104.1308	838.7038	8 147
9	109-6-28	261-18-36	12.0577	-1.8218	-11.9193	11.9193	-21.7146	-98.1366	835.5437	9 27
								-99.9584	823.6244	10 52

1260- 0- 0

40.6988

SASHIHIKI 193.752808

1/2 96.876404

MENSEKI 96.8764

TSUBO MENSEKI 29.3051

2-31

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0										
1	18-3-30	99-16-15	8.1967	-1.3205	8.0896	8.0896	-10.6823	-96.8161	827.4541	1 24
2	52-55-47	332-12-2	1.2642	1.1183	-0.5896	15.5896	17.4338	-98.1366	835.5437	2 27
3	175-27-38	327-39-40	1.4679	1.2402	-0.7852	14.2148	17.6292	-97.0183	834.9541	3 157
4	113-33-5	261-12-45	6.7946	-1.0380	-6.7148	6.7148	-6.9700	-95.7781	834.1689	4 152
								-96.8161	827.4541	5 24

360- 0- 0

17.7234

SASHIHIKI 17.410765

1/2 8.705383

MENSEKI 8.7054

TSUBO MENSEKI 2.6334

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-32

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-12-47						-97.4677	823.2387	1 26
1	89-59-3	171-11-50	2.5204	-2.4907	0.3857	0.3857	-0.9607	-99.9584	823.6244	2 52
2	90-6-46	81-18-36	12.0577	1.8218	11.9193	12.6907	23.1199	-98.1366	835.5437	3 27
3	17-57-39	279-16-15	8.1967	1.3205	-8.0896	16.5204	21.8152	-96.8161	827.4541	4 24
4	161-56-32	261-12-47	4.2655	-0.6516	-4.2154	4.2154	-2.7468	-97.4677	823.2387	5 26
360-0-0			27.0403			SASHIHIKI	41.227688			
						1/2	20.613844			
						MENSEKI	20.6138			
						TSUBO MENSEKI	6.2357			

2-33

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-12-51						-99.3890	810.8077	1 23
1	90-2-22	171-15-13	18.0322	-17.8225	2.7420	2.7420	-48.8693	-117.2115	813.5497	2 44
2	90-18-38	81-33-51	5.1990	0.7627	5.1428	10.6268	8.1051	-116.4488	818.6925	3 43
3	179-38-6	81-11-57	10.6935	1.6361	10.5676	26.3372	43.0903	-114.8127	829.2601	4 50
4	80-48-2	341-59-59	6.3656	6.0540	-1.9671	34.9377	211.5128	-108.7587	827.2930	5 55
5	177-17-30	339-17-29	2.8441	2.6603	-1.0057	31.9649	85.0362	-106.0984	826.2873	6 54
6	178-17-33	337-35-2	3.2229	2.9794	-1.2290	29.7302	88.5782	-103.1190	825.0583	7 53
7	175-46-30	333-21-32	2.7964	2.4995	-1.2539	27.2473	68.1046	-100.6195	823.8044	8 51
8	187-15-40	340-37-12	0.4180	0.3943	-0.1387	25.8547	10.1945	-100.2252	823.6657	9 57
9	190-34-39	351-11-51	2.7904	2.7575	-0.4270	25.2890	69.7344	-97.4677	823.2387	10 26
10	90-1-0	261-12-51	12.5786	-1.9213	-12.4310	12.4310	-23.8837	-99.3890	810.8077	11 23
1440-0-0			64.9407			SASHIHIKI	511.603147			
						1/2	255.801574			
						MENSEKI	255.8016			
						TSUBO MENSEKI	77.3800			

2-35

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-12-41						-100.8659	801.2548	1 21
1	89-40-9	170-52-50	2.4828	-2.4514	0.3935	0.3935	-0.9646	-103.3173	801.6483	2 20
2	270-25-44	261-18-34	3.1265	-0.4724	-3.0906	-2.3036	1.0882	-103.7897	798.5577	3 19
3	87-40-58	168-59-32	15.4916	-15.2066	2.9580	-2.4362	37.0463	-118.9963	801.5157	4 17
4	92-34-18	81-33-50	12.1656	1.7848	12.0340	12.5558	22.4096	-117.2115	813.5497	5 44
5	89-41-23	351-15-13	18.0322	17.8225	-2.7420	21.8478	389.3824	-99.3890	810.8077	6 23
6	89-57-28	261-12-41	9.6664	-1.4769	-9.5529	9.5529	-14.1087	-100.8659	801.2548	7 21
720-0-0			60.9651			SASHIHIKI	434.853243			
						1/2	217.426621			
						MENSEKI	217.4266			
						TSUBO MENSEKI	65.7716			

2-34

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-33-50						-118.9963	801.5157	1 17
1	87- 9-28	168-43-18	10.8700	-10.6601	2.1259	2.1259	-22.6623	-129.6564	803.6416	2 47
2	89-59-56	78-43-14	1.3600	0.2660	1.3337	5.5855	1.4857	-129.3904	804.9753	3 46
3	89-51- 3	348-34-17	9.5804	9.3904	-1.8983	5.0209	47.1483	-120.0000	803.0770	4 161
4	272-59-33	81-33-50	15.9917	2.3461	15.8187	18.9413	44.4382	-117.6539	818.8957	5 160
5	88-51-54	350-25-44	1.2221	1.2051	-0.2032	34.5568	41.6444	-116.4488	818.6925	6 43
6	91- 8- 6	261-33-50	17.3647	-2.5475	-17.1768	17.1768	-43.7579	-118.9963	801.5157	7 17
720- 0- 0			56.3889			SASHIHIKI	68.296381			
						1/2	34.148191			
						MENSEKI	34.1482			
						TSUBO MENSEKI	10.3298			

2-36

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-13-27						-112.9233	755.0576	1 8
1	116-35-42	197-49- 9	7.3458	-6.9934	-2.2479	-2.2479	15.7205	-119.9167	752.8097	2 9
2	170-41- 7	188-30-16	7.3314	-7.2508	-1.0842	-5.5800	40.4595	-127.1675	751.7255	3 10
3	170-35-42	179- 5-58	7.4751	-7.4742	0.1175	-6.5467	48.9313	-134.6417	751.8430	4 11
4	168-45-32	167-51-30	0.9889	-0.9668	0.2080	-6.2212	6.0147	-135.6085	752.0510	5 162
5	93-24- 0	81-15-30	30.2727	4.6008	29.9210	23.9078	109.9950	-131.0077	781.9720	6 12
6	179-27-33	80-43- 3	19.9959	3.2254	19.7341	73.5629	237.2698	-127.7823	801.7061	7 13
7	133-16-25	33-59-28	1.4460	1.1989	0.8084	94.1054	112.8230	-126.5834	802.5145	8 14
8	134-23-40	348-23- 8	7.6633	7.5064	-1.5428	93.3710	700.8801	-119.0770	800.9717	9 16
9	273-10-35	81-33-43	0.5500	0.0807	0.5440	92.3722	7.4544	-118.9963	801.5157	10 17
10	87-25-49	348-59-32	13.0999	12.8589	-2.5013	90.4149	1162.6362	-106.1374	799.0144	11 18
11	92-13-55	261-13-27	44.4775	-6.7859	-43.9568	43.9568	-298.2864	-112.9233	755.0576	12 8
1620- 0- 0			140.6465			SASHIHIKI	2143.897897			
						1/2	1071.948948			
						MENSEKI	1071.9489			
						TSUBO MENSEKI	324.2646			

2-38 (ア)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		115-44-49						-71.6719	802.4643	1 1
1	101-44-49	217-29-38	1.5503	-1.2300	-0.9436	-0.9436	1.1606	-72.9019	801.5207	2 2
2	193-57- 5	231-26-43	7.4185	-4.6237	-5.8014	-7.6886	35.5498	-77.5256	795.7193	3 ア
3	23- 2-26	74-29- 9	12.4377	3.3268	11.9845	-1.5055	-5.0085	-74.1988	807.7038	4 イ
4	41-15-40	295-44-49	5.8170	2.5269	-5.2395	5.2395	13.2397	-71.6719	802.4643	5 1
360- 0- 0			27.2235			SASHIHIKI	44.941603			
						1/2	22.470801			
						MENSEKI	22.4708			
						TSUBO MENSEKI	6.7974			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-37

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		74-29-9						-77.5256	795.7193	1 T
1	156-57-16	231-26-25	2.6042	-1.6233	-2.0364	-2.0364	3.3057	-79.1489	793.6829	2 3
2	185-6-9	236-32-34	27.6090	-15.2212	-23.0341	-27.1069	412.5995	-94.3701	770.6488	3 4
3	179-30-18	236-2-52	2.0483	-1.1440	-1.6991	-51.8401	59.3051	-95.5141	768.9497	4 5
4	172-27-39	228-30-31	7.9086	-5.2395	-5.9240	-59.4632	311.5574	-100.7536	763.0257	5 6
5	169-29-23	217-59-54	7.2172	-5.6874	-4.4432	-69.8304	397.1534	-106.4410	758.5825	6 7
6	170-32-16	208-32-10	7.3787	-6.4823	-3.5249	-77.7985	504.3132	-112.9233	755.0576	7 8
7	52-41-17	81-13-27	44.4775	6.7859	43.9568	-37.3666	-253.5660	-106.1374	799.0144	8 9
8	87-46-3	348-59-30	2.3917	2.3477	-0.4567	6.1335	14.3996	-103.7897	798.5577	9 10
9	272-19-4	81-18-34	3.1265	0.4724	3.0906	8.7674	4.1417	-103.3173	801.6483	10 20
10	89-34-16	350-52-50	2.4828	2.4514	-0.3935	11.4645	28.1041	-100.8659	801.2548	11 21
11	270-19-56	81-12-46	33.3050	5.0878	32.9141	43.9851	223.7874	-95.7781	834.1689	12 152
12	66-26-52	327-39-38	11.4616	9.6838	-6.1312	70.7680	685.3032	-86.0943	828.0377	13 K56
13	170-40-17	318-19-55	4.2985	3.2110	-2.8577	61.7791	198.3727	-82.8833	825.1800	14 K55
14	169-57-10	308-17-5	2.8838	1.7867	-2.2636	56.6578	101.2305	-81.0966	822.9164	15 K54
15	171-52-34	300-9-39	3.3563	1.6863	-2.9019	51.4923	86.8315	-79.4103	820.0145	16 K53
16	169-58-44	290-8-23	3.9371	1.3556	-3.6964	44.8940	60.8583	-78.0547	816.3181	17 K52
17	173-26-46	283-35-9	4.2741	1.0040	-4.1545	37.0431	37.1913	-77.0507	812.1636	18 K51
18	201-50-12	305-25-21	3.7560	2.1770	-3.0608	29.8278	64.9351	-74.8737	809.1028	19 153
19	170-19-51	295-45-12	1.5533	0.6749	-1.3990	25.3680	17.1209	-74.1988	807.7038	20 1
20	138-43-57	254-29-9	12.4377	-3.3268	-11.9845	11.9845	-39.8700	-77.5256	795.7193	21 T
3240-0-0			188.5079			SASHIHIKI	2917.074506			
						1/2	1458.537253			
						MENSEKI	1458.5373			
						TSUBO MENSEKI	441.2075			