

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

熊内換地区 3 街区
4 の一部

街区面積 第5座標

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-15-58						-139.0170	752.7232	1 115
1	87-45-5	169-1-3	1.9107	-1.8757	0.3640	0.3640	-0.6828	-140.8927	753.0872	2 32
2	175-5-8	164-6-11	17.5300	-16.8596	4.8016	5.5296	-93.2268	-157.7523	757.8888	3 62
3	174-32-2	158-38-13	35.6197	-33.1723	12.9755	23.3067	-773.1368	-190.9246	770.8643	4 63
4	183-37-8	162-15-21	5.8208	-5.5439	1.7740	38.0562	-210.9798	-196.4685	772.6383	5 121
5	180-51-15	163-6-36	9.1579	-8.7629	2.6607	42.4909	-372.3435	-205.2314	775.2990	6 123
6	182-19-10	165-25-46	14.1144	-13.6605	3.5508	48.7024	-665.2991	-218.8919	778.8498	7 134
7	97-5-45	82-31-31	48.0212	6.2469	47.6131	99.8663	623.8548	-212.6450	826.4629	8 142
8	179-1-14	81-32-45	4.4526	0.6546	4.4042	151.8836	99.4230	-211.9904	830.8671	9 139
9	123-40-54	25-13-39	4.5850	4.1477	1.9542	158.2420	656.3403	-207.8427	832.8213	10 143
10	184-0-21	29-14-0	5.2383	4.5711	2.5582	162.7544	743.9666	-203.2716	835.3795	11 140
11	188-9-12	37-23-12	2.3014	1.8286	1.3974	166.7100	304.8459	-201.4430	836.7769	12 103
12	145-29-59	2-53-11	2.8595	2.8559	0.1440	168.2514	480.5092	-198.5871	836.9209	13 102
13	242-49-13	65-42-24	1.9868	0.8174	1.8109	170.2063	139.1266	-197.7697	838.7318	14 99
14	191-31-45	77-14-9	1.8571	0.4103	1.8112	173.8284	71.3218	-197.3594	840.5430	15 98
15	186-40-15	83-54-24	2.3194	0.2462	2.3063	177.9459	43.8103	-197.1132	842.8493	16 113-2
16	89-32-3	353-26-27	13.2813	13.1944	-1.5171	178.7351	2358.3024	-183.9188	841.3322	17 1
17	179-59-59	353-26-26	13.6379	13.5486	-1.5579	175.6601	2379.9484	-170.3702	839.7743	18 1191-1
18	199-37-18	13-3-44	0.0571	0.0556	0.0129	174.1151	9.6808	-170.3146	839.7872	19 1191-2
19	179-59-24	13-3-8	34.2843	33.3985	7.7428	181.8708	6074.2119	-136.9161	847.5300	20 11
20	77-46-19	270-49-27	2.5165	0.0362	-2.5162	187.0974	6.7729	-136.8799	845.0138	21 1165
21	178-20-43	269-10-10	6.3469	-0.0920	-6.3462	178.2350	-16.3976	-136.9719	838.6676	22 69
22	194-23-27	283-33-37	5.9074	1.3851	-5.7427	166.1461	230.1290	-135.5868	832.9249	23 58
23	159-19-21	262-52-58	22.2567	-2.7576	-22.0852	138.3182	-381.4263	-138.3444	810.8397	24 36
24	258-19-31	341-12-29	8.2717	7.8308	-2.6646	113.5684	889.3314	-130.5136	808.1751	25 35
25	100-5-49	261-18-18	22.4042	-3.3869	-22.1467	88.7571	-300.6114	-133.9005	786.0284	26 33

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
26	179-57-40	261-15-58	33.6959	-5.1165	-33.3052	33.3052	-170.4061	-139.0170	752.7232	27 115
	4320-0-0		320.4347			SASHIHIKI	12127.065201			
						1/2	6063.532600			
						MENSEKI	6063.5326			
						TSUBO MENSEKI	1834.2186			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-23

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-15-58						-139.0170	752.7232	1 115
1	87-45-5	169-1-3	1.9107	-1.8757	0.3640	0.3640	-0.6828	-140.8927	753.0872	2 32
2	175-5-8	164-6-11	17.5300	-16.8596	4.8016	5.5296	-93.2268	-157.7523	757.8888	3 62
3	174-32-2	158-38-13	35.6197	-33.1723	12.9755	23.3067	-773.1368	-190.9246	770.8643	4 63
4	183-37-6	162-15-19	2.7801	-2.6478	0.8473	37.1295	-98.3115	-193.5724	771.7116	5 119
5	100-11-14	82-26-33	57.7055	7.5895	57.2042	95.1810	722.3762	-185.9829	828.9158	6 82
6	172-29-0	74-55-33	3.6075	0.9382	3.4834	155.8686	146.2359	-185.0447	832.3992	7 84
7	96-8-43	351-4-16	13.4269	13.2642	-2.0840	157.2680	2086.0342	-171.7805	830.3152	8 68
8	270-7-53	81-12-9	9.5848	1.4659	9.4720	164.6560	241.3692	-170.3146	839.7872	9 K91-2
9	111-50-59	13-3-8	34.2843	33.3985	7.7428	181.8708	6074.2119	-136.9161	847.5300	10 K
10	77-46-19	270-49-27	2.5165	0.0362	-2.5162	187.0974	6.7729	-136.8799	845.0138	11 K65
11	178-20-43	269-10-10	6.3469	-0.0920	-6.3462	178.2350	-16.3976	-136.9719	838.6676	12 59
12	194-23-27	283-33-37	5.9074	1.3851	-5.7427	166.1461	230.1290	-135.5868	832.9249	13 58
13	159-19-21	262-52-58	22.2567	-2.7576	-22.0852	138.3182	-381.4263	-138.3444	810.8397	14 36
14	258-19-31	341-12-29	8.2717	7.8308	-2.6646	113.5684	889.3314	-130.5136	808.1751	15 35
15	100-5-49	261-18-18	22.4042	-3.3869	-22.1467	88.7571	-300.6114	-133.9005	786.0284	16 33
16	179-57-40	261-15-58	33.6959	-5.1165	-33.3052	33.3052	-170.4061	-139.0170	752.7232	17 115 45

2520- 0- 0

277.8488

SASHIHIKI

8562.261486

1/2

4281.130743

MENSEKI

4281.1307

TSUBO MENSEKI

1295.0420

2-9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-32-15						-201.3104	805.2333	1 130
1	89-58-7	172-30-22	14.0000	-13.8804	1.8259	1.8259	-25.3442	-215.1908	807.0592	2 144
2	90-1-9	82-31-31	19.5700	2.5458	19.4037	23.0555	58.6947	-212.6450	826.4629	3 142
3	179-1-14	81-32-45	4.4526	0.6546	4.4042	46.8634	30.6768	-211.9904	830.8671	4 139
4	123-40-54	25-13-39	4.5850	4.1477	1.9542	53.2218	220.7481	-207.8427	832.8213	5 143
5	184-0-21	29-14-0	5.2383	4.5711	2.5582	57.7342	263.9088	-203.2716	835.3795	6 140
6	188-9-12	37-23-12	2.3014	1.8286	1.3974	61.6898	112.8060	-201.4430	836.7769	7 103
7	92-40-50	310-4-2	3.3008	2.1247	-2.5261	60.5611	128.6742	-199.3183	834.2508	8 105
8	153-41-28	283-45-30	4.9549	1.1784	-4.8127	53.2223	62.7172	-198.1399	829.4381	9 106
9	158-46-45	262-32-15	24.4116	-3.1705	-24.2048	24.2048	-76.7413	-201.3104	805.2333	10 130

1260- 0- 0

82.8146

SASHIHIKI

776.140090

1/2

388.070045

MENSEKI

388.0700

TSUBO MENSEKI

117.3912

2-10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-32-16						-202.0247	799.7799	1 128
1	89-58-7	172-30-23	14.0012	-13.8816	1.8260	1.8260	-25.3478	-215.9063	801.6059	2 137
2	90-1-8	82-31-31	5.5000	0.7155	5.4533	9.1053	6.5148	-215.1908	807.0592	3 144
3	89-58-51	352-30-22	14.0000	13.8804	-1.8259	12.7327	76.7350	-201.3104	805.2333	4 130
4	90-1-54	262-32-16	5.5000	-0.7143	-5.4534	5.4534	-3.8954	-202.0247	799.7799	5 128

360- 0- 0

39.0012

SASHIHIKI

154.006646

1/2

77.003323

MENSEKI

77.0033

TSUBO MENSEKI

23.2935

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-11

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X
0		82-32-15						-202.9611
1	90- 3- 2	172-35-17	14.0027	-13.8857	1.8064	1.8064	-25.0831	-216.8468
2	89-56-15	82-31-32	7.2299	0.9405	7.1685	10.7813	10.1398	-215.9063
3	89-58-51	352-30-23	14.0012	13.8816	-1.8260	16.1238	223.8241	-202.0247
4	90- 1-52	262-32-15	7.2100	-0.9364	-7.1489	7.1489	-6.6942	-202.9611
360- 0- 0			42.4438			SASHIHIKI	202.186596	
						1/2	101.093298	
						MENSEKI	101.0933	
						TSUBO MENSEKI	30.5807	

2-12

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X
0		82-32-14						-203.9547
1	90- 3- 1	172-35-15	14.0043	-13.8873	1.8067	1.8067	-25.0902	-217.8420
2	89-56-15	82-31-30	7.6500	0.9952	7.5850	11.1984	11.1446	-216.8468
3	90- 3-47	352-35-17	14.0027	13.8857	-1.8064	16.9770	235.7375	-202.9611
4	89-56-57	262-32-14	7.6501	-0.9936	-7.5853	7.5853	-7.5368	-203.9547
360- 0- 0			43.3071			SASHIHIKI	214.255238	
						1/2	107.127619	
						MENSEKI	107.1276	
						TSUBO MENSEKI	32.4061	

2-13

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X
0		82-32-15						-205.2314
1	82-53-31	165-25-46	14.1144	-13.6605	3.5508	3.5508	-48.5057	-218.8919
2	97- 5-47	82-31-33	8.0712	1.0499	8.0026	15.1042	15.8579	-217.8420
3	90- 3-42	352-35-15	14.0043	13.8873	-1.8067	21.3001	295.8009	-203.9547
4	89-57- 0	262-32-15	9.8300	-1.2767	-9.7467	9.7467	-12.4436	-205.2314
360- 0- 0			46.0199			SASHIHIKI	250.709463	
						1/2	125.354732	
						MENSEKI	125.3547	
						TSUBO MENSEKI	37.9198	

2-21

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X
0		81-40-18						-185.1606
1	89-31-34	171-11-52	15.1002	-14.9224	2.3107	2.3107	-34.4812	-200.0830
2	138-52-12	130- 4- 4	2.1128	-1.3600	1.6169	6.2383	-8.4841	-201.4430
3	52-49- 7	2-53-11	2.8595	2.8559	0.1440	7.9992	22.8449	-198.5871
4	242-49-13	65-42-24	1.9868	0.8174	1.8109	9.9541	8.1365	-197.7697
5	191-31-45	77-14- 9	1.8571	0.4103	1.8112	13.5762	5.5703	-197.3594
6	186-40-15	83-54-24	2.3194	0.2462	2.3063	17.6937	4.3562	-197.1132
7	89-32- 3	353-26-27	13.2813	13.1944	-1.5171	18.4829	243.8708	-183.9188
8	88-13-51	261-40-18	8.5733	-1.2418	-8.4829	8.4829	-10.5341	-185.1606
1080- 0- 0			48.0904			SASHIHIKI	231.279333	
						1/2	115.639667	
						MENSEKI	115.6397	
						TSUBO MENSEKI	34.9810	

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

2-14

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-26-33						-193.5724	771.7116	1 119
1	79-48-50	162-15-23	3.0408	-2.8961	0.9267	0.9267	-2.6838	-196.4685	772.6383	2 121
2	180-51-13	163-6-36	9.1579	-8.7629	2.6607	4.5141	-39.5566	-205.2314	775.2990	3 123
3	99-25-38	82-32-14	18.3500	2.3833	18.1946	25.3694	60.4629	-202.8481	793.4936	4 125
4	90-47-48	353-20-2	12.0613	11.9798	-1.4001	42.1639	505.1151	-190.8683	792.0935	5 116
5	89-6-31	262-26-33	20.5605	-2.7041	-20.3819	20.3819	-55.1147	-193.5724	771.7116	6 119
540-0-0			63.1705			SASHIHIKI	468.222862			
						1/2	234.111431			
						MENSEKI	234.1114			
						TSUBO MENSEKI	70.8187			

2-15

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-26-31						-190.8683	792.0935	1 116
1	90-53-31	173-20-2	12.0613	-11.9798	1.4001	1.4001	-16.7729	-202.8481	793.4936	2 125
2	89-12-15	82-32-17	5.3200	0.6909	5.2749	8.0751	5.5791	-202.1572	798.7685	3 127
3	90-22-7	352-54-24	12.0692	11.9768	-1.4904	11.8596	142.0401	-190.1804	797.2781	4 114
4	89-32-7	262-26-31	5.2300	-0.6879	-5.1846	5.1846	-3.5665	-190.8683	792.0935	5 116
360-0-0			34.6805			SASHIHIKI	127.279740			
						1/2	63.639870			
						MENSEKI	63.6399			
						TSUBO MENSEKI	19.2511			

2-16

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-26-34						-190.1804	797.2781	1 114
1	90-27-50	172-54-24	12.0692	-11.9768	1.4904	1.4904	-17.8502	-202.1572	798.7685	2 127
2	89-37-51	82-32-15	6.5200	0.8468	6.4648	9.4456	7.9985	-201.3104	805.2333	3 130
3	89-57-55	352-30-10	12.0796	11.9763	-1.5761	14.3343	171.6719	-189.3341	803.6572	4 112
4	89-56-24	262-26-34	6.4350	-0.8463	-6.3791	6.3791	-5.3986	-190.1804	797.2781	5 114
360-0-0			37.1038			SASHIHIKI	156.421556			
						1/2	78.210778			
						MENSEKI	78.2108			
						TSUBO MENSEKI	23.6588			

2-17

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-26-32						-189.3341	803.6572	1 112
1	90-3-38	172-30-10	12.0796	-11.9763	1.5761	1.5761	-18.8758	-201.3104	805.2333	2 130
2	90-2-6	82-32-16	6.2900	0.8169	6.2367	9.3889	7.6698	-200.4935	811.4700	3 131
3	90-57-36	353-29-52	12.0921	12.0143	-1.3693	14.2563	171.2795	-188.4792	810.1007	4 110
4	88-56-40	262-26-32	6.5000	-0.8549	-6.4435	6.4435	-5.5085	-189.3341	803.6572	5 112
360-0-0			36.9617			SASHIHIKI	154.564863			
						1/2	77.282431			
						MENSEKI	77.2824			
						TSUBO MENSEKI	23.3779			

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
-----	-------	---------	--------	----	----	-----	----	---	---	-----

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-18

0		82-26-33						-188.4792	810.1007	1 110
1	91- 3-19	173-29-52	12.0921	-12.0143	1.3693	1.3693	-16.4512	-200.4935	811.4700	2 131
2	89- 2-24	82-32-16	9.6301	1.2507	9.5485	12.2871	15.3675	-199.2428	821.0185	3 132
3	90-46- 9	353-18-25	12.1074	12.0249	-1.4111	20.4245	245.6026	-187.2179	819.6074	4 109
4	89- 8- 8	262-26-33	9.5900	-1.2613	-9.5067	9.5067	-11.9908	-188.4792	810.1007	5 110
360- 0- 0			43.4196			SASHIHIKI	232.528064			
						1/2	116.264032			
						MENSEKI	116.2640			
						TSUBO MENSEKI	35.1699			

2-19

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		82-26-33						-187.2179	819.6074	1 109
1	90-51-52	173-18-25	12.1074	-12.0249	1.4111	1.4111	-16.9683	-199.2428	821.0185	2 132
2	89-13-49	82-32-14	8.4915	1.1029	8.4196	11.2418	12.3986	-198.1399	829.4381	3 106
3	201-13-21	103-45-35	1.5278	-0.3634	1.4840	21.1454	-7.6842	-198.5033	830.9221	4 141
4	67- 8-11	350-53-46	12.6801	12.5204	-2.0063	20.6231	258.2095	-185.9829	828.9158	5 82
5	91-32-47	262-26-33	9.3900	-1.2350	-9.3084	9.3084	-11.4959	-187.2179	819.6074	6 109
540- 0- 0			44.1968			SASHIHIKI	234.459594			
						1/2	117.229797			
						MENSEKI	117.2298			
						TSUBO MENSEKI	35.4620			

2-20

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		74-55-33						-185.9829	828.9158	1 82
1	95-58-13	170-53-46	12.6801	-12.5204	2.0063	2.0063	-25.1197	-198.5033	830.9221	2 141
2	112-51-42	103-45-28	3.4270	-0.8150	3.3287	7.3413	-5.9832	-199.3183	834.2508	3 105
3	206-18-30	130- 3-58	1.1880	-0.7647	0.9092	11.5792	-8.8546	-200.0830	835.1600	4 104
4	41- 7-54	351-11-52	15.1002	14.9224	-2.3107	10.1777	151.8757	-185.1606	832.8493	5 85
5	113-14-32	284-26-24	0.4648	0.1159	-0.4501	7.4169	0.8596	-185.0447	832.3992	6 84
6	150-29- 9	254-55-33	3.6075	-0.9382	-3.4834	3.4834	-3.2681	-185.9829	828.9158	7 82
720- 0- 0			36.4676			SASHIHIKI	109.509751			
						1/2	54.754876			
						MENSEKI	54.7549			
						TSUBO MENSEKI	16.5633			

2-22

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		81-12- 9						-171.7805	830.3152	1 68
1	89-52- 7	171- 4-16	13.4269	-13.2642	2.0840	2.0840	-27.6426	-185.0447	832.3992	2 84
2	113-22- 8	104-26-24	0.4648	-0.1159	0.4501	4.6181	-0.5352	-185.1606	832.8493	3 85
3	157-13-54	81-40-18	8.5733	1.2418	8.4829	13.5511	16.8278	-183.9188	841.3322	4 1
4	91-46- 8	353-26-26	13.6379	13.5486	-1.5579	20.4761	277.4225	-170.3702	839.7743	5 K91-1
5	199-37-18	13- 3-44	0.0571	0.0556	0.0129	18.9311	1.0526	-170.3146	839.7872	6 K91-2
6	68- 8-25	261-12- 9	9.5848	-1.4659	-9.4720	9.4720	-13.8850	-171.7805	830.3152	7 68
720- 0- 0			45.7448			SASHIHIKI	253.239978			
						1/2	126.619989			
						MENSEKI	126.6200			
						TSUBO MENSEKI	38.3025			