

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

熊内換地区 5 街区

街区面積 第5座標

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		43-30-30						-205.6433	838.5396	1 8
1	164-30-35	208- 1- 5	5.1591	-4.5545	-2.4235	-2.4235	11.0378	-210.1978	836.1161	2 3/
2	174-53-36	202-54-41	8.4111	-7.7475	-3.2745	-8.1215	62.9213	-217.9453	832.8416	3 9
3	147-43-20	170-38- 1	8.9914	-8.8715	1.4633	-9.9327	88.1179	-226.8168	834.3049	4 10
4	172-13-27	162-51-28	1.4606	-1.3957	0.4305	-8.0389	11.2199	-228.2125	834.7354	5 11
5	268-32-12	251-23-40	0.3927	-0.1253	-0.3722	-7.9806	1.0000	-228.3378	834.3632	6 30
6	75-20-18	146-43-58	11.2819	-9.4330	6.1886	-2.1642	20.4149	-237.7708	840.5518	7 12
7	187-14-43	153-58-41	1.5431	-1.3867	0.6770	4.7014	-6.5194	-239.1575	841.2288	8 13
8	194-56-38	168-55-19	1.2069	-1.1844	0.2319	5.6103	-6.6448	-240.3419	841.4607	9 14
9	190-48-58	179-44-17	8.6363	-8.6362	0.0395	5.8817	-50.7955	-248.9781	841.5002	10 15
10	179-16-56	179- 1-13	4.7904	-4.7897	0.0819	6.0031	-28.7530	-253.7678	841.5821	11 16
11	256- 8-54	255-10- 7	2.7823	-0.7122	-2.6896	3.3954	-2.4182	-254.4800	838.8925	12 17
12	178-42-21	253-52-28	3.3877	-0.9409	-3.2544	-2.5486	2.3980	-255.4209	835.6381	13 18
13	181-13-53	255- 6-21	15.1933	-3.9052	-14.6828	-20.4858	80.0011	-259.3261	820.9553	14 19
14	179-49- 5	254-55-26	28.3514	-7.3742	-27.3756	-62.5442	461.2134	-266.7003	793.5797	15 22
15	134- 5-16	209- 0-42	3.0172	-2.6386	-1.4633	-91.3831	241.1234	-269.3389	792.1164	16 1
16	133-32-17	162-32-59	18.0407	-17.2104	5.4100	-87.4364	1504.8154	-286.5493	797.5264	17 2
17	136- 1-36	118-34-35	5.1159	-2.4471	4.4927	-77.5337	189.7327	-288.9964	802.0191	18 3
18	136-16-12	74-50-47	44.0964	11.5272	42.5631	-30.4779	-351.3248	-277.4692	844.5822	19 7
19	179-59-23	74-50-10	26.0629	6.8175	25.1554	37.2406	253.8878	-270.6517	869.7376	20 33
20	182-42-20	77-32-30	10.8683	2.3446	10.6124	73.0084	171.1755	-268.3071	880.3500	21 K25
21	93-10-27	350-42-57	11.8770	11.7214	-1.9161	81.7047	957.6935	-256.5857	878.4339	22 K24
22	191-50-39	2-33-36	6.5758	6.5692	0.2937	80.0823	526.0766	-250.0165	878.7276	23 K23
23	174-24-40	356-58-16	2.9429	2.9388	-0.1555	80.2205	235.7520	-247.0777	878.5721	24 K22
24	167-31-47	344-30- 3	2.0851	2.0093	-0.5572	79.5078	159.7550	-245.0684	878.0149	25 K21
25	168-50-22	333-20-25	1.1625	1.0389	-0.5216	78.4290	81.4799	-244.0295	877.4933	26 K20
No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
26	161-46-42	315- 7- 7	1.0593	0.7506	-0.7475	77.1599	57.9162	-243.2789	876.7458	27 K19
27	159- 2- 9	294- 9-16	3.1173	1.2756	-2.8444	73.5680	93.8433	-242.0033	873.9014	28 K18
28	175-40-32	289-49-48	2.2109	0.7500	-2.0798	68.6438	51.4829	-241.2533	871.8216	29 K17
29	169-41-44	279-31-32	4.0118	0.6639	-3.9565	62.6075	41.5651	-240.5894	867.8651	30 K16
30	181-47-36	281-19- 8	6.3081	1.2381	-6.1854	52.4656	64.9577	-239.3513	861.6797	31 K15
31	187-54-56	289-14- 4	2.2186	0.7309	-2.0948	44.1854	32.2951	-238.6204	859.5849	32 K14
32	193-43-30	302-57-34	2.0881	1.1360	-1.7520	40.3386	45.8246	-237.4844	857.8329	33 K13
33	191-26-53	314-24-27	7.6654	5.3639	-5.4760	33.1106	177.6019	-232.1205	852.3569	34 K12
34	179- 6-19	313-30-46	7.7371	5.3271	-5.6111	22.0235	117.3214	-226.7934	846.7458	35 K11
35	179-52- 1	313-22-47	5.1291	3.5228	-3.7279	12.6845	44.6850	-223.2706	843.0179	36 K10
36	189-27-22	322-50- 9	2.6395	2.1034	-1.5945	7.3621	15.4854	-221.1672	841.4234	37 K9
37	198-45-54	341-36- 3	4.1589	3.9463	-1.3127	4.4549	17.5804	-217.2209	840.1107	38 K8
38	192-30-41	354- 6-44	2.6399	2.6260	-0.2708	2.8714	7.5403	-214.5949	839.8399	39 K7
39	194-47-35	8-54-19	3.6744	3.6301	0.5688	3.1694	11.5052	-210.9648	840.4087	40 K6
40	184-50-20	13-44-39	3.9400	3.8272	0.9361	4.6743	17.8895	-207.1376	841.3448	41 K5
41	183-41-51	17-26-30	2.5522	2.4349	0.7650	6.3754	15.5235	-204.7027	842.1098	42 K4
42	165-51-58	3-18-28	2.8510	2.8463	0.1645	7.3049	20.7919	-201.8564	842.2743	43 K3
43	170- 3- 3	353-21-31	0.1323	0.1314	-0.0153	7.4541	0.9795	-201.7250	842.2590	44 35
44	50- 8-59	223-30-30	5.4025	-3.9183	-3.7194	3.7194	-14.5737	-205.6433	838.5396	45 8

7560- 0- 0

302.9693

SASHIHIKI

5433.575626

1/2

2716.787813

MENSEKI

2716.7878

TSUBO MENSEKI

821.8283

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-43

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-32-32						-257.9151	872.4164	1 31
1	93-10-25	170-42-57	11.8769	-11.7213	1.9161	1.9161	-22.4592	-269.6364	874.3325	2 30
2	86-49-38	77-32-35	6.1626	1.3293	6.0175	9.8497	13.0932	-268.3071	880.3500	3 K25
3	93-10-22	350-42-57	11.8770	11.7214	-1.9161	13.9511	163.5264	-256.5857	878.4339	4 K24
4	86-49-35	257-32-32	6.1626	-1.3294	-6.0175	6.0175	-7.9997	-257.9151	872.4164	5 31
	360-0-0		36.0791			SASHIHIKI	146.160782			
						1/2	73.080391			
						MENSEKI	73.0804			
						TSUBO MENSEKI	22.1068			

1-44

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		74-50-11						-249.5741	841.5104	1 28
1	104-11-3	179-1-14	4.1943	-4.1937	0.0717	0.0717	-0.3007	-253.7678	841.5821	2 16
2	256-8-53	255-10-7	2.7823	-0.7122	-2.6896	-2.5462	1.8134	-254.4800	838.8925	3 17
3	90-55-49	166-5-56	23.6828	-22.9892	5.6897	0.4539	-10.4348	-277.4692	844.5822	4 7
4	88-44-14	74-50-10	26.0629	6.8175	25.1554	31.2990	213.3809	-270.6517	869.7376	5 33
5	182-42-14	77-32-24	4.7057	1.0153	4.5949	61.0493	61.9834	-269.6364	874.3325	6 30
6	72-5-59	329-38-23	28.9620	24.9903	-14.6384	51.0058	1274.6502	-244.6461	859.6941	7 29
7	105-11-48	254-50-11	18.8396	-4.9280	-18.1837	18.1837	-89.6093	-249.5741	841.5104	8 28
	900-0-0		109.2296			SASHIHIKI	1451.483174			
						1/2	725.741587			
						MENSEKI	725.7416			
						TSUBO MENSEKI	219.5368			

1-45

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		74-55-28						-263.1824	806.6388	1 23
1	88-31-34	163-27-2	23.7156	-22.7332	6.7552	6.7552	-153.5673	-285.9156	813.3940	2 22
2	91-23-46	74-50-48	32.3117	8.4464	31.1882	44.6986	377.5423	-277.4692	844.5822	3 7
3	91-15-8	346-5-56	7.5718	7.3500	-1.8191	74.0677	544.3976	-270.1192	842.7631	4 27
4	88-43-1	254-48-57	14.9262	-3.9095	-14.4051	57.8435	-226.1392	-274.0287	828.3580	5 26
5	270-14-55	345-3-52	16.1114	15.5671	-4.1524	39.2860	611.5691	-258.4616	824.2056	6 25
6	90-2-28	255-6-20	3.3633	-0.8645	-3.2503	31.8833	-27.5631	-259.3261	820.9553	7 19
7	179-49-8	254-55-28	14.8268	-3.8563	-14.3165	14.3165	-55.2087	-263.1824	806.6388	8 23
	900-0-0		112.8268			SASHIHIKI	1071.030633			
						1/2	535.515316			
						MENSEKI	535.5153			
						TSUBO MENSEKI	161.9934			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

1-46

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		74-55-24						-266.7003	793.5797	1 22
1	134- 5-18	209- 0-42	3.0172	-2.6386	-1.4633	-1.4633	3.8611	-269.3389	792.1164	2 /
2	133-32-17	162-32-59	18.0407	-17.2104	5.4100	2.4834	-42.7403	-286.5493	797.5264	3 2
3	136- 1-36	118-34-35	5.1159	-2.4471	4.4927	12.3861	-30.3100	-288.9964	802.0191	4 3
4	136-16- 9	74-50-44	11.7847	3.0808	11.3749	28.2537	87.0440	-285.9156	813.3940	5 74
5	88-36-18	343-27- 2	23.7156	22.7332	-6.7552	32.8734	747.3176	-263.1824	806.6388	6 73
6	91-28-22	254-55-24	13.5246	-3.5179	-13.0591	13.0591	-45.9406	-266.7003	793.5797	7 22
720- 0- 0			75.1987			SASHIHIKI	719.231699			
						1/2	359.615849			
						MENSEKI	359.6158			
						TSUBO MENSEKI	108.7838			

1-47

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75- 6-21						-258.4616	824.2056	1 25
1	89-57-31	165- 3-52	16.1114	-15.5671	4.1524	4.1524	-64.6408	-274.0287	828.3580	2 26
2	89-45- 5	74-48-57	14.9262	3.9095	14.4051	22.7099	88.7844	-270.1192	842.7631	3 27
3	91-16-59	346- 5-56	16.1111	15.6392	-3.8706	33.2444	519.9158	-254.4800	838.8925	4 17
4	87-46-32	253-52-28	3.3877	-0.9409	-3.2544	26.1194	-24.5757	-255.4209	835.6381	5 18
5	181-13-53	255- 6-21	11.8300	-3.0407	-11.4325	11.4325	-34.7628	-258.4616	824.2056	6 25
540- 0- 0			62.3664			SASHIHIKI	484.720802			
						1/2	242.360401			
						MENSEKI	242.3604			
						TSUBO MENSEKI	73.3140			

1-48

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-42-52						-239.1575	841.2288	1 13
1	93-12-27	168-55-19	1.2069	-1.1844	0.2319	0.2319	-0.2747	-240.3419	841.4607	2 14
2	190-48-58	179-44-17	8.6363	-8.6362	0.0395	0.5033	-4.3466	-248.9781	841.5002	3 15
3	179-16-53	179- 1-10	0.5961	-0.5960	0.0102	0.5530	-0.3296	-249.5741	841.5104	4 28
4	75-49- 1	74-50-11	18.8396	4.9280	18.1837	18.7469	92.3847	-244.6461	859.6941	5 29
5	254-48-12	149-38-23	28.9620	-24.9903	14.6384	51.5690	-1288.7248	-269.6364	874.3325	6 30
6	21- 4-34	350-42-57	11.8769	11.7213	-1.9161	64.2913	753.5776	-257.9151	872.4164	7 31
7	266-49-35	77-32-32	6.1626	1.3294	6.0175	68.3927	90.9213	-256.5857	878.4339	8 K24
8	105- 1- 4	2-33-36	6.5758	6.5692	0.2937	74.7039	490.7449	-250.0165	878.7276	9 K23
9	174-24-40	356-58-16	2.9429	2.9388	-0.1555	74.8421	219.9460	-247.0777	878.5721	10 K22
10	167-31-47	344-30- 3	2.0851	2.0093	-0.5572	74.1294	148.9482	-245.0684	878.0149	11 K21
11	168-50-22	333-20-25	1.1625	1.0389	-0.5216	73.0506	75.8923	-244.0295	877.4933	12 K20
12	161-46-42	315- 7- 7	1.0593	0.7506	-0.7475	71.7815	53.8792	-243.2789	876.7458	13 K19
13	159- 2- 9	294- 9-16	3.1173	1.2756	-2.8444	68.1896	86.9827	-242.0033	873.9014	14 K18
14	175-40-32	289-49-48	2.2109	0.7500	-2.0798	63.2654	47.4491	-241.2533	871.8216	15 K17
15	169-41-44	279-31-32	4.0118	0.6639	-3.9565	57.2291	37.9944	-240.5894	867.8651	16 K16
16	181-47-36	281-19- 8	6.3081	1.2381	-6.1854	47.0872	58.2987	-239.3513	861.6797	17 K15
17	187-54-56	289-14- 4	2.2186	0.7309	-2.0948	38.8070	28.3640	-238.6204	859.5849	18 K14
18	193-43-30	302-57-34	2.0881	1.1360	-1.7520	34.9602	39.7148	-237.4844	857.8329	19 K13
19	191-26-52	314-24-26	2.8977	2.0277	-2.0701	31.1381	63.1387	-235.4567	855.7628	20 32
20	121-18-26	255-42-52	14.9878	-3.7008	-14.5340	14.5340	-53.7874	-239.1575	841.2288	21 13
3240- 0- 0			127.9563			SASHIHIKI	940.773339			
						1/2	470.386670			
						MENSEKI	470.3867			
						TSUBO MENSEKI	142.2920			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-49

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-23-44						-228.3378	834.3632	1 30
1	75-20-14	146-43-58	11.2819	-9.4330	6.1886	6.1886	-58.3771	-237.7708	840.5518	2 12
2	187-14-43	153-58-41	1.5431	-1.3867	0.6770	13.0542	-18.1023	-239.1575	841.2288	3 13
3	101-44-11	75-42-52	14.9978	3.7008	14.5340	28.2652	104.6039	-235.4567	855.7628	4 32
4	58-41-36	314-24-28	4.7676	3.3362	-3.4059	39.3933	131.4239	-232.1205	852.3569	5 K12
5	179- 6-18	313-30-46	7.7371	5.3271	-5.6111	30.3763	161.8176	-226.7934	846.7458	6 K11
6	179-52- 3	313-22-49	2.8168	1.9347	-2.0473	22.7179	43.9523	-224.8587	844.6985	7 40
7	118- 0-55	251-23-44	10.9052	-3.4791	-10.3353	10.3353	-35.9575	-228.3378	834.3632	8 30

900- 0- 0

54.0495

SASHIHIKI

329.360823

1/2

164.680412

MENSEKI

164.6804

TSUBO MENSEKI

49.8158

1-50

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		43-30-30						-205.6433	838.5396	1 8
1	164-30-35	208- 1- 5	5.1591	-4.5545	-2.4235	-2.4235	11.0378	-210.1978	836.1161	2 31
2	174-53-36	202-54-41	8.4111	-7.7475	-3.2745	-8.1215	62.9213	-217.9453	832.8416	3 9
3	147-43-20	170-38- 1	8.9914	-8.8715	1.4633	-9.9327	88.1179	-226.8168	834.3049	4 10
4	172-13-27	162-51-28	1.4606	-1.3957	0.4305	-8.0389	11.2199	-228.2125	834.7354	5 11
5	88-32-16	71-23-44	10.5124	3.3538	9.9631	2.3547	7.8972	-224.8587	844.6985	6 40
6	61-59- 1	313-22-45	2.3122	1.5881	-1.6806	10.6372	16.8929	-223.2706	843.0179	7 K10
7	189-27-24	322-50- 9	2.6395	2.1034	-1.5945	7.3621	15.4854	-221.1672	841.4234	8 K9
8	198-45-54	341-36- 3	4.1589	3.9463	-1.3127	4.4549	17.5804	-217.2209	840.1107	9 K8
9	192-30-41	354- 6-44	2.6399	2.6260	-0.2708	2.8714	7.5403	-214.5949	839.8399	10 K7
10	194-47-35	8-54-19	3.6744	3.6301	0.5688	3.1694	11.5052	-210.9648	840.4087	11 K6
11	184-50-20	13-44-39	3.9400	3.8272	0.9361	4.6743	17.8895	-207.1376	841.3448	12 K5
12	183-41-51	17-26-30	2.5522	2.4349	0.7650	6.3754	15.5235	-204.7027	842.1098	13 K4
13	165-51-58	3-18-28	2.8510	2.8463	0.1645	7.3049	20.7919	-201.8564	842.2743	14 K3
14	170- 3- 3	353-21-31	0.1323	0.1314	-0.0153	7.4541	0.9795	-201.7250	842.2590	15 35
15	50- 8-59	223-30-30	5.4025	-3.9183	-3.7194	3.7194	-14.5737	-205.6433	838.5396	16 8

2340- 0- 0

64.8375

SASHIHIKI

290.809094

1/2

145.404547

MENSEKI

145.4045

TSUBO MENSEKI

43.9849