

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

熊内換地区 7 街区

街区面積 第5座標

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		22- 8-27						-137.3010	637.5193	1 /
1	123-14-19	145-22-46	27.0326	-22.2460	15.3582	15.3582	-341.6585	-159.5470	652.8775	2 Z
2	147-23-37	112-46-23	5.4221	-2.0988	4.9994	35.7158	-74.9603	-161.6458	657.8769	3 3
3	143-58-39	76-45- 2	4.7000	1.0772	4.5749	45.2901	48.7865	-160.5686	662.4518	4 35
4	179-54-31	76-39-33	25.5146	5.8873	24.8261	74.6911	439.7289	-154.6813	687.2779	5 36
5	180- 1- 7	76-40-40	23.7306	5.4682	23.0920	122.6092	670.4516	-149.2131	710.3699	6 4
6	180-14-10	76-54-50	24.8346	5.6230	24.1897	169.8909	955.2965	-143.5901	734.5596	7 5
7	137- 7-57	34- 2-47	5.0000	4.1429	2.7993	196.8799	815.6537	-139.4472	737.3589	8 6
8	137- 7-48	351-10-35	3.1677	3.1302	-0.4859	199.1933	623.5149	-136.3170	736.8730	9 7
9	187-15-37	358-26-12	10.0175	10.0138	-0.2733	198.4341	1987.0794	-126.3032	736.5997	10 8
10	190- 8- 5	8-34-17	8.8739	8.7748	1.3226	199.4834	1750.4269	-117.5284	737.9223	11 9
11	125-11-54	313-46-11	4.9926	3.4537	-3.6053	197.2007	681.0721	-114.0747	734.3170	12 10
12	125- 8- 6	258-54-17	30.2264	-5.8168	-29.6614	163.9340	-953.5713	-119.8915	704.6556	13 16
13	179-57-20	258-51-37	55.1821	-10.6613	-54.1424	80.1302	-854.2921	-130.5528	650.5132	14 31
14	180- 0-58	258-52-35	11.3526	-2.1902	-11.1393	14.8485	-32.5212	-132.7430	639.3739	15 11
15	123-15-52	202- 8-27	4.9209	-4.5580	-1.8546	1.8546	-8.4533	-137.3010	637.5193	16 /

2340- 0- 0

244.9682

SASHIHIKI 5706.553877
1/2 2853.276938
MENSEKI 2853.2769
TSUBO MENSEKI 863.1163

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

熊内換地区 7 街区

(9-1号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46-13-28						-126.6136	716.2924	141
1	120-41-21	166-54-49	20.6715	-20.1347	4.6804	4.6804	-94.2384	-146.7483	720.9728	240
2	90-0-2	76-54-51	13.9490	3.1582	13.5868	22.9476	72.4731	-143.5901	734.5596	35
3	137-7-56	34-2-47	5.0000	4.1429	2.7993	39.3337	162.9556	-139.4472	737.3589	46
4	137-7-48	351-10-35	3.1677	3.1302	-0.4859	41.6471	130.3638	-136.3170	736.8730	57
5	187-15-37	358-26-12	10.0175	10.0138	-0.2733	40.8879	409.4433	-126.3032	736.5997	68
6	190-8-5	8-34-17	8.8739	8.7748	1.3226	41.9372	367.9905	-117.5284	737.9223	79
7	125-11-54	313-46-11	4.9926	3.4537	-3.6053	39.6545	136.9547	-114.0747	734.3170	810
8	125-8-6	258-54-17	6.3271	-1.2176	-6.2088	29.8404	-36.3337	-115.2923	728.1082	942
9	147-19-11	226-13-28	16.3641	-11.3213	-11.8158	11.8158	-133.7702	-126.6136	716.2924	1041

1260-0-0 89.3634 SASHIHIKI 1015.838653
1/2 507.919327
MENSEKI 507.9193
TSUBO MENSEKI 153.6456

(9-2号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46-13-27						-134.9514	707.5905	119
1	122-44-53	168-58-20	14.5300	-14.2617	2.7794	2.7794	-39.6390	-149.2131	710.3699	24
2	87-56-27	76-54-47	10.8856	2.4648	10.6029	16.1617	39.8354	-146.7483	720.9728	340
3	90-0-2	346-54-49	20.6715	20.1347	-4.6804	22.0842	444.6587	-126.6136	716.2924	441
4	59-18-38	226-13-27	12.0516	-8.3378	-8.7019	8.7019	-72.5547	-134.9514	707.5905	519

360-0-0 58.1387 SASHIHIKI 372.300429
1/2 186.150215
MENSEKI 186.1502
TSUBO MENSEKI 56.3104

(9-3号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-57-22						-136.4495	699.9148	122
1	90-0-9	168-57-31	14.8410	-14.5663	2.8423	2.8423	-41.4018	-151.0158	702.7571	223
2	87-43-9	76-40-40	7.8233	1.8027	7.6128	13.2974	23.9712	-149.2131	710.3699	34
3	92-17-40	348-58-20	14.5300	14.2617	-2.7794	18.1308	258.5760	-134.9514	707.5905	419
4	89-59-2	258-57-22	7.8205	-1.4981	-7.6757	7.6757	-11.4990	-136.4495	699.9148	522

360-0-0 45.0148 SASHIHIKI 229.646493
1/2 114.823246
MENSEKI 114.8232
TSUBO MENSEKI 34.7340

(9-4号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46-1-46						-154.6813	687.2779	136
1	30-38-54	76-40-40	15.9073	3.6655	15.4792	15.4792	56.7390	-151.0158	702.7571	223
2	92-16-51	348-57-31	9.6611	9.4823	-1.8503	29.1081	276.0117	-141.5335	700.9068	339
3	57-4-15	226-1-46	18.9370	-13.1478	-13.6289	13.6289	-179.1901	-154.6813	687.2779	436

180-0-0 44.5054 SASHIHIKI 153.560693
1/2 76.780346
MENSEKI 76.7803
TSUBO MENSEKI 23.2261

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

(9-5号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46-1-43						-160.5686	662.4518	1 35
1	30-37-50	76-39-33	25.5146	5.8873	24.8261	24.8261	146.1587	-154.6813	687.2779	2 36
2	149-22-13	46-1-46	18.9370	13.1478	13.6289	63.2811	832.0072	-141.5335	700.9068	3 39
3	122-55-47	348-57-33	5.1799	5.0840	-0.9920	75.9180	385.9671	-136.4495	699.9148	4 22
4	89-59-47	258-57-20	6.6273	-1.2696	-6.5046	68.4214	-86.8678	-137.7191	693.4102	5 21
5	270-3-5	349-0-25	6.0198	5.9093	-1.1479	60.7689	359.1017	-131.8098	692.2623	6 37
6	57-1-18	226-1-43	41.4214	-28.7588	-29.8105	29.8105	-857.3142	-160.5686	662.4518	7 35
720-0-0			103.7000			SASHIHIKI	779.052701			
						1/2	389.526351			
						MENSEKI	389.5264			
						TSUBO MENSEKI	117.8317			

(9-6号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		79-47-58						-147.1865	644.3441	1 26
1	65-34-49	145-22-47	15.0200	-12.3605	8.5334	8.5334	-105.4771	-159.5470	652.8775	2 2
2	147-23-36	112-46-23	5.4221	-2.0988	4.9994	22.0662	-46.3125	-161.6458	657.8769	3 3
3	143-58-39	76-45-2	4.7000	1.0772	4.5749	31.6405	34.0831	-160.5686	662.4518	4 35
4	149-16-41	46-1-43	41.4214	28.7588	29.8105	66.0259	1898.8257	-131.8098	692.2623	5 37
5	122-58-44	349-0-27	9.2994	9.1288	-1.7732	94.0632	858.6841	-122.6810	690.4891	6 20
6	89-51-9	258-51-36	22.1582	-4.2811	-21.7407	70.5493	-302.0286	-126.9621	668.7484	7 24
7	89-51-10	168-42-46	15.2823	-14.9867	2.9912	51.7998	-776.3081	-141.9488	671.7396	8 25
8	270-9-17	258-52-3	18.6483	-3.6006	-18.2974	36.4936	-131.3989	-145.5494	653.4422	9 32
9	180-55-55	259-47-58	9.2442	-1.6371	-9.0981	9.0981	-14.8945	-147.1865	644.3441	10 26
1260-0-0			141.1959			SASHIHIKI	1415.173282			
						1/2	707.586641			
						MENSEKI	707.5866			
						TSUBO MENSEKI	214.0450			

(9-7号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		79-6-3						-138.3647	638.2536	1 33
1	66-16-42	145-22-45	10.7200	-8.8218	6.0905	6.0905	-53.7292	-147.1865	644.3441	2 26
2	114-25-13	79-47-58	9.2442	1.6371	9.0981	21.2791	34.8360	-145.5494	653.4422	3 22
3	89-8-57	348-56-55	9.9270	9.7429	-1.9029	28.4743	277.4223	-135.8065	651.5393	4 34
4	90-9-8	259-6-3	13.5298	-2.5582	-13.2857	13.2857	-33.9875	-138.3647	638.2536	5 33
360-0-0			43.4210			SASHIHIKI	224.541621			
						1/2	112.270811			
						MENSEKI	112.2708			
						TSUBO MENSEKI	33.9619			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

(9-5号地)

(7)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46- 1-43						-160.5686	662.4518	1 35
1	30-37-50	76-39-33	25.5146	5.8873	24.8261	24.8261	146.1587	-154.6813	687.2779	2 36
2	149-22- 9	46- 1-42	1.8361	1.2748	1.3214	50.9736	64.9811	-153.4065	688.5993	3 45
3	90- 0- 3	316- 1-45	12.9997	9.3558	-9.0256	43.2694	404.8199	-144.0507	679.5737	4 43
4	89-59-58	226- 1-43	23.7908	-16.5179	-17.1219	17.1219	-282.8178	-160.5686	662.4518	5 35
	360- 0- 0		64.1412			SASHIHIKI	333.141864			
						1/2	166.570932			
						MENSEKI	166.5709			
						TSUBO MENSEKI	50.3877			

(1)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46- 1-40						-144.0507	679.5737	1 43
1	90- 0- 4	136- 1-44	11.3093	-8.1392	7.8520	7.8520	-63.9090	-152.1899	687.4257	2 47
2	90- 0- 1	46- 1-45	3.0118	2.0911	2.1676	17.8716	37.3713	-150.0988	689.5933	3 48
3	89-59-58	316- 1-43	11.3094	8.1392	-7.8521	12.1871	99.1932	-141.9596	681.7412	4 44
4	89-59-57	226- 1-40	3.0118	-2.0911	-2.1675	2.1675	-4.5325	-144.0507	679.5737	5 43
	360- 0- 0		28.6423			SASHIHIKI	68.123089			
						1/2	34.061545			
						MENSEKI	34.0615			
						TSUBO MENSEKI	10.3036			

(7)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46- 1-45						-152.1899	687.4257	1 47
1	90- 0- 5	136- 1-50	1.6904	-1.2166	1.1736	1.1736	-1.4278	-153.4065	688.5993	2 45
2	89-59-55	46- 1-45	3.0118	2.0911	2.1676	4.5148	9.4409	-151.3154	690.7669	3 46
3	90- 0- 5	316- 1-50	1.6904	1.2166	-1.1736	5.5088	6.7020	-150.0988	689.5933	4 48
4	89-59-55	226- 1-45	3.0118	-2.0911	-2.1676	2.1676	-4.5327	-152.1899	687.4257	5 47
	360- 0- 0		9.4044			SASHIHIKI	10.182434			
						1/2	5.091217			
						MENSEKI	5.0912			
						TSUBO MENSEKI	1.5401			

(1)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46- 1-45						-141.9596	681.7412	1 44
1	89-59-59	136- 1-44	12.9998	-9.3558	9.0257	9.0257	-84.4426	-151.3154	690.7669	2 46
2	90- 0- 2	46- 1-46	14.0891	9.7819	10.1399	28.1913	275.7645	-141.5335	700.9068	3 39
3	122-55-47	348-57-33	5.1799	5.0840	-0.9920	37.3392	189.8325	-136.4495	699.9148	4 22
4	89-59-47	258-57-20	6.6273	-1.2696	-6.5046	29.8426	-37.8882	-137.7191	693.4102	5 21
5	270- 3- 5	349- 0-25	6.0198	5.9093	-1.1479	22.1901	131.1280	-131.8098	692.2623	6 37
6	57- 1-20	226- 1-45	14.6189	-10.1498	-10.5211	10.5211	-106.7871	-141.9596	681.7412	7 44
	720- 0- 0		59.5348			SASHIHIKI	367.607058			
						1/2	183.803529			
						MENSEKI	183.8035			
						TSUBO MENSEKI	55.6006			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

分割計算

9-14号地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		325-22-54						-138.3647	638.2536	1 33
1	113-43-9	79-6-3	13.5298	2.5582	13.2857	13.2857	33.9875	-135.8065	651.5393	2 34
2	89-50-53	348-56-56	2.0194	1.9820	-0.3871	26.1843	51.8973	-133.8245	651.1522	3 1
3	90-9-7	259-6-3	13.5006	-2.5527	-13.2571	12.5401	-32.0111	-136.3772	637.8951	4 ア
4	123-2-8	202-8-11	0.9973	-0.9238	-0.3758	-1.0928	-1.0095	-137.3010	637.5193	5 1
5	123-14-43	145-22-54	1.2925	-1.0637	0.7343	-0.7343	0.7811	-138.3647	638.2536	6 33

540-0-0

31.3396

SASHIHIKI

55.664251

1/2

27.832125

MENSEKI

27.8321

TSUBO MENSEKI

8.4192

9-8号地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		22-8-31						-136.3772	637.8951	1 ア
1	56-57-32	79-6-3	13.5006	2.5527	13.2571	13.2571	33.8414	-133.8245	651.1522	2 1
2	89-50-52	348-56-55	3.3335	3.2717	-0.6390	25.8752	84.6559	-130.5528	650.5132	3 31
3	89-55-40	258-52-35	11.3526	-2.1902	-11.1393	14.0969	-30.8750	-132.7430	639.3739	4 11
4	123-15-56	202-8-31	3.9236	-3.6342	-1.4788	1.4788	-5.3743	-136.3772	637.8951	5 ア

360-0-0

32.1103

SASHIHIKI

82.248006

1/2

41.124003

MENSEKI

41.1240

TSUBO MENSEKI

12.4400

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

(9-9号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-51-37						-130.5528	650.5132	1 3/
1	90- 5-18	168-56-55	15.2800	-14.9966	2.9290	2.9290	-43.9250	-145.5494	653.4422	2 32
2	89-55- 8	78-52- 3	18.6483	3.6006	18.2974	24.1554	86.9739	-141.9488	671.7396	3 25
3	89-50-43	348-42-46	15.2823	14.9867	-2.9912	39.4616	591.3992	-126.9621	668.7484	4 24
4	90- 8-51	258-51-37	18.5854	-3.5907	-18.2352	18.2352	-65.4771	-130.5528	650.5132	5 3/
360- 0- 0			67.7960			SASHIHIKI	568.970920			
						1/2	284.485460			
						MENSEKI	284.4855			
						TSUBO MENSEKI	86.0569			

(9-10号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-51-39						-122.6810	690.4891	1 20
1	90- 8-48	169- 0-27	9.2994	-9.1288	1.7732	1.7732	-16.1872	-131.8098	692.2623	2 37
2	57- 1-20	46- 1-47	6.4134	4.4527	4.6157	8.1621	36.3434	-127.3571	696.8780	3 38
3	122-58-40	349- 0-27	5.8223	5.7155	-1.1102	11.6676	66.6862	-121.6416	695.7678	4 17
4	89-51-12	258-51-39	5.3801	-1.0394	-5.2787	5.2787	-5.4867	-122.6810	690.4891	5 20
360- 0- 0			26.9152			SASHIHIKI	81.355682			
						1/2	40.677841			
						MENSEKI	40.6778			
						TSUBO MENSEKI	12.3050			

(9-11号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46- 1-47						-131.8098	692.2623	1 37
1	122-58-38	169- 0-25	6.0198	-5.9093	1.1479	1.1479	-6.7833	-137.7191	693.4102	2 2/
2	89-56-56	78-57-21	5.3799	1.0306	5.2803	7.5761	7.8079	-136.6885	698.6905	3 18
3	90- 3- 8	349- 0-29	9.5058	9.3314	-1.8125	11.0439	103.0550	-127.3571	696.8780	4 38
4	57- 1-18	226- 1-47	6.4134	-4.4527	-4.6157	4.6157	-20.5523	-131.8098	692.2623	5 37
360- 0- 0			27.3189			SASHIHIKI	83.527364			
						1/2	41.763682			
						MENSEKI	41.7637			
						TSUBO MENSEKI	12.6335			

(9-12号地)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-51-37						-121.6416	695.7678	1 17
1	90- 8-51	169- 0-28	15.3281	-15.0469	2.9227	2.9227	-43.9776	-136.6885	698.6905	2 18
2	89-56-53	78-57-21	9.0679	1.7371	8.9000	14.7454	25.6142	-134.9514	707.5905	3 19
3	90- 0-59	348-58-20	15.3432	15.0599	-2.9349	20.7105	311.8981	-119.8915	704.6556	4 16
4	89-53-17	258-51-37	9.0585	-1.7501	-8.8878	8.8878	-15.5545	-121.6416	695.7678	5 17
360- 0- 0			48.7977			SASHIHIKI	277.980180			
						1/2	138.990090			
						MENSEKI	138.9901			
						TSUBO MENSEKI	42.0445			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

9-13号地)

全体

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-54-17						-119.8915	704.6556	1/6
1	90- 4- 3	168-58-20	15.3432	-15.0599	2.9349	2.9349	-44.1993	-134.9514	707.5905	2/9
2	57-15- 7	46-13-27	28.4158	19.6591	20.5177	26.3875	518.7545	-115.2923	728.1082	3/4Z
3	32-40-50	258-54-17	23.8993	-4.5992	-23.4526	23.4526	-107.8632	-119.8915	704.6556	4/6

180- 0- 0 67.6583

SASHIHIKI 366.692003
1/2 183.346001
MENSEKI 183.3460
TSUBO MENSEKI 55.4622

(ア)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-58-20						-129.1626	706.4624	1
1	90- 0- 1	168-58-21	5.8977	-5.7888	1.1281	1.1281	-6.5303	-134.9514	707.5905	2
2	57-15-10	46-13-31	10.9029	7.5429	7.8726	10.1288	76.4005	-127.4085	715.4631	3
3	32-44-49	258-58-20	9.1700	-1.7541	-9.0007	9.0007	-15.7881	-129.1626	706.4624	4

180- 0- 0 25.9706

SASHIHIKI 54.082052
1/2 27.041026
MENSEKI 27.0410
TSUBO MENSEKI 8.1799

(イ)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-58-20						-120.2099	704.7177	1
1	90- 0- 1	168-58-21	9.1211	-8.9527	1.7447	1.7447	-15.6198	-129.1626	706.4624	2
2	38-18-29	27-16-50	11.6239	10.3310	5.3278	8.8172	91.0905	-118.8316	711.7902	3
3	51-41-30	258-58-20	7.2056	-1.3783	-7.0725	7.0725	-9.7480	-120.2099	704.7177	4

180- 0- 0 27.9506

SASHIHIKI 65.722691
1/2 32.861345
MENSEKI 32.8613
TSUBO MENSEKI 9.9406

(ウ)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-54-15						-119.8915	704.6556	1
1	90- 3-34	168-57-49	0.3244	-0.3184	0.0621	0.0621	-0.0198	-120.2099	704.7177	2
2	90- 0-31	78-58-20	7.2056	1.3783	7.0725	7.1967	9.9192	-118.8316	711.7902	3
3	128-18-39	27-16-59	0.4248	0.3775	0.1947	14.4639	5.4601	-118.4541	711.9849	4
4	51-37-16	258-54-15	7.4689	-1.4374	-7.3293	7.3293	-10.5351	-119.8915	704.6556	5

360- 0- 0 15.4237

SASHIHIKI 4.824425
1/2 2.412213
MENSEKI 2.4122
TSUBO MENSEKI 0.7297

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

(工)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-54-18						-118.4541	711.9849	1
1	128-22-32	207-16-50	12.0487	-10.7085	-5.5225	-5.5225	59.1377	-129.1626	706.4624	2
2	51-41-30	78-58-20	9.1700	1.7541	9.0007	-2.0443	-3.5859	-127.4085	715.4631	3
3	147-15-5	46-13-25	17.5129	12.1162	12.6451	19.6015	237.4957	-115.2923	728.1082	4
4	32-40-53	258-54-18	16.4304	-3.1618	-16.1233	16.1233	-50.9786	-118.4541	711.9849	5
	360- 0- 0		55.1620			SASHIHIKI	242.068829			
						1/2	121.034414			
						MENSEKI	121.0344			
						TSUBO MENSEKI	36.6129			