

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

熊内換地区8街区

街区面積 第5座標

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
1	134-20-16	37-4-9	52.5828	-51.9925	7.8566	7.8566	-408.4843	-160.0855	687.3041	1
2	134-43-24	126-7-49	5.0556	-2.9809	4.0833	19.7965	-59.0114	-215.0589	699.2440	2
3	136-12-5	82-19-54	57.5173	7.6750	57.0029	80.8827	620.7747	-207.3839	756.2469	3
4	130-26-31	32-46-25	4.9998	4.2039	2.7065	140.5921	591.0351	-203.1800	758.9534	4
5	129-44-45	342-31-10	7.7255	7.3687	-2.3206	140.9780	1038.8246	-195.8113	756.6328	5
6	175-44-39	338-15-49	12.5799	11.6854	-4.6588	133.9986	1565.8272	-184.1259	751.9740	6
7	180-26-11	338-42-0	19.0643	17.7620	-6.9251	122.4147	2174.3299	-166.3639	745.0489	7
8	184-17-51	342-59-51	12.0774	11.5495	-3.5316	111.9580	1293.0589	-154.8144	741.5173	8
9	180-14-40	343-14-31	5.0577	4.8429	-1.4583	106.9681	518.0358	-149.9715	740.0590	9
10	136-59-51	300-14-22	5.0243	2.5303	-4.3406	101.1692	255.9884	-147.4412	735.7184	10
11	136-36-54	256-51-16	48.4574	-11.0205	-47.1876	49.6410	-547.0686	-158.4617	688.5308	11
12	140-12-53	217-4-9	2.0351	-1.6238	-1.2267	1.2267	-1.9919	-160.0855	687.3041	12

1800-0-0

232.1771

SASHIHIKI

7041.318523

1/2

3520.659262

MENSEKI

3520.6593

TSUBO MENSEKI

1064.9994

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

熊内換地区 8 街区

8-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-58-41						-194.0238	735.0377	1 36
1	90- 3-12	169- 1-53	16.0975	-15.8034	3.0629	3.0629	-48.4042	-209.8272	738.1006	2 38
2	93-18- 1	82-19-54	18.3100	2.4433	18.1463	24.2721	59.3040	-207.3839	756.2469	3 4
3	130-26-31	32-46-25	4.9998	4.2039	2.7065	45.1249	189.7006	-203.1800	758.9534	4 5
4	129-44-45	342-31-10	7.7255	7.3687	-2.3206	45.5108	335.3554	-195.8113	756.6328	5 6
5	175-44-39	338-15-49	5.9875	5.5618	-2.2174	40.9728	227.8825	-190.2495	754.4154	6 37
6	100-42-52	258-58-41	19.7418	-3.7743	-19.3777	19.3777	-73.1373	-194.0238	735.0377	7 36

720- 0- 0 72.8621 SASHIHIKI 690.701053
1/2 345.350527
MENSEKI 345.3505
TSUBO MENSEKI 104.4685

8-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-59- 3						-188.4551	721.9744	1 39
1	90- 2-53	169- 1-56	23.3715	-22.9446	4.4466	4.4466	-102.0255	-211.3997	726.4210	2 40
2	93-17-59	82-19-55	11.7850	1.5725	11.6796	20.5728	32.3507	-209.8272	738.1006	3 38
3	86-41-58	349- 1-53	24.0597	23.6202	-4.5779	27.6745	653.6772	-186.2070	733.5227	4 35
4	89-57-10	258-59- 3	11.7651	-2.2481	-11.5483	11.5483	-25.9617	-188.4551	721.9744	5 39

360- 0- 0 70.9813 SASHIHIKI 558.040761
1/2 279.020381
MENSEKI 279.0204
TSUBO MENSEKI 84.4037

8-3 7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-59- 4						-194.2006	692.4592	1 26
1	92-25-21	171-24-25	18.0804	-17.8774	2.7015	2.7015	-48.2958	-212.0780	695.1607	2 2
2	134-43-24	126- 7-49	5.0556	-2.9809	4.0833	9.4863	-28.2777	-215.0589	699.2440	3 3
3	136-12- 5	82-19-54	27.4222	3.6592	27.1770	40.7466	149.1000	-211.3997	726.4210	4 40
4	86-42- 2	349- 1-56	23.3715	22.9446	-4.4466	63.4770	1456.4544	-188.4551	721.9744	5 39
5	89-57- 8	258-59- 4	30.0692	-5.7455	-29.5152	29.5152	-169.5796	-194.2006	692.4592	6 26

540- 0- 0 103.9989 SASHIHIKI 1359.401244
1/2 679.700622
MENSEKI 679.7006
TSUBO MENSEKI 205.6094

8-4

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77- 0-40						-172.6421	689.2015	1 24
1	94-23-45	171-24-25	21.8032	-21.5585	3.2577	3.2577	-70.2311	-194.2006	692.4592	2 26
2	87-34-39	78-59- 4	31.9222	6.0996	31.3340	37.8494	230.8662	-188.1010	723.7932	3 27
3	90- 0-51	348-59-55	17.5850	17.2618	-3.3558	65.8276	1136.3029	-170.8392	720.4374	4 28
4	87-51-45	256-51-40	10.1487	-2.3069	-9.8830	52.5888	-121.3171	-173.1461	710.5544	5 21
5	269-59-35	346-51-15	5.2904	5.1518	-1.2032	41.5026	213.8131	-167.9943	709.3512	6 25
6	90- 9-25	257- 0-40	20.6788	-4.6478	-20.1497	20.1497	-93.6518	-172.6421	689.2015	7 24

720- 0- 0 107.4283 SASHIHIKI 1295.782157
1/2 647.821078
MENSEKI 647.8911
TSUBO MENSEKI 195.9871

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

8-5

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77- 0-43						-170.2908	688.8462	1 22
1	94-23-43	171-24-26	2.3780	-2.3513	0.3553	0.3553	-0.8354	-172.6421	689.2015	2 24
2	85-36-14	77- 0-40	20.6788	4.6478	20.1497	20.8603	96.9545	-167.9943	709.3512	3 25
3	89-50-33	346-51-13	2.3707	2.3086	-0.5392	40.4708	93.4309	-165.6857	708.8120	4 23
4	90- 9-30	257- 0-43	20.4900	-4.6051	-19.9658	19.9658	-91.9445	-170.2908	688.8462	5 22
	360- 0- 0		45.9175			SASHIHIKI 1/2	97.605469 48.802734			
						MENSEKI	48.8027			
						TSUBO MENSEKI	14.7628			

8-6

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		37- 4- 9						-160.0855	687.3041	1 /
1	134-20-17	171-24-26	10.3212	-10.2053	1.5421	1.5421	-15.7376	-170.2908	688.8462	2 22
2	85-36-17	77- 0-43	20.4900	4.6051	19.9658	23.0500	106.1476	-165.6857	708.8120	3 23
3	89-50-33	346-51-16	11.6472	11.3420	-2.6489	40.3669	457.8414	-154.3437	706.1631	4 20
4	89-59-59	256-51-15	18.1068	-4.1180	-17.6323	20.0857	-82.7129	-158.4617	688.5308	5 12
5	140-12-54	217- 4- 9	2.0351	-1.6238	-1.2267	1.2267	-1.9919	-160.0855	687.3041	6 /
	540- 0- 0		62.6003			SASHIHIKI 1/2	463.546514 231.773257			
						MENSEKI	231.7733			
						TSUBO MENSEKI	70.1114			

8-7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-51-16						-154.3437	706.1631	1 20
1	89-59-59	166-51-15	19.3084	-18.8024	4.3913	4.3913	-82.5670	-173.1461	710.5544	2 21
2	90- 0-26	76-51-41	13.1097	2.9799	12.7665	21.5491	64.2142	-170.1662	723.3209	3 18
3	90- 1-14	346-52-55	19.3100	18.8061	-4.3826	29.9330	562.9230	-151.3601	718.9383	4 17
4	89-58-21	256-51-16	13.1190	-2.9836	-12.7752	12.7752	-38.1161	-154.3437	706.1631	5 20
	360- 0- 0		64.8471			SASHIHIKI 1/2	506.454089 253.227044			
						MENSEKI	253.2270			
						TSUBO MENSEKI	76.6012			

8-8

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-51-15						-151.3601	718.9383	1 17
1	90- 1-40	166-52-55	19.3100	-18.8061	4.3826	4.3826	-82.4196	-170.1662	723.3209	2 18
2	89-58-45	76-51-40	7.5500	1.7162	7.3524	16.1176	27.6610	-168.4500	730.6733	3 1
3	88-28-59	345-20-39	19.3176	18.6891	-4.8876	18.5824	347.2883	-149.7609	725.7857	4 1
4	91-30-36	256-51-15	7.0317	-1.5992	-6.8474	6.8474	-10.9504	-151.3601	718.9383	5 17
	360- 0- 0		53.2093			SASHIHIKI 1/2	281.579381 140.789691			
						MENSEKI	140.7897			
						TSUBO MENSEKI	42.5889			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

8-9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-51-17						-149.7609	725.7857	1 7
1	88-29-22	165-20-39	19.3176	-18.6891	4.8876	4.8876	-91.3448	-168.4500	730.6733	2 1
2	91-31-1	76-51-40	14.3900	3.2710	14.0133	23.7885	77.8122	-165.1790	744.6866	3 7
3	86-8-10	342-59-50	10.8383	10.3646	-3.1693	34.6325	358.9520	-154.8144	741.5173	4 7
4	180-14-41	343-14-31	5.0577	4.8429	-1.4583	30.0049	145.3107	-149.9715	740.0590	5 10
5	136-59-51	300-14-22	5.0243	2.5303	-4.3406	24.2060	61.2484	-147.4412	735.7184	6 11
6	136-36-55	256-51-17	10.2000	-2.3197	-9.9327	9.9327	-23.0409	-149.7609	725.7857	7 7
720-0-0			64.8279			SASHIHIKI	528.937636			
						1/2	264.468818			
						MENSEKI	264.4688			
						TSUBO MENSEKI	80.0018			

8-10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-51-41						-170.8392	720.4374	1 28
1	92-8-14	168-59-55	17.5850	-17.2618	3.3558	3.3558	-57.9271	-188.1010	723.7932	2 27
2	89-59-9	78-59-4	17.6521	3.3729	17.3269	24.0385	81.0795	-184.7281	741.1201	3 27
3	93-56-15	352-55-19	14.3479	14.2386	-1.7680	39.5974	563.8115	-170.4895	739.3521	4 30
4	264-14-33	77-9-52	6.8813	1.5287	6.7093	44.5387	68.0863	-168.9608	746.0614	5 31
5	81-32-7	338-41-59	2.7873	2.5969	-1.0125	50.2355	130.4566	-166.3639	745.0489	6 8
6	184-17-55	342-59-54	1.2391	1.1849	-0.3623	48.8607	57.8950	-165.1790	744.6866	7 7
7	93-51-47	256-51-41	24.9010	-5.6602	-24.2492	24.2492	-137.2553	-170.8392	720.4374	8 28
900-0-0			85.3937			SASHIHIKI	706.146450			
						1/2	353.073225			
						MENSEKI	353.0732			
						TSUBO MENSEKI	106.8047			

8-11

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		77-9-52						-170.4895	739.3521	1 30
1	95-45-26	172-55-18	8.4180	-8.3538	1.0373	1.0373	-8.6654	-178.8433	740.3894	2 32
2	84-0-14	76-55-32	8.9666	2.0284	8.7342	10.8088	21.9246	-176.8149	749.1236	3 33
3	81-46-28	338-42-0	8.4299	7.8541	-3.0622	16.4808	129.4419	-168.9608	746.0614	4 31
4	98-27-52	257-9-52	6.8813	-1.5287	-6.7093	6.7093	-10.2565	-170.4895	739.3521	5 30
360-0-0			32.6958			SASHIHIKI	132.444518			
						1/2	66.222259			
						MENSEKI	66.2223			
						TSUBO MENSEKI	20.0322			

8-12

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-55-32						-178.8433	740.3894	1 32
1	95-59-47	172-55-19	5.9300	-5.8848	0.7307	0.7307	-4.3000	-184.7281	741.1201	2 29
2	86-3-45	78-59-4	10.5000	2.0063	10.3065	11.7679	23.6099	-182.7218	751.4266	3 34
3	79-42-56	338-42-0	6.3400	5.9069	-2.3030	19.7714	116.7877	-176.8149	749.1236	4 33
4	98-13-32	256-55-32	8.9666	-2.0284	-8.7342	8.7342	-17.7165	-178.8433	740.3894	5 32
360-0-0			31.7366			SASHIHIKI	118.381146			
						1/2	59.190573			
						MENSEKI	59.1906			
						TSUBO MENSEKI	17.9051			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

8-13

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		78-59- 4						-186.2070	733.5227	1 35
1	90- 2-49	169- 1-53	7.9623	-7.8168	1.5150	1.5150	-11.8425	-194.0238	735.0377	2 36
2	89-56-48	78-58-41	19.7418	3.7743	19.3777	22.4077	84.5734	-190.2495	754.4154	3 37
3	79-17- 7	338-15-48	6.5923	6.1236	-2.4414	39.3440	240.9269	-184.1259	751.9740	4 7
4	180-26-17	338-42- 5	-1.5070	1.4041	-0.5474	36.3552	51.0463	-182.7218	751.4266	5 34
5	100-16-59	258-59- 4	18.2400	-3.4852	-17.9039	17.9039	-62.3987	-186.2070	733.5227	6 35
	540- 0- 0		54.0434			SASHIHIKI	302.305513			
						1/2	151.152756			
						MENSEKI	151.1528			
						TSUBO MENSEKI	45.7237			