

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

熊内 換地区 21 街区

街区面積 第5座標

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		29-46-30						-323.0855	532.0348	1 /
1	137-15-41	167- 2-11	17.7116	-17.2602	3.9733	3.9733	-68.5800	-340.3457	536.0081	2 Z
2	135-39-21	122-41-32	4.9994	-2.7003	4.2074	12.1540	-32.8194	-343.0460	540.2155	3 3
3	135-44-53	78-26-25	59.4171	11.9066	58.2119	74.5733	887.9145	-331.1394	598.4274	4 4
4	174-19- 2	72-45-27	6.4285	1.9055	6.1396	138.9248	264.7212	-329.2339	604.5670	5 5
5	171-53-52	64-39-19	1.6547	0.7083	1.4954	146.5598	103.8083	-328.5256	606.0624	6 6
6	176-28-31	61- 7-50	10.4178	5.0299	9.1231	157.1783	790.5911	-323.4957	615.1855	7 7
7	181-28-15	62-36- 5	3.8120	1.7542	3.3844	169.6858	297.6628	-321.7415	618.5699	8 8
8	186- 8-53	68-44-58	5.0007	1.8125	4.6607	177.7309	322.1373	-319.9290	623.2306	9 9
9	131-43-56	20-28-54	1.9994	1.8730	0.6996	183.0912	342.9298	-318.0560	623.9302	10 10
10	136- 2-57	336-31-51	21.9904	20.1712	-8.7578	175.0330	3530.6256	-297.8848	615.1724	11 11
11	138-17-34	294-49-25	4.9728	2.0877	-4.5133	161.7619	337.7103	-295.7971	610.6591	12 12
12	138-23- 6	253-12-31	79.5520	-22.9815	-76.1602	81.0884	-1863.5331	-318.7786	534.4989	13 13
13	136-33-59	209-46-30	4.9620	-4.3069	-2.4641	2.4641	-10.6126	-323.0855	532.0348	14 /

1980- 0- 0 222.9184 SASHIHIKI 4902.555874
1/2 2451.277937
MENSEKI 2451.2779
TSUBO MENSEKI 741.5116

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-11-8						-303.1910	602.5810	137
1	90-7-24	166-18-32	24.7295	-24.0268	5.8532	5.8532	-140.6337	-327.2178	608.4342	238
2	74-49-21	61-7-53	7.7094	3.7221	6.7513	18.4577	68.7014	-323.4957	615.1855	37
3	181-28-12	62-36-5	3.8120	1.7542	3.3844	28.5934	50.1585	-321.7415	618.5699	48
4	186-8-53	68-44-58	5.0007	1.8125	4.6607	36.6385	66.4073	-319.9290	623.2306	59
5	131-43-56	20-28-54	1.9994	1.8730	0.6996	41.9988	78.6638	-318.0560	623.9302	610
6	136-2-57	336-31-51	19.8134	18.1743	-7.8908	34.8076	632.6038	-299.8817	616.0394	720
7	99-39-17	256-11-8	13.8593	-3.3093	-13.4584	13.4584	-44.5379	-303.1910	602.5810	837
900-0-0			76.9237			SASHIHIKI 1/2	711.363197			
						MENSEKI	355.681598			
						TSUBO MENSEKI	355.6816			
							107.5937			

3-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		73-12-31						-306.2309	576.0818	121
1	93-2-33	166-15-4	28.9021	-28.0740	6.8691	6.8691	-192.8431	-334.3049	582.9509	227
2	92-11-21	78-26-25	15.7969	3.1655	15.4765	29.2147	92.4791	-331.1394	598.4274	34
3	87-52-6	346-18-31	30.3463	29.4840	-7.1827	37.5085	1105.9006	-301.6554	591.2447	418
4	86-54-0	253-12-31	15.8382	-4.5755	-15.1629	15.1629	-69.3778	-306.2309	576.0818	521
360-0-0			90.8835			SASHIHIKI 1/2	936.158785			
						MENSEKI	468.079392			
						TSUBO MENSEKI	468.0794			
							141.5940			

3-3

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-16-37						-322.5207	570.2903	135
1	89-58-27	166-15-4	14.0924	-13.6886	3.3493	3.3493	-45.8472	-336.2093	573.6396	236
2	92-11-23	78-26-27	9.5041	1.9044	9.3113	16.0099	30.4893	-334.3049	582.9509	327
3	87-48-37	346-15-4	14.4513	14.0372	-3.4346	21.8866	307.2266	-320.2677	579.5163	422
4	90-1-33	256-16-37	9.4971	-2.2530	-9.2260	9.2260	-20.7862	-322.5207	570.2903	535
360-0-0			47.5449			SASHIHIKI 1/2	271.082429			
						MENSEKI	135.541215			
						TSUBO MENSEKI	135.5412			
							41.0012			

3-4

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-16-36						-324.3619	562.7508	133
1	89-56-16	166-12-52	13.7996	-13.4021	3.2883	3.2883	-44.0701	-337.7640	566.0391	234
2	92-13-30	78-26-22	7.7579	1.5547	7.6005	14.1771	22.0411	-336.2093	573.6396	336
3	87-48-42	346-15-4	14.0924	13.6886	-3.3493	18.4283	252.2576	-322.5207	570.2903	435
4	90-1-32	256-16-36	7.7611	-1.8412	-7.5395	7.5395	-13.8817	-324.3619	562.7508	533
360-0-0			43.4110			SASHIHIKI 1/2	216.346912			
						MENSEKI	108.173456			
						TSUBO MENSEKI	108.1735			
							32.7225			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-5

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-16-34						-327.2518	550.9175	1 25
1	89-56-18	166-12-52	13.3393	-12.9551	3.1786	3.1786	-41.1791	-340.2069	554.0961	2 26
2	92-13-31	78-26-23	12.1903	2.4429	11.9430	18.3002	44.7056	-337.7640	566.0391	3 34
3	87-46-29	346-12-52	13.7996	13.4021	-3.2883	26.9549	361.2523	-324.3619	562.7508	4 33
4	90- 3-42	256-16-34	12.1811	-2.8899	-11.8333	11.8333	-34.1971	-327.2518	550.9175	5 25
	360- 0- 0		51.5103			SASHIHIKI	330.581689			
						1/2	165.290845			
						MENSEKI	165.2908			
						TSUBO MENSEKI	50.0005			

3-6

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-16-38						-328.6055	545.3740	1 31
1	89-55-52	166-12-30	13.1238	-12.7454	3.1286	3.1286	-39.8753	-341.3509	548.5026	2 32
2	92-13-58	78-26-28	5.7093	1.1440	5.5935	11.8507	13.5572	-340.2069	554.0961	3 26
3	87-46-24	346-12-52	13.3393	12.9551	-3.1786	14.2656	184.8123	-327.2518	550.9175	4 25
4	90- 3-46	256-16-38	5.7064	-1.3537	-5.5435	5.5435	-7.5042	-328.6055	545.3740	5 31
	360- 0- 0		37.8788			SASHIHIKI	150.989981			
						1/2	75.494990			
						MENSEKI	75.4950			
						TSUBO MENSEKI	22.8372			

3-7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-16-34						-329.9476	539.8785	1 29
1	89-55-55	166-12-29	12.9099	-12.5377	3.0777	3.0777	-38.5873	-342.4853	542.9562	2 30
2	92-13-58	78-26-27	5.6612	1.1344	5.5464	11.7018	13.2745	-341.3509	548.5026	3 32
3	87-46- 3	346-12-30	13.1238	12.7454	-3.1286	14.1196	179.9599	-328.6055	545.3740	4 31
4	90- 4- 4	256-16-34	5.6570	-1.3421	-5.4955	5.4955	-7.3755	-329.9476	539.8785	5 29
	360- 0- 0		37.3519			SASHIHIKI	147.271682			
						1/2	73.635841			
						MENSEKI	73.6358			
						TSUBO MENSEKI	22.2748			

3-8

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-16-33						-331.3960	533.9478	1 28
1	90-45-36	167- 2- 9	9.1838	-8.9497	2.0603	2.0603	-18.4391	-340.3457	536.0081	2 2
2	135-39-23	122-41-32	4.9994	-2.7003	4.2074	8.3280	-22.4881	-343.0460	540.2155	3 3
3	135-44-44	78-26-16	2.7975	0.5607	2.7407	15.2761	8.5653	-342.4853	542.9562	4 30
4	87-46-13	346-12-29	12.9099	12.5377	-3.0777	14.9391	187.3020	-329.9476	539.8785	5 29
5	90- 4- 4	256-16-33	6.1050	-1.4484	-5.9307	5.9307	-8.5900	-331.3960	533.9478	6 28
	540- 0- 0		35.9956			SASHIHIKI	146.350072			
						1/2	73.175036			
						MENSEKI	73.1750			
						TSUBO MENSEKI	22.1354			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		29-46-30						-323.0855	532.0348	1 /
1	137-15-43	167- 2-13	8.5278	-8.3105	1.9130	1.9130	-15.8980	-331.3960	533.9478	2 28
2	89-14-23	76-16-36	12.0176	2.8510	11.6745	15.5005	44.1919	-328.5450	545.6223	3 24
3	90-14-41	346-31-17	12.5844	12.2378	-2.9332	24.2418	296.6663	-316.3072	542.6891	4 23
4	86-41-15	253-12-32	8.5550	-2.4714	-8.1902	13.1184	-32.4208	-318.7786	534.4989	5 13
5	136-33-58	209-46-30	4.9620	-4.3069	-2.4641	2.4641	-10.6126	-323.0855	532.0348	6 /
540- 0- 0			46.6468			SASHIHIKI	281.926793			
						1/2	140.963396			
						MENSEKI	140.9634			
						TSUBO MENSEKI	42.6414			

3-10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		73-12-31						-316.3072	542.6891	1 23
1	93-18-46	166-31-17	12.5844	-12.2378	2.9332	2.9332	-35.8959	-328.5450	545.6223	2 24
2	89-45-18	76-16-35	34.8901	8.2773	33.8940	39.7604	329.1088	-320.2677	579.5163	3 22
3	89-58-29	346-15- 4	14.4509	14.0368	-3.4345	70.2199	985.6627	-306.2309	576.0818	4 21
4	86-57-27	253-12-31	34.8799	-10.0763	-33.3927	33.3927	-336.4749	-316.3072	542.6891	5 23
360- 0- 0			96.8053			SASHIHIKI	942.400673			
						1/2	471.200337			
						MENSEKI	471.2003			
						TSUBO MENSEKI	142.5381			

3-11

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		73-12-32						-301.6554	591.2447	1 18
1	93- 5-58	166-18-30	4.1982	-4.0789	0.9937	0.9937	-4.0532	-305.7343	592.2384	2 19
2	89-52-37	76-11- 7	24.5100	5.8526	23.8010	25.7884	150.9292	-299.8817	616.0394	3 20
3	80-20-44	336-31-51	2.1770	1.9969	-0.8670	48.7224	97.2938	-297.8848	615.1724	4 11
4	138-17-34	294-49-25	4.9728	2.0877	-4.5133	43.3421	90.4853	-295.7971	610.6591	5 12
5	138-23- 7	253-12-32	20.2790	-5.8583	-19.4144	19.4144	-113.7354	-301.6554	591.2447	6 18
540- 0- 0			56.1370			SASHIHIKI	220.919670			
						1/2	110.459835			
						MENSEKI	110.4598			
						TSUBO MENSEKI	33.4141			

3-12

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		76-11- 5						-305.7343	592.2384	1 19
1	90- 7-26	166-18-31	26.1481	-25.4051	6.1890	6.1890	-157.2322	-331.1394	598.4274	2 4
2	86-26-56	72-45-27	6.4285	1.9055	6.1396	18.5176	35.2853	-329.2339	604.5670	3 5
3	171-53-52	64-39-19	1.6547	0.7083	1.4954	26.1526	18.5239	-328.5256	606.0624	4 6
4	176-28-21	61- 7-40	2.7085	1.3078	2.3718	30.0198	39.2599	-327.2178	608.4342	5 38
5	105-10-52	346-18-32	24.7295	24.0268	-5.8532	26.5384	637.6328	-303.1910	602.5810	6 37
6	89-52-33	256-11- 5	10.6507	-2.5433	-10.3426	10.3426	-26.3043	-305.7343	592.2384	7 19
720- 0- 0			72.3200			SASHIHIKI	547.165398			
						1/2	273.582699			
						MENSEKI	273.5827			
						TSUBO MENSEKI	82.7588			