

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

熊内 換地区 25 街区

街区面積 第5座標

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		15- 0-18						-371.0363	468.1988	1 /
1	143-13-31	158-13-49	15.7262	-14.6046	5.8325	5.8325	-85.1813	-385.6409	474.0313	2 Z
2	126-17-39	104-31-28	4.9786	-1.2486	4.8195	16.4845	-20.5825	-386.8895	478.8508	3 Z
3	126-59-29	51-30-57	63.7165	39.6506	49.8761	71.1801	2822.3337	-347.2389	528.7269	4 4
4	148-28-54	19-59-51	5.0404	4.7365	1.7237	122.7799	581.5470	-342.5024	530.4506	5 5
5	147-23-29	347-23-20	16.7599	16.3556	-3.6592	120.8444	1976.4827	-326.1468	526.7914	6 6
6	120-37-50	288- 1-10	5.1448	1.5915	-4.8925	112.2927	178.7138	-324.5553	521.8989	7 7
7	122-59-38	231- 0-48	22.4418	-14.1190	-17.4438	89.9564	-1270.0944	-338.6743	504.4551	8 8
8	180-45-58	231-46-46	44.5013	-27.5325	-34.9618	37.5508	-1033.8674	-366.2068	469.4933	9 9
9	143-13-32	195- 0-18	5.0000	-4.8295	-1.2945	1.2945	-6.2518	-371.0363	468.1988	10 /

1260- 0- 0

183.3095

SASHIHIKI

3143.099694

1/2

1571.549847

MENSEKI

1571.5498

TSUBO MENSEKI

475.3938

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

地番; 2-3

面積計算書					地番; 2-3				
測点	X	Y	D X	D Y	距離	方向角	キョウ角	倍横距	倍面積
23	-351.1823	488.5720	-10.2266	8.0565	13.0189	141-46-08	89-59-22	8.0565	-82.39060290
24	-361.4089	496.6285	-6.9586	-8.8363	11.2473	231-46-46	270-00-38	7.2767	-50.63564462
32	-368.3675	487.7922	-7.0182	5.5290	8.9345	141-46-07	89-59-21	3.9694	-27.85804308
33	-375.3857	493.3212	19.2388	24.2004	30.9159	51-30-58	89-44-51	33.6988	648.32447344
21	-356.1469	517.5216	17.1336	-13.4970	21.8112	321-46-15	90-15-17	44.4022	760.76953392
19	-339.0133	504.0246	-12.1690	-15.4526	19.6689	231-46-46	90-00-31	15.4526	-188.04268940
合計					105.5967		720-00-00		1060.16702736
								面積	530.08351368
								坪数	160.35026288

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-52-55						-342.9720	517.3366	1 16
1	89-53-21	141-46-16	10.4283	-8.1919	6.4531	6.4531	-52.8631	-351.1639	523.7897	2 18
2	89-44-41	51-30-57	6.3073	3.9250	4.9372	17.8434	70.0353	-347.2389	528.7269	3 4
3	148-28-54	19-59-51	5.0404	4.7365	1.7237	24.5043	116.0646	-342.5024	530.4506	4 5
4	147-23-29	347-23-20	8.5599	8.3534	-1.8689	24.3591	203.4813	-334.1490	528.5817	5 17
5	64-29-35	231-52-55	14.2933	-8.8230	-11.2451	11.2451	-99.2155	-342.9720	517.3366	6 16

540- 0- 0

44.6292

SASHIHIKI

237.502601

1/2

118.751300

MENSEKI

118.7513

TSUBO MENSEKI

35.9223

2-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-52-55						-347.9149	511.0368	1 20
1	89-53-19	141-46-14	10.4794	-8.2320	6.4848	6.4848	-53.3829	-356.1469	517.5216	2 21
2	89-44-44	51-30-58	8.0075	4.9830	6.2681	19.2377	95.8615	-351.1639	523.7897	3 18
3	90-15-18	321-46-16	10.4283	8.1919	-6.4531	19.0527	156.0778	-342.9720	517.3366	4 16
4	90- 6-39	231-52-55	8.0075	-4.9429	-6.2998	6.2998	-31.1393	-347.9149	511.0368	5 20

360- 0- 0

36.9227

SASHIHIKI

167.417117

1/2

83.708559

MENSEKI

83.7086

TSUBO MENSEKI

25.3218

2-3

P

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-46-46						-345.3502	495.9778	1 22
1	89-59-28	141-46-14	21.8582	-17.1705	13.5261	13.5261	-232.2499	-362.5207	509.5039	2 28
2	89-44-45	51-30-59	10.2425	6.3738	8.0177	35.0699	223.5285	-356.1469	517.5216	3 21
3	90-15-16	321-46-15	21.8112	17.1336	-13.4970	29.5906	506.9935	-339.0133	504.0246	4 19
4	90- 0-31	231-46-46	10.2424	-6.3369	-8.0468	8.0468	-50.9918	-345.3502	495.9778	5 22

360- 0- 0

64.1543

SASHIHIKI

447.280366

1/2

223.640183

MENSEKI

223.6402

TSUBO MENSEKI

67.6512

2-3

I

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-46-46						-351.1823	488.5720	1 23
1	89-59-22	141-46- 8	13.0189	-10.2266	8.0565	8.0565	-82.3906	-361.4089	496.6285	2 24
2	179-59-48	141-45-56	8.8828	-6.9773	5.4974	21.6104	-150.7822	-368.3862	502.1259	3 27
3	89-44-59	51-30-55	9.4254	5.8655	7.3780	34.4858	202.2765	-362.5207	509.5039	4 28
4	90-15-19	321-46-14	21.8582	17.1705	-13.5261	28.3377	486.5725	-345.3502	495.9778	5 22
5	90- 0-32	231-46-46	9.4265	-5.8321	-7.4058	7.4058	-43.1914	-351.1823	488.5720	6 23

540- 0- 0

62.6118

SASHIHIKI

412.484725

1/2

206.242362

MENSEKI

206.2424

TSUBO MENSEKI

62.3883

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-3 う

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-46-46						-368.3675	487.7922	1 3Z
1	89-59-21	141-46-7	8.9345	-7.0182	5.5290	5.5290	-38.8036	-375.3857	493.3212	2 33
2	89-44-51	51-30-58	11.2479	6.9995	8.8047	19.8627	139.0290	-368.3862	502.1259	3 27
3	90-14-58	321-45-56	8.8828	6.9773	-5.4974	23.1700	161.6640	-361.4089	496.6285	4 24
4	90-0-50	231-46-46	11.2473	-6.9586	-8.8363	8.8363	-61.4883	-368.3675	487.7922	5 3Z
360-0-0			40.3125			SASHIHIKI	200.401105			
						1/2	100.200552			
						MENSEKI	100.2006			
						TSUBO MENSEKI	30.3107			

2-4 (ア)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-46-40						-369.6494	486.1645	1 25
1	89-59-27	141-46-7	8.9440	-7.0257	5.5349	5.5349	-38.8865	-376.6751	491.6994	2 26
2	89-44-43	51-30-50	2.0719	1.2894	1.6218	12.6916	16.3645	-375.3857	493.3212	3 33
3	90-15-17	321-46-7	8.9345	7.0182	-5.5290	8.7844	61.6507	-368.3675	487.7922	4 3Z
4	90-0-33	231-46-40	2.0719	-1.2819	-1.6277	1.6277	-2.0865	-369.6494	486.1645	5 25
360-0-0			22.0223			SASHIHIKI	37.042130			
						1/2	18.521065			
						MENSEKI	18.5211			
						TSUBO MENSEKI	5.6026			

2-5

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-46-46						-372.5201	482.5192	1 30
1	89-59-27	141-46-13	8.9653	-7.0426	5.5479	5.5479	-39.0716	-379.5627	488.0671	2 31
2	89-44-45	51-30-58	4.6402	2.8876	3.6323	14.7281	42.5289	-376.6751	491.6994	3 26
3	90-15-9	321-46-7	8.9440	7.0257	-5.5349	12.8255	90.1081	-369.6494	486.1645	4 25
4	90-0-39	231-46-46	4.6399	-2.8707	-3.6453	3.6453	-10.4646	-372.5201	482.5192	5 30
360-0-0			27.1894			SASHIHIKI	83.100774			
						1/2	41.550387			
						MENSEKI	41.5504			
						TSUBO MENSEKI	12.5690			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-6

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		15- 0-18						-371.0363	468.1988	1 /
1	143-13-31	158-13-49	15.7262	-14.6046	5.8325	5.8325	-85.1813	-385.6409	474.0313	2 Z
2	126-17-39	104-31-28	4.9786	-1.2486	4.8195	16.4845	-20.5825	-386.8895	478.8508	3 3
3	126-59-29	51-30-57	11.7738	7.3268	9.2163	30.5203	223.6161	-379.5627	488.0671	4 3/
4	90-15-16	321-46-13	8.9653	7.0426	-5.5479	34.1887	240.7773	-372.5201	482.5192	5 30
5	270- 0-33	51-46-46	4.6399	2.8707	3.6453	32.2861	92.6837	-369.6494	486.1645	6 25
6	89-59-19	321-46- 5	13.0189	10.2265	-8.0567	27.8747	285.0606	-359.4229	478.1078	7 29
7	90- 0-42	231-46-47	10.9650	-6.7839	-8.6145	11.2035	-76.0034	-366.2068	469.4933	8 9
8	143-13-31	195- 0-18	5.0000	-4.8295	-1.2945	1.2945	-6.2518	-371.0363	468.1988	9 /
1080- 0- 0			75.0677	SASHIHIKI		654.118712				
				1/2		327.059356				
				MENSEKI		327.0594				
				TSUBO MENSEKI		98.9355				

2-7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-46-46						-359.4229	478.1078	1 29
1	89-59-19	141-46- 5	13.0189	-10.2265	8.0567	8.0567	-82.3918	-369.6494	486.1645	2 25
2	90- 0-40	51-46-45	13.3192	8.2405	10.4640	26.5774	219.0111	-361.4089	496.6285	3 24
3	89-59-23	321-46- 8	13.0189	10.2266	-8.0565	28.9849	296.4170	-351.1823	488.5720	4 23
4	90- 0-38	231-46-46	13.3194	-8.2406	-10.4642	10.4642	-86.2313	-359.4229	478.1078	5 29
360- 0- 0			52.6764	SASHIHIKI		346.804914				
				1/2		173.402457				
				MENSEKI		173.4025				
				TSUBO MENSEKI		52.4542				

2-8

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-46-52						-339.0133	504.0246	1 /9
1	89-59-23	141-46-15	11.3318	-8.9016	7.0122	7.0122	-62.4198	-347.9149	511.0368	2 20
2	90- 6-39	51-52-54	11.2214	6.9268	8.8283	22.8527	158.2961	-340.9881	519.8651	3 15
3	89-50-14	321-43- 8	11.4944	9.0229	-7.1210	24.5600	221.6024	-331.9652	512.7441	4 14
4	89-17-40	231- 0-48	10.6639	-6.7091	-8.2890	9.1500	-61.3883	-338.6743	504.4551	5 8
5	180-46- 4	231-46-52	0.5480	-0.3390	-0.4305	0.4305	-0.1459	-339.0133	504.0246	6 /9
540- 0- 0			45.2595	SASHIHIKI		255.944502				
				1/2		127.972251				
				MENSEKI		127.9723				
				TSUBO MENSEKI		38.7116				

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 0-44						-331.9652	412.7441	1 14
1	90-42-24	141-43- 8	11.4944	-9.0229	7.1210	7.1210	-64.2521	-340.9881	419.8651	2 15
2	90- 9-43	51-52-51	5.1006	3.1486	4.0128	18.2548	57.4771	-337.8395	423.8779	3 35
3	89-50-17	321-43- 8	11.5717	9.0836	-7.1689	15.0987	137.1506	-328.7559	416.7090	4 34
4	89-17-36	231- 0-44	5.1010	-3.2093	-3.9649	3.9649	-12.7246	-331.9652	412.7441	5 14

360- 0- 0

33.2677

SASHIHIKI

117.650990

1/2

58.825495

MENSEKI

58.8255

TSUBO MENSEKI

-17.7947

2-10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 0-50						-328.7559	416.7090	1 34
1	90-42-18	141-43- 8	11.5717	-9.0836	7.1689	7.1689	-65.1194	-337.8395	423.8779	2 35
2	90- 9-51	51-52-59	5.9788	3.6905	4.7038	19.0416	70.2730	-334.1490	428.5817	3 17
3	115-30-22	347-23-21	8.2000	8.0022	-1.7903	21.9551	175.6891	-326.1468	426.7914	4 6
4	120-37-49	288- 1-10	5.1448	1.5915	-4.8925	15.2723	24.3059	-324.5553	421.8989	5 7
5	122-59-40	231- 0-50	6.6768	-4.2006	-5.1899	5.1899	-21.8007	-328.7559	416.7090	6 34

540- 0- 0

37.5721

SASHIHIKI

183.347877

1/2

91.673939

MENSEKI

91.6739

TSUBO MENSEKI

27.7314