

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

熊内 換地区 18 街区

街区面積 第5座標

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		308-10-30						-263.5402	496.7883	1 /
1	201-57-29	150- 7-59	10.3862	-9.0068	5.1722	5.1722	-46.5850	-272.5470	501.9605	2 Z
2	137-52-36	108- 0-35	4.0000	-1.2367	3.8040	14.1484	-17.4973	-273.7837	505.7645	3 J
3	121-14- 1	49-14-36	25.2000	16.4518	19.0887	37.0411	609.3928	-257.3319	524.8532	4 4
4	141-23- 9	10-37-45	4.2000	4.1279	0.7747	56.9045	234.8961	-253.2040	525.6279	5 5
5	133- 3-37	323-41-22	13.2428	10.6713	-7.8419	49.8373	531.8288	-242.5327	517.7860	6 34
6	178-53-43	322-35- 5	10.0007	7.9431	-6.0763	35.9191	285.3090	-234.5896	511.7097	7 8
7	95- 4-31	237-39-36	7.1209	-3.8093	-6.0164	23.8264	-90.7619	-238.3989	505.6933	8 9
8	170-26-16	228- 5-52	15.2210	-10.1655	-11.3288	6.4812	-65.8846	-248.5644	494.3645	9 //
9	177- 8-27	225-14-19	2.9709	-2.0920	-2.1095	-6.9571	14.5543	-250.6564	492.2550	10 /Z
10	122-22-50	167-37- 9	5.7110	-5.5782	1.2245	-7.8421	43.7448	-256.2346	493.4795	11 /3
11	180-49-36	168-26-45	5.7210	-5.6051	1.1459	-5.4717	30.6694	-261.8397	494.6254	12 /4
12	139-43-45	128-10-30	2.7513	-1.7005	2.1629	-2.1629	3.6780	-263.5402	496.7883	13 /

1800- 0- 0

106.5258

SASHIHIKI

1533.344288

1/2

766.672144

MENSEKI

766.6721

TSUBO MENSEKI

231.9183

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

2-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46- 2-21						-247.4728	513.3734	1 2/
1	93- 8-56	139-11-17	14.9627	-11.3247	9.7793	9.7793	-110.7476	-258.7975	523.1527	2 22
2	90- 3-18	49-14-35	2.2449	1.4656	1.7005	21.2591	31.1573	-257.3319	524.8532	3 4
3	141-23-10	10-37-45	4.2000	4.1279	0.7747	23.7343	97.9728	-253.2040	525.6279	4 5
4	133- 3-37	323-41-22	12.7455	10.2706	-7.5474	16.9616	174.2058	-242.9334	518.0805	5 6
5	82-20-59	226- 2-21	6.5393	-4.5394	-4.7071	4.7071	-21.3674	-247.4728	513.3734	6 2/
540- 0- 0			40.6924			SASHIHIKI	171.220914			
						1/2	85.610457			
						MENSEKI	85.6105			
						TSUBO MENSEKI	25.8972			

2-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		46- 2-23						-251.7220	508.9671	1 20
1	93- 8-57	139-11-20	14.6207	-11.0659	9.5556	9.5556	-105.7413	-262.7879	518.5227	2 23
2	90- 3-16	49-14-36	6.1123	3.9904	4.6300	23.7412	94.7369	-258.7975	523.1527	3 22
3	89-56-41	319-11-17	14.9627	11.3247	-9.7793	18.5919	210.5477	-247.4728	513.3734	4 2/
4	86-51- 6	226- 2-23	6.1214	-4.2492	-4.4063	4.4063	-18.7232	-251.7220	508.9671	5 20
360- 0- 0			41.8171			SASHIHIKI	180.820010			
						1/2	90.410005			
						MENSEKI	90.4100			
						TSUBO MENSEKI	27.3490			

2-4

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		319-16- 2						-266.1419	514.6311	1 35
1	89-58-34	49-14-36	5.1375	3.3540	3.8916	3.8916	13.0524	-262.7879	518.5227	2 23
2	89-56-44	319-11-20	14.6207	11.0659	-9.5556	-1.7724	-19.6132	-251.7220	508.9671	3 20
3	86-51- 0	226- 2-20	6.1154	-4.2451	-4.4019	-15.7299	66.7750	-255.9671	504.5652	4 24
4	93- 9- 6	139-11-26	0.6599	-0.4995	0.4313	-19.7005	9.8404	-256.4666	504.9965	5 33
5	90- 2-54	49-14-20	0.9873	0.6446	0.7478	-18.5214	-11.9389	-255.8220	505.7443	6 34
6	270- 1-42	139-16- 2	13.6189	-10.3199	8.8868	-8.8868	91.7109	-266.1419	514.6311	7 35
720- 0- 0			41.1397			SASHIHIKI	149.826616			
						1/2	74.913308			
						MENSEKI	74.9133			
						TSUBO MENSEKI	22.6613			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

2-5

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		319-11-47						-266.7755	513.8960	1 25
1	90- 2-41	49-14-28	0.9705	0.6336	0.7351	0.7351	0.4658	-266.1419	514.6311	2 25
2	90- 1-34	319-16- 2	13.6189	10.3199	-8.8868	-7.4166	-76.5386	-255.8220	505.7443	3 24
3	89-58-18	229-14-20	0.9873	-0.6446	-0.7478	-17.0512	10.9912	-256.4666	504.9965	4 23
4	89-57-27	139-11-47	13.6189	-10.3089	8.8995	-8.8995	91.7441	-266.7755	513.8960	5 25
360- 0- 0			29.1956			SASHIHIKI	26.662448			
						1/2	13.331224			
						MENSEKI	13.3312			
						TSUBO MENSEKI	4.0327			

2-6

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		319-11-18						-270.7686	509.2629	1 27
1	90- 3-17	49-14-35	6.1164	3.9931	4.6331	4.6331	18.5004	-266.7755	513.8960	2 25
2	89-57-12	319-11-47	13.6189	10.3089	-8.8995	0.3667	3.7803	-256.4666	504.9965	3 23
3	90- 2-34	229-14-21	6.1184	-3.9947	-4.6343	-13.1671	52.5986	-260.4613	500.3622	4 22
4	89-56-57	139-11-18	13.6185	-10.3073	8.9007	-8.9007	91.7422	-270.7686	509.2629	5 27
360- 0- 0			39.4722			SASHIHIKI	166.621505			
						1/2	83.310752			
						MENSEKI	83.3108			
						TSUBO MENSEKI	25.2015			

2-7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		319-11- 1						-260.4613	500.3622	1 32
1	90- 3-20	49-14-21	6.1184	3.9947	4.6343	4.6343	18.5126	-256.4666	504.9965	2 33
2	89-57- 5	319-11-26	0.6599	0.4995	-0.4313	8.8373	4.4142	-255.9671	504.5652	3 24
3	86-50-56	226- 2-22	6.1277	-4.2536	-4.4108	3.9952	-16.9940	-260.2207	500.1544	4 26
4	93- 8-39	139-11- 1	0.3179	-0.2406	0.2078	-0.2078	0.0500	-260.4613	500.3622	5 32
360- 0- 0			13.2239			SASHIHIKI	5.982884			
						1/2	2.991442			
						MENSEKI	2.9914			
						TSUBO MENSEKI	0.9049			

2-8

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		288- 0-35						-273.7837	505.7645	1 3
1	121-14- 2	49-14-37	4.6184	3.0151	3.4984	3.4984	10.5480	-270.7686	509.2629	2 27
2	89-56-41	319-11-18	13.6185	10.3073	-8.9007	-1.9039	-19.6241	-260.4613	500.3622	3 32
3	90- 4- 1	229-15-19	4.7172	-3.0789	-3.5739	-14.3785	44.2700	-263.5402	496.7883	4 1
4	100-52-40	150- 7-59	10.3862	-9.0068	5.1722	-12.7802	115.1087	-272.5470	501.9605	5 2
5	137-52-36	108- 0-35	4.0000	-1.2367	3.8040	-3.8040	4.7044	-273.7837	505.7645	6 3
540- 0- 0			37.3403			SASHIHIKI	155.007033			
						1/2	77.503517			
						MENSEKI	77.5035			
						TSUBO MENSEKI	23.4448			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

2-9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		4-12-15						-263.5402	496.7883	1 /
1	45-3-4	49-15-19	4.7172	3.0789	3.5739	3.5739	11.0037	-260.4613	500.3622	2 32
2	89-55-42	319-11-1	0.3179	0.2406	0.2078	6.9400	1.6698	-260.2207	500.1544	3 36
3	86-51-19	226-2-20	4.6683	-3.2406	-3.3603	3.3719	-10.9270	-263.4613	496.7941	4 31
4	138-9-55	184-12-15	0.0791	-0.0789	-0.0058	0.0058	-0.0005	-263.5402	496.7883	5 /
	360-0-0		9.7825			SASHIHIKI	1.746008			
						1/2	0.873004			
						MENSEKI	0.8730			
						TSUBO MENSEKI	0.2641			

2-10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		48-5-53						-247.6021	495.4369	1 28
1	87-56-26	136-2-19	10.3579	-7.4557	7.1902	7.1902	-53.6080	-255.0578	502.6271	2 29
2	270-0-2	226-2-21	10.3746	-7.2017	-7.4678	6.9126	-49.7825	-262.2595	495.1593	3 30
3	82-8-5	128-10-26	2.0722	-1.2807	1.6290	1.0738	-1.3752	-263.5402	496.7883	4 /
4	56-1-49	4-12-15	0.0791	0.0789	0.0058	2.7086	0.2137	-263.4613	496.7941	5 31
5	221-50-6	46-2-21	16.2364	11.2708	11.6872	14.4016	162.3176	-252.1905	508.4813	6 19
6	89-59-56	316-2-17	12.1347	8.7346	-8.4237	17.6651	154.2976	-243.4559	500.0576	7 18
7	92-3-36	228-5-53	6.2082	-4.1462	-4.6207	4.6207	-19.1583	-247.6021	495.4369	8 28
	900-0-0		57.4631			SASHIHIKI	192.904837			
						1/2	96.452418			
						MENSEKI	96.4524			
						TSUBO MENSEKI	29.1769			

2-11

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		45-14-19						-250.6564	492.2550	1 12
1	122-22-50	167-37-9	5.7110	-5.5782	1.2245	1.2245	-6.8305	-256.2346	493.4795	2 13
2	180-49-36	168-26-45	5.7210	-5.6051	1.1459	3.5949	-20.1498	-261.8397	494.6254	3 14
3	139-43-54	128-10-39	0.6792	-0.4198	0.5339	5.2747	-2.2143	-262.2595	495.1593	4 30
4	97-51-42	46-2-21	10.3746	7.2017	7.4678	13.2764	95.6126	-255.0578	502.6271	5 29
5	89-59-58	316-2-19	10.3579	7.4557	-7.1902	13.5540	101.0546	-247.6021	495.4369	6 28
6	92-3-31	228-5-50	1.4409	-0.9623	-1.0724	5.2914	-5.0919	-248.5644	494.3645	7 11
7	177-8-29	225-14-19	2.9709	-2.0920	-2.1095	2.1095	-4.4131	-250.6564	492.2550	8 12
	900-0-0		37.2555			SASHIHIKI	157.967621			
						1/2	78.983810			
						MENSEKI	78.9838			
						TSUBO MENSEKI	23.8926			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-13

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		48- 5-53						-243.4559	500.0576	1 ⁸ / ₈
1	87-56-24	136- 2-17	12.1347	-8.7346	8.4237	8.4237	-73.5777	-252.1905	508.4813	2 ⁹ / ₉
2	90- 0- 5	46- 2-22	13.3356	9.2571	9.5992	26.4466	244.8188	-242.9334	518.0805	3 ⁶ / ₆
3	97-38-46	323-41- 8	0.4973	0.4007	-0.2945	35.7513	14.3255	-242.5327	517.7860	4 ³⁶ / ₃₆
4	178-54- 2	322-35-10	1.5169	1.2048	-0.9216	34.5352	41.6080	-241.3279	516.8644	5 ⁷ / ₇
5	83-27-18	226- 2-28	7.3864	-5.1272	-5.3170	28.2966	-145.0823	-246.4551	511.5474	6 ¹⁷ / ₁₇
6	270- 0-13	316- 2-41	9.9122	7.1356	-6.8800	16.0996	114.8803	-239.3195	504.6674	7 ¹⁶ / ₁₆
7	92- 3-12	228- 5-53	6.1935	-4.1364	-4.6098	4.6098	-19.0680	-243.4559	500.0576	8 ¹⁸ / ₁₈
900- 0- 0			50.9766	SASHIHIKI			177.904727			
				1/2			88.952364			
				MENSEKI			88.9524			
				TSUBO MENSEKI			26.9081			

2-14

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		48- 5-47						-239.3195	504.6674	1 ¹⁶ / ₁₆
1	87-56-54	136- 2-41	9.9122	-7.1356	6.8800	6.8800	-49.0929	-246.4551	511.5474	2 ¹⁷ / ₁₇
2	89-59-47	46- 2-28	7.3864	5.1272	5.3170	19.0770	97.8116	-241.3279	516.8644	3 ⁷ / ₇
3	96-32-36	322-35- 4	8.4838	6.7383	-5.1547	19.2393	129.6402	-234.5896	511.7097	4 ⁸ / ₈
4	95- 4-32	237-39-36	7.1209	-3.8093	-6.0164	8.0682	-30.7342	-238.3989	505.6933	5 ⁹ / ₉
5	170-26-11	228- 5-47	1.3784	-0.9206	-1.0259	1.0259	-0.9444	-239.3195	504.6674	6 ¹⁶ / ₁₆
540- 0- 0			34.2817	SASHIHIKI			146.680204			
				1/2			73.340102			
				MENSEKI			73.3401			
				TSUBO MENSEKI			22.1854			