

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

27街区(有効面積)

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 8	179 46 54	55.2271	340 35 1	52.0862	-18.3591	-1890.6003	3150.3882	-18.3591	-956.2557
27B - 6	85 50 31	39.1313	246 25 32	-15.6502	-35.8654	-1906.2505	3114.5228	-72.5836	1135.9478
27B - 5	176 6 46	2.8723	242 32 18	-1.3246	-2.5487	-1907.5751	3111.9741	-110.9977	147.0275
27B - 2	178 14 18	28.2455	240 46 36	-13.7899	-24.6505	-1921.3650	3087.3236	-138.1969	1905.7214
27B - 1	127 57 28	4.5300	188 44 4	-4.4775	-.6879	-1925.8425	3086.6357	-163.5353	732.2293
27B - 20	144 18 31	49.3877	153 2 35	-44.0216	22.3886	-1969.8641	3109.0243	-141.8346	6243.7860
27B - 19	181 51 47	22.1726	154 54 22	-20.0798	9.4035	-1989.9439	3118.4278	-110.0425	2209.6314
27B - 16	101 27 38	63.3595	76 22 00	14.9344	61.5743	-1975.0095	3180.0021	-39.0647	-583.4078
27B - 15	84 26 7	34.2264	340 48 7	32.3230	-11.2548	-1942.6865	3168.7473	11.2548	363.7889
	1260 00 00	299.1524		-.0001	-.0001				

2A: 11198.4688 A: 5599.2344 1693.7684 t

ACCURACY 2115326

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

(5 - 1) 10 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	
27B - 15	84 26 7	34.2264	340 48 7	32.3230	-11.2548	-1942.6865	3168.7473	-11.2548	-363.7889	
27B - 48	84 27 00	3.9861	245 15 7	-1.6687	-3.6200	-1944.3552	3165.1273	-26.1296	43.6025	
27B - 49	126 25 49	13.3812	191 40 56	-13.1040	-2.7095	-1957.4592	3162.4178	-32.4591	425.3440	
27B - 51	169 47 12	11.3723	181 28 8	-11.3686	-.2915	-1968.8278	3162.1263	-35.4601	403.1317	
27B - 17	167 24 47	10.2308	168 52 55	-10.0388	1.9728	-1978.8666	3164.0991	-33.7788	339.0986	
27B - 16	87 29 5	16.3641	76 22 00	3.8571	15.9030	-1975.0095	3180.0021	-15.9030	-61.3395	
	720 00 00	89.5609		.0000	.0000					
						2A:	786.0484	A:	393.0242	118.8898 t

ACCURACY **

(5 - 3) 11 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	
27B - 53	78 23 50	30.5824	334 45 50	27.6636	-13.0388	-1954.5546	3137.2418	-13.0388	-360.7001	
27B - 54	86 39 42	9.5739	241 25 32	-4.5792	-8.4078	-1959.1338	3128.8340	-34.4854	157.9155	
27B - 55	176 59 46	8.7008	238 25 18	-4.5563	-7.4124	-1963.6901	3121.4216	-50.3056	229.2074	
27B - 20	185 6 16	13.8496	243 31 34	-6.1740	-12.3973	-1969.8641	3109.0243	-70.1153	432.8919	
27B - 19	91 22 48	22.1726	154 54 22	-20.0798	9.4035	-1989.9439	3118.4278	-73.1091	1468.0161	
27B - 18	101 27 38	32.7763	76 22 00	7.7257	31.8528	-1982.2182	3150.2806	-31.8528	-246.0852	
	720 00 00	117.6556		-.0001	.0000					
						2A:	1681.2456	A:	840.6228	254.2883 t

ACCURACY 1176556

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

(5 - 4) 8 - 3 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 62	178 14 20	8.6789	244 36 24	-3.7218	-7.8404	-1956.1721	3102.0607	-7.8404	29.1804
27B - 20	88 26 9	15.3611	153 2 33	-13.6920	6.9636	-1969.8641	3109.0243	-8.7172	119.3559
27B - 55	90 29 1	13.8496	63 31 34	6.1740	12.3973	-1963.6901	3121.4216	10.6437	65.7142
27B - 54	174 53 44	8.7008	58 25 18	4.5563	7.4124	-1959.1338	3128.8340	30.4534	138.7548
27B - 64	94 37 26	13.7356	333 2 44	12.2435	-6.2261	-1946.8903	3122.6079	31.6397	387.3807
27B - 63	93 19 20	13.8700	246 22 4	-5.5600	-12.7068	-1952.4503	3109.9011	12.7068	-70.6498
	720 00 00	74.1960		.0000	.0000				
				2A:	669.7362	A:	334.8681	101.2976 t	

ACCURACY * *

(5 - 2) 9 - 1 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 42	228 42 17	19.5158	334 40 39	17.6406	-8.3472	-1941.2456	3147.6218	-8.3472	-147.2496
27B - 40	89 46 43	15.1247	244 27 22	-6.5218	-13.6463	-1947.7674	3133.9755	-30.3407	197.8760
27B - 53	89 50 42	7.5322	154 18 4	-6.7872	3.2663	-1954.5546	3137.2418	-40.7207	276.3795
27B - 18	180 27 46	30.5824	154 45 50	-27.6636	13.0388	-1982.2182	3150.2806	-24.4156	675.4234
27B - 17	101 36 9	14.2191	76 21 59	3.3516	13.8185	-1978.8666	3164.0991	2.4417	8.1836
27B - 51	92 30 56	10.2308	348 52 55	10.0388	-1.9728	-1968.8278	3162.1263	14.2874	143.4283
27B - 50	192 35 13	8.1223	1 28 8	8.1196	.2082	-1960.7082	3162.3345	12.5228	101.6801
27B - 52	104 30 14	6.6211	285 58 22	1.8220	-6.3655	-1958.8862	3155.9690	6.3655	11.5979
	1080 00 00	111.9484		.0001	.0000				
				2A:	1267.3192	A:	633.6596	191.6820 t	

ACCURACY 1119484

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

8-1 号地 (5-5)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67- 7-56						-1938.3655	3093.0046	1 (23)
1	85-54-44	153- 2-40	2.0011	-1.7837	0.9071	0.9071	-1.6180	-1940.1492	3093.9117	2 (22)
2	94- 8-16	67-10-56	12.4231	4.8177	11.4509	13.2651	63.9073	-1935.3315	3105.3626	3 (37)
3	268-44-36	155-55-32	16.8000	-15.3387	6.8531	31.5691	-484.2290	-1950.6702	3112.2157	4 (56)
4	269-44-51	245-40-23	11.5579	-4.7612	-10.5317	27.8905	-132.7922	-1955.4314	3101.6840	5 (21)
5	87-22-13	153- 2-36	0.8310	-0.7407	0.3767	17.7355	-13.1367	-1956.1721	3102.0607	6 (62)
6	91-33-48	64-36-24	8.6789	3.7218	7.8404	25.9526	96.5904	-1952.4503	3109.9011	7 (63)
7	181-45-40	66-22- 4	13.8700	5.5600	12.7068	46.4998	258.5389	-1946.8903	3122.6079	8 (64)
8	266-40-40	153- 2-44	13.7356	-12.2435	6.2261	65.4327	-801.1253	-1959.1338	3128.8340	9 (54)
9	88-22-48	61-25-32	9.5739	4.5792	8.4078	80.0666	366.6410	-1954.5546	3137.2418	10 (53)
10	92-52-32	334-18- 4	7.5323	6.7872	-3.2663	85.2081	578.3244	-1947.7674	3133.9755	11 (40)
11	270- 9-18	64-27-22	3.5380	1.5256	3.1922	85.1340	129.8804	-1946.2418	3137.1677	12 (41)
12	91-27-10	335-54-32	8.1107	7.4042	-3.3107	85.0155	629.4718	-1938.8376	3133.8570	13 (39)
13	179-19-45	335-14-17	17.1172	15.5434	-7.1695	74.5353	1158.5320	-1923.2942	3126.6875	14 (32)
14	89-40-51	244-55- 8	1.5456	-0.6552	-1.3999	65.9659	-43.2209	-1923.9494	3125.2876	15 (31)
15	91-29-18	156-24-26	0.6451	-0.5912	0.2582	64.8242	-38.3241	-1924.5406	3125.5458	16 (30)
16	269-37- 2	246- 1-28	14.0861	-5.7238	-12.8707	52.2117	-298.8493	-1930.2644	3112.6751	17 (29)
17	183-46- 6	249-47-34	3.8701	-1.3368	-3.6319	35.7091	-47.7359	-1931.6012	3109.0432	18 (28)
18	177-20-22	247- 7-56	17.4067	-6.7643	-16.0386	16.0386	-108.4899	-1938.3655	3093.0046	19 (23)

2880- 0- 0

163.3233

SASHIHIKI 1312.364891
1/2 656.182446
MENSEKI 656.1824
TSUBO MENSEKI 198.4952

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36

ACCURACY 863473

(5 - 6) 8 - 2 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 22	91 15 24	12.4231	247 10 56	-4.8177	-11.4509	-1940.1492	3093.9117	-11.4509	55.1670
27B - 21	85 51 38	17.1451	153 2 34	-15.2822	7.7723	-1955.4314	3101.6840	-15.1295	231.2120
27B - 56	92 37 49	11.5579	65 40 23	4.7612	10.5317	-1950.6702	3112.2157	3.1745	15.1144
27B - 57	90 15 9	16.8000	335 55 32	15.3387	-6.8531	-1935.3315	3105.3626	6.8531	105.1176
	360 00 00	57.9261		.0000	.0000				

2A: 406.6110 A: 203.3055 61.4999 t

ACCURACY **

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

(5 - 8)

4-1 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 4	90 55 25	12.0810	332 10 45	10.6846	-5.6383	-1914.2710	3100.0046	-5.6383	-60.2430
27B - 3	88 35 50	5.9641	240 46 35	-2.9118	-5.2050	-1917.1828	3094.7996	-16.4816	47.9911
27B - 25	91 53 14	12.0332	152 39 49	-10.6894	5.5258	-1927.8722	3100.3254	-16.1608	172.7492
27B - 26	88 35 31	6.0648	61 15 20	2.9166	5.3175	-1924.9556	3105.6429	-5.3175	-15.5090
	360 00 00	36.1431		.0000	-.0001				

2A: 144.9883 A: 72.4941 21.9294 t

ACCURACY 361431

(5 - 7)

4-2 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 3	91 24 51	12.0332	332 39 49	10.6894	-5.5258	-1917.1828	3094.7996	-5.5258	-59.0675
27B - 2	88 6 47	8.5663	240 46 36	-4.1822	-7.4760	-1921.3650	3087.3236	-18.5276	77.4861
27B - 1	127 57 28	4.5300	188 44 4	-4.4775	-.6879	-1925.8425	3086.6357	-26.6915	119.5112
27B - 23	144 18 31	14.0495	153 2 35	-12.5230	6.3689	-1938.3655	3093.0046	-21.0105	263.1145
27B - 27	94 5 21	10.9111	67 7 56	4.2401	10.0535	-1934.1254	3103.0581	-4.5881	-19.4540
27B - 24	85 15 45	6.7981	332 23 41	6.0242	-3.1501	-1928.1012	3099.9080	2.3153	13.9478
27B - 25	268 51 17	.4761	61 14 58	.2290	.4174	-1927.8722	3100.3254	-.4174	-.0956
	900 00 00	57.3643		.0000	.0000				

2A: 395.4425 A: 197.7212 59.8106 t

ACCURACY * *

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）です。あくまで参考資料として
取り扱ってください。

1号地 (5-10)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		160-35-1						-1890.6003	3150.3882	1(8)
1	85-50-31	246-25-32	36.3511	-14.5383	-33.3173	-33.3173	484.3769	-1905.1386	3117.0709	2
2	89-58-42	156-24-14	20.5271	-18.8108	8.2167	-58.4179	-1098.8874	-1923.9494	3125.2876	3
3	88-30-42	64-54-56	14.6072	6.1928	13.2295	-36.9717	-228.9583	-1917.7566	3138.5171	4(33)
4	181-3-42	65-58-38	20.2891	8.2597	18.5317	-5.2105	-43.0372	-1909.4969	3157.0488	5(9)
5	94-36-23	340-35-1	20.0361	18.8966	-6.6606	6.6606	125.8627	-1890.6003	3150.3882	6(8)

540-0-0

111.8106

SASHIHIKI

1437.131519

1/2

718.565760

MENSEKI

718.5658

TSUBO MENSEKI

217.3661

2号地 (5-9)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		156-24-15						-1905.1386	3117.0709	1
1	90-1-16	246-25-31	2.7801	-1.1119	-2.5481	-2.5481	2.8332	-1906.2505	3114.5228	2(6)
2	176-6-47	242-32-18	2.8724	-1.3246	-2.5487	-7.6449	10.1264	-1907.5751	3111.9741	3(5)
3	178-14-18	240-46-36	13.7151	-6.6959	-11.9695	-22.1631	148.4019	-1914.2710	3100.0046	4(4)
4	91-24-9	152-10-45	12.0810	-10.6846	5.6383	-28.4943	304.4502	-1924.9556	3105.6429	5(26)
5	269-4-34	241-15-19	6.5409	-3.1456	-5.7349	-28.5909	89.9355	-1928.1012	3099.9080	6(24)
6	91-8-22	152-23-41	6.7981	-6.0242	3.1501	-31.1757	187.8087	-1934.1254	3103.0581	7(27)
7	94-44-16	67-7-57	6.4956	2.5242	5.9851	-22.0405	-55.6346	-1931.6012	3109.0432	8(28)
8	182-39-37	69-47-34	3.8701	1.3368	3.6319	-12.4235	-16.6077	-1930.2644	3112.6751	9(29)
9	176-13-54	66-1-28	14.0861	5.7238	12.8707	4.0791	23.3480	-1924.5406	3125.5458	10(30)
10	90-22-47	336-24-15	21.1722	19.4020	-8.4749	8.4749	164.4300	-1905.1386	3117.0709	11

1440-0-0

90.4116

SASHIHIKI

859.091550

1/2

429.545775

MENSEKI

429.5458

TSUBO MENSEKI

129.9376

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

(5 - 11) 5-1 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 9	94 10 9	12.0285	340 35 2	11.3444	-3.9986	-1909.4969	3157.0488	-3.9986	-45.3617
27B - 34	85 23 36	18.1440	245 58 38	-7.3864	-16.5724	-1916.8833	3140.4764	-24.5696	181.4809
27B - 35	90 6 48	11.8583	156 5 26	-10.8407	4.8061	-1927.7240	3145.2825	-36.3359	393.9066
27B - 10	90 19 27	17.2018	66 24 53	6.8827	15.7649	-1920.8413	3161.0474	-15.7649	-108.5051
	360 00 00	59.2326		.0000	-.0001				

2A: 421.5207 A: 210.7603 63.7550 t

ACCURACY 592326

(5 - 14) 6-1 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 12	105 26 28	5.1413	340 35 2	4.8489	-1.7091	-1923.6716	3162.0450	-1.7091	-8.2872
27B - 47	85 52 30	10.9450	246 27 32	-4.3715	-10.0341	-1928.0431	3152.0109	-13.4523	58.8067
27B - 46	166 32 44	4.5981	233 00 16	-2.7669	-3.6724	-1930.8100	3148.3385	-27.1588	75.1457
27B - 45	152 41 45	3.2862	205 42 1	-2.9611	-1.4251	-1933.7711	3146.9134	-32.2563	95.5141
27B - 44	108 43 15	5.4110	134 25 16	-3.7873	3.8646	-1937.5584	3150.7780	-29.8168	112.9252
27B - 13	100 43 18	15.8134	55 8 34	9.0379	12.9761	-1928.5205	3163.7541	-12.9761	-117.2767
	720 00 00	45.1950		.0000	.0000				

2A: 216.8278 A: 108.4139 32.7952 t

ACCURACY **

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

7-1 号地 (5 - 12)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		64-54-54						-1923.2942	3126.6875	1(32)
1	90-19-23	155-14-17	17.1172	-15.5434	7.1695	7.1695	-111.4384	-1938.8376	3133.8570	2(39)
2	90-7-38	65-21-55	13.5638	5.6538	12.3293	26.6683	150.7772	-1933.1838	3146.1863	3(38)
3	133-50-2	19-11-57	3.3483	3.1621	1.1011	40.0987	126.7961	-1930.0217	3147.2874	4(37)
4	213-48-46	53-0-43	5.1392	3.0920	4.1050	45.3048	140.0824	-1926.9297	3151.3924	5(36)
5	192-16-33	65-17-16	11.1776	4.6729	10.1539	59.5637	278.3352	-1922.2568	3161.5463	6(11)
6	95-17-49	340-35-5	1.5008	1.4155	-0.4989	69.2187	97.9791	-1920.8413	3161.0474	7(10)
7	85-49-48	246-24-53	17.2018	-6.8827	-15.7649	52.9549	-364.4727	-1927.7240	3145.2825	8(35)
8	269-40-33	336-5-26	11.8583	10.8407	-4.8061	32.3839	351.0641	-1916.8833	3140.4764	9(34)
9	89-53-9	245-58-35	2.1451	-0.8733	-1.9593	25.6185	-22.3726	-1917.7566	3138.5171	10(33)
10	178-56-19	244-54-54	13.0616	-5.5376	-11.8296	11.8296	-65.5076	-1923.2942	3126.6875	11(32)
1440-0-0			96.1137			SASHIHIKI	581.242878			
						1/2	290.621439			
						MENSEKI	290.6214			
						TSUBO MENSEKI	87.9130			

7-2 号地 (5 - 13)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		65-21-55						-1938.8376	3133.8570	1(39)
1	90-32-37	155-54-32	8.1107	-7.4042	3.3107	3.3107	-24.5131	-1946.2418	3137.1677	2(41)
2	88-32-50	64-27-22	11.5866	4.9962	10.4541	17.0755	85.3126	-1941.2456	3147.6218	3(42)
3	181-49-57	66-17-19	5.2180	2.0983	4.7775	32.3071	67.7900	-1939.1473	3152.3993	4(43)
4	68-7-58	314-25-17	7.6811	5.3762	-5.4859	31.5987	169.8809	-1933.7711	3146.9134	5(45)
5	251-16-44	25-42-1	3.2862	2.9611	1.4251	27.5379	81.5425	-1930.8100	3148.3385	6(46)
6	207-18-15	53-0-16	4.5981	2.7669	3.6724	32.6354	90.2989	-1928.0431	3152.0109	7(47)
7	193-27-16	66-27-32	10.9450	4.3715	10.0341	46.3419	202.5836	-1923.6716	3162.0450	8(12)
8	94-7-27	340-34-59	1.5001	1.4148	-0.4987	55.8773	79.0552	-1922.2568	3161.5463	9(11)
9	84-42-17	245-17-16	11.1776	-4.6729	-10.1539	45.2247	-211.3305	-1926.9297	3151.3924	10(36)
10	167-43-27	233-0-43	5.1392	-3.0920	-4.1050	30.9658	-95.7463	-1930.0217	3147.2874	11(37)
11	146-11-14	199-11-57	3.3483	-3.1621	-1.1011	25.7597	-81.4547	-1933.1838	3146.1863	12(38)
12	226-9-58	245-21-55	13.5638	-5.6538	-12.3293	12.3293	-69.7074	-1938.8376	3133.8570	13(39)
1800-0-0			86.1547			SASHIHIKI	293.711733			
						1/2	146.855866			
						MENSEKI	146.8559			
						TSUBO MENSEKI	44.4239			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

(5 - 15) 6 - 2 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 13	105 36 21	2.2700	340 35 3	2.1409	-.7546	-1928.5205	3163.7541	-.7546	-1.6155
27B - 44	74 33 31	15.8134	235 8 34	-9.0379	-12.9761	-1937.5584	3150.7780	-14.4853	130.9167
27B - 43	79 16 44	2.2701	134 25 18	-1.5889	1.6213	-1939.1473	3152.3993	-25.8401	41.0573
27B - 14	100 33 24	14.7867	54 58 42	8.4859	12.1094	-1930.6614	3164.5087	-12.1094	-102.7591
	360 00 00	35.1402		.0000	-.0001				

2A: 67.5994 A: 33.7997 10.2244 t

ACCURACY 351402

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

(5 - 16) 9 - 2 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 14	95 30 56	10.7402	340 35 1	10.1294	-3.5704	-1930.6614	3164.5087	-3.5704	-36.1660
27B - 43	74 23 41	14.7867	234 58 42	-8.4859	-12.1094	-1939.1473	3152.3993	-19.2502	163.3553
27B - 42	191 18 37	5.2180	246 17 19	-2.0983	-4.7775	-1941.2456	3147.6218	-36.1371	75.8265
27B - 58	88 23 19	13.1558	154 40 38	-11.8917	5.6270	-1953.1373	3153.2488	-35.2876	419.6295
27B - 59	91 48 56	9.6085	66 29 34	3.8325	8.8111	-1949.3048	3162.0599	-20.8495	-79.9057
27B - 60	125 8 11	6.4531	11 37 45	6.3206	1.3008	-1942.9842	3163.3607	-10.7376	-67.8681
27B - 61	233 26 20	5.2033	65 4 5	2.1934	4.7184	-1940.7908	3168.0791	-4.7184	-10.3493
	900 00 00	65.1656		.0000	.0001				

2A: 464.5222 A: 232.2611 70.2589 t

ACCURACY 651656

(5 - 17) 9 - 3 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
27B - 61	95 19 53	2.0100	340 35 00	1.8957	-.6682	-1940.7908	3168.0791	-.6682	-1.2667
27B - 60	84 29 5	5.2033	245 4 5	-2.1934	-4.7184	-1942.9842	3163.3607	-6.0548	13.2806
27B - 59	126 33 40	6.4531	191 37 45	-6.3206	-1.3008	-1949.3048	3162.0599	-12.0740	76.3149
27B - 58	234 51 49	9.6085	246 29 34	-3.8325	-8.8111	-1953.1373	3153.2488	-22.1859	85.0275
27B - 52	88 11 7	6.3600	154 40 41	-5.7489	2.7202	-1958.8862	3155.9690	-28.2768	162.5605
27B - 50	131 17 41	6.6211	105 58 22	-1.8220	6.3655	-1960.7082	3162.3345	-19.1911	34.9662
27B - 49	75 29 45	3.2501	1 28 7	3.2490	.0833	-1957.4592	3162.4178	-12.7423	-41.3997
27B - 48	190 12 49	13.3812	11 40 56	13.1040	2.7095	-1944.3552	3165.1273	-9.9495	-130.3782
27B - 15	233 34 11	3.9861	65 15 7	1.6687	3.6200	-1942.6865	3168.7473	-3.6200	-6.0407
	1260 00 00	56.8734		.0000	.0000				

2A: 193.0644 A: 96.5322 29.2009 t

ACCURACY * *