

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

12街区計算 (隅切除<)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		24-10- 2						-8678.1801	5383.8538	1 //
1	136-50-55	161- 0-57	18.2750	-17.2810	5.9450	5.9450	-102.7355	-8695.4611	5389.7988	2 16
2	179-30-30	160-31-27	15.4613	-14.5766	5.1549	17.0449	-248.4567	-8710.0377	5394.9537	3 /
3	136-33- 4	117- 4-31	5.0112	-2.2809	4.4620	26.6618	-60.8129	-8712.3186	5399.4157	4 Z
4	133-55-33	71- 0- 4	20.3229	6.6161	19.2158	50.3396	333.0518	-8705.7025	5418.6315	5 3
5	180-10-42	71-10-46	43.2096	13.9397	40.8993	110.4547	1539.7054	-8691.7628	5459.5308	6 4'
6	136-47-22	27-58- 8	4.9747	4.3937	2.3331	153.6871	675.2550	-8687.3691	5461.8639	7 5'
7	136- 6-51	344- 4-59	40.1735	38.6332	-11.0174	145.0028	5601.9222	-8648.7359	5450.8465	8 56
8	127- 2- 6	291- 7- 5	4.0045	1.4428	-3.7356	130.2498	187.9244	-8647.2931	5447.1109	9 57
9	134-33-42	245-40-47	25.0633	-10.3220	-22.8391	103.6751	-1070.1344	-8657.6151	5424.2718	10 9
10	181-31-21	247-12- 8	41.6975	-16.1570	-38.4400	42.3960	-684.9922	-8673.7721	5385.8318	11 10
11	136-57-54	204-10- 2	4.8315	-4.4080	-1.9780	1.9780	-8.7190	-8678.1801	5383.8538	12 H

1620- 0- 0

223.0250

SASHIHIKI 6162.008093

1/2 3081.004046

MENSEKI 3081.0040

TSUBO MENSEKI 932.0037

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-1

34-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-19-55						-8681.4751	5442.4299	1 (59)
1	92-33-2	163-52-57	2.7168	-2.6100	0.7542	0.7542	-1.9685	-8684.0851	5443.1841	2 (60)
2	88-28-4	72-21-1	0.6369	0.1931	0.6069	2.1153	0.4085	-8683.8920	5443.7910	3 (35)
3	270-43-6	163-4-7	12.5346	-11.9913	3.6504	6.3726	-76.4158	-8695.8833	5447.4414	4 (36)
4	88-6-38	71-10-45	12.7723	4.1205	12.0894	22.1124	91.1141	-8691.7628	5459.5308	5 (41)
5	136-47-23	27-58-8	4.9747	4.3937	2.3331	36.5349	160.5234	-8687.3691	5461.8639	6 (5)
6	136-6-52	344-5-0	11.8181	11.3650	-3.2410	35.6270	404.9009	-8676.0041	5458.6229	7 (22)
7	87-14-55	251-19-55	17.0923	-5.4710	-16.1930	16.1930	-88.5919	-8681.4751	5442.4299	8 (59)
	900-0-0		62.5457			SASHIHIKI	489.970730			
						1/2	244.985365			
						MENSEKI	244.9854			
						TSUBO MENSEKI	74.1081			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

2-2

35-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-21-1						-8684.0851	5443.1841	1 (60)
1	91-31-56	163-52-57	12.5548	-12.0613	3.4853	3.4853	-42.0372	-8696.1464	5446.6694	2 (61)
2	87-17-54	71-10-51	0.8156	0.2631	0.7720	7.7426	2.0371	-8695.8833	5447.4414	3 (36)
3	91-53-16	343-4-7	12.5346	11.9913	-3.6504	4.8642	58.3281	-8683.8920	5443.7910	4 (35)
4	89-16-54	252-21-1	0.6369	-0.1931	-0.6069	0.6069	-0.1172	-8684.0851	5443.1841	5 (60)
	360-0-0		26.5419			SASHIHIKI	18.210718			
						1/2	9.105359			
						MENSEKI	9.1054			
						TSUBO MENSEKI	2.7544			

2-3

34-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		71-19-51						-8684.9964	5432.0082	1 (27)
1	91-51-46	163-11-37	0.8667	-0.8297	0.2506	0.2506	-0.2079	-8685.8261	5432.2588	2 (20)
2	91-29-0	74-40-37	0.3553	0.0939	0.3427	0.8439	0.0792	-8685.7322	5432.6015	3 (28)
3	268-21-21	163-1-58	1.6397	-1.5683	0.4785	1.6651	-2.6114	-8687.3005	5433.0800	4 (34)
4	89-18-53	72-20-51	10.6034	3.2154	10.1041	12.2477	39.3813	-8684.0851	5443.1841	5 (60)
5	91-32-6	343-52-57	2.7168	2.6100	-0.7542	21.5976	56.3697	-8681.4751	5442.4299	6 (59)
6	87-26-54	251-19-51	11.0005	-3.5213	-10.4217	10.4217	-36.6979	-8684.9964	5432.0082	7 (27)
	720-0-0		27.1824			SASHIHIKI	56.313001			
						1/2	28.156501			
						MENSEKI	28.1565			
						TSUBO MENSEKI	8.5173			

2-4

35-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-20-51						-8687.3005	5433.0800	1 (34)
1	90-41-4	163-1-55	12.7636	-12.2080	3.7249	3.7249	-45.4736	-8699.5085	5436.8049	2 (61)
2	88-8-51	71-10-46	10.4217	3.3621	9.8645	17.3143	58.2124	-8696.1464	5446.6694	3 (61)
3	92-42-11	343-52-57	12.5548	12.0613	-3.4853	23.6935	285.7744	-8684.0851	5443.1841	4 (60)
4	88-27-54	252-20-51	10.6034	-3.2154	-10.1041	10.1041	-32.4887	-8687.3005	5433.0800	5 (34)
	360-0-0		46.3435			SASHIHIKI	266.024517			
						1/2	133.012259			
						MENSEKI	133.0123			
						TSUBO MENSEKI	40.2362			

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

(參, 參)

36 *P. 11*

	ST	AN	D	AZ	dx	dy	DX	DY	X	Y	DMD	2A
(	1	(12-26)	268 18 32	.4300	342 59 22	.4112	-.1258	.4112	-.1258-148687.2119	75425.5730	-.1258	-.0517
	2	(12-26)	90 8 23	12.0800	253 7 45	-3.5058	-11.5601	-3.5058	-11.5601-148690.7177	75414.0129	-11.8117	41.4094
(	3	(12-24)	89 59 47	11.2397	163 7 32	-10.7557	3.2626	-10.7558	3.2626-148701.4735	75417.2755	-20.1092	216.2905
(	4	(12-2)	179 5 47	4.4411	162 13 19	-4.2290	1.3560	-4.2290	1.3560-148705.7025	75418.6315	-15.4906	65.5097
-	5	(12-23)	88 57 27	19.1999	71 10 46	6.1940	18.1733	6.1940	18.1734-148699.5085	75436.8049	4.0388	25.0163
(	6	(12-28)	91 51 10	14.4033	343 1 56	13.7763	-4.2034	13.7763	-4.2034-148685.7322	75432.6015	18.0088	248.0946
(	7	(12-12)	91 38 54	7.1570	254 40 50	-1.8909	-6.9027	-1.8909	-6.9027-148687.6231	75425.6988	6.9027	-13.0523
			900 00 00	68.9510		.0001	-.0001					

2A: 583.2165 A: 291.6082 88.211 +

ACCURACY 487557

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

(10 / 参)

37

ST	AN	D	AZ	dx	dy	DX	DY	X	Y	DMD	2A
1 (12-24)	91 13 15	4.4411	342 13 19	4.2290	-1.3560	4.2290	-1.3560	-148701.4735	75417.2755	-1.3560	-5.7345
2 (12-25)	180 54 13	11.2397	343 7 32	10.7557	-3.2626	10.7558	-3.2626	-148690.7177	75414.0129	-5.9746	-64.2616
3 (12-22)	179 29 46	9.2199	342 37 18	8.7990	-2.7538	8.7991	-2.7538	-148681.9186	75411.2591	-11.9910	-105.5100
4 (12-21)	89 35 10	12.2088	252 12 28	-3.7306	-11.6249	-3.7306	-11.6249	-148685.6492	75399.6342	-26.3697	98.3748
5 (12-23)	90 7 41	25.1523	162 20 9	-23.9664	7.6321	-23.9664	7.6321	-148709.6156	75407.2663	-30.3625	727.6798
6 (12-3)	88 39 55	12.0200	71 00 4	3.9131	11.3652	3.9131	11.3652	-148705.7025	75418.6315	-11.3652	-44.4731
	720 00 00	74.2818		-0.0002	0.0000						

2A: 606.0754 A: 303.0377 91.668 t

ACCURACY 371409

取扱注意
この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

P. 14

INVERSING TRAVER

(四ノ式)

B PO-148710.0377 75394.9537

1-148712.3186 75399.4157

2-148709.6156 75407.2663

3-148682.9851 75398.7858

4-148687.2824 75386.9852

5-148695.4611 75389.7988

6-148710.0377 75394.9537

38番

ST	AN	D	AZ	dx	dy	DX	DY	X	Y	DMD	2A
1 (1/2-33)	133 55 33	8.3029	71 00 4	2.7030	7.8506	2.7030	7.8506	-148709.6156	75407.2663	7.8506	21.2201
2 (1/2-30)	91 20 5	27.9482	342 20 9	26.6305	-8.4805	26.6305	-8.4805	-148682.9851	75398.7858	7.2207	192.2908
3 (1/2-13)	87 39 17	12.5587	249 59 26	-4.2973	-11.8006	-4.2973	-11.8006	-148687.2824	75386.9852	-13.0604	56.1244
4 (1/2-16)	91 1 32	8.6491	161 00 58	-8.1787	2.8136	-8.1787	2.8136	-148695.4611	75389.7988	-22.0474	180.3190
5 (1/2-1)	179 30 29	15.4612	160 31 27	-14.5765	5.1549	-14.5766	5.1549	-148710.0377	75394.9537	-14.0789	205.2224
6 (1/2-2)	136 33 4	5.0112	117 4 31	-2.2809	4.4620	-2.2809	4.4620	-148712.3186	75399.4157	-4.4620	10.1773
	720 00 00	77.9313		.0001	.0000						

2A: 665.3540 A: 332.6770 100.634 t

ACCURACY 779313

取扱注意
この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

P.13

INVERSING TRAVER

(一回、巻)

B PO-148678.1801 75383.8538

1-148687.2824 75386.9852

2-148682.9851 75398.7858

3-148670.0576 75394.6690

4-148673.7721 75385.8318

5-148678.1801 75383.8538

39

ST	AN	D	AZ	dx	dy	DX	DY	X	Y	DMD	2A
1 (2-3d)	88 58 30	12.5587	69 59 26	4.2973	11.8006	4.2973	11.8006	-148682.9851	75398.7858	11.8006	50.7107
2 (2-4d)	92 20 43	13.5672	342 20 9	12.9275	-4.1168	12.9275	-4.1168	-148670.0576	75394.6690	19.4844	251.8845
3 (2-10)	84 51 57	9.5861	247 12 6	-3.7145	-8.8372	-3.7145	-8.8372	-148673.7721	75385.8318	6.5304	-24.2571
4 (2-11)	136 57 56	4.8314	204 10 2	-4.4079	-1.9780	-4.4080	-1.9780	-148678.1801	75383.8538	-4.2848	18.8873
5 (2-13)	136 50 54	9.6259	161 00 56	-9.1023	3.1314	-9.1023	3.1314	-148687.2824	75386.9852	-3.1314	28.5029

540 00 00 50.1693 .0001 .0000

2A: 325.7283 A: 162.8641 49.266 t

ACCURACY 501693

取扱注意
この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

(10 , 10)

P.16

40

ST	AN	D	AZ	dx	dy	DX	DY	X	Y	DMD	2A
1 (12-17)	90 24 50	17.4406	342 37 18	16.6445	-5.2091	16.6445	-5.2092	-148665.2741	75406.0499	-5.2092	-86.7045
2 (12-54)	84 34 51	12.3453	247 12 9	-4.7835	-11.3809	-4.7835	-11.3809	-148670.0576	75394.6690	-21.7993	104.2769
3 (12-31)	95 8 00	16.3631	162 20 9	-15.5916	4.9652	-15.5916	4.9652	-148685.6492	75399.6342	-28.2150	439.9169
4 (12-32)	89 52 19	12.2088	72 12 28	3.7306	11.6249	3.7306	11.6249	-148681.9186	75411.2591	-11.6249	-43.3678
	360 00 00	58.3578		.0000	.0001						

2A: 414.1215 A: 207.0607 62.635 t

ACCURACY 583578

倍横距面積計算書

地番: (旧) 3-1 (新) 41

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
18		247-12-08				-148665.2741	75406.0499	17		
17	95-25-10	162-37-18	26.6606	-25.4436	7.9630	-148690.7177	75414.0129	25	7.9630	-202.607387
25	90-30-27	73-07-45	12.0800	3.5058	11.5601	-148687.2119	75425.5730	26	27.4861	96.360769
26	89-51-55	342-59-40	15.3154	14.6458	-4.4792	-148672.5661	75421.0938	13	34.5670	506.261369
13	179-56-37	342-56-17	12.6147	12.0595	-3.7012	-148660.5066	75417.3926	18	26.3866	318.209203
18	84-15-51	247-12-08	12.3039	-4.7675	-11.3427	-148665.2741	75406.0499	17	11.3427	-54.076322
合計	540-00-00		78.9746	0.0000	0.0000			倍面積 面積 坪数		664.147632 332.073816 100.452329

この資料は、土地地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

P. 10

(三、二)

42.

ST	AN	D	AZ	dx	dy	DX	DY	X	Y	DMD	2A
1 (12-27)	174 50 17	10.1783	339 7 16	9.5099	-3.6275	9.5100	-3.6275	-148658.0201	75423.3083	-3.6275	-34.4975
2 (12-18)	88 4 51	6.4170	247 12 7	-2.4865	-5.9157	-2.4865	-5.9157	-148660.5066	75417.3926	-13.1707	32.7489
3 (12-13)	95 44 10	12.6147	162 56 17	-12.0595	3.7012	-12.0595	3.7012	-148672.5661	75421.0938	-15.3852	185.5378
4 (12-14)	89 59 54	6.9897	72 56 11	2.0510	6.6820	2.0510	6.6820	-148670.5151	75427.7758	-5.0020	-10.2591
5 (12-15)	91 20 48	3.1009	344 16 59	2.9850	-.8400	2.9850	-.8400	-148667.5301	75426.9358	.8400	2.5074
	540 00 00	39.3006		-.0001	.0000						
							2A:	176.0375	A:	88.0187	26.625 t
ACCURACY 393006											

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

12街区 (1-4)

43

ST	AN	D	AZ	dx	dy	DX	DY	X	Y	DMD	2A
1 (1-52)	91 7 50	11.9456	342 48 00	11.4114	-3.5324	11.4114	-3.5324	-148652.3647	75435.8891	-3.5324	-40.3096
2 (12-9)	82 52 46	12.7487	245 40 46	-5.2504	-11.6173	-5.2504	-11.6173	-148657.6151	75424.2718	-18.6821	98.0884
3 (12-29)	181 31 17	1.0451	247 12 3	-.4050	-.9634	-.4050	-.9635	-148658.0201	75423.3083	-31.2629	12.6614
4 (12-15)	91 55 13	10.1783	159 7 16	-9.5099	3.6275	-9.5100	3.6275	-148667.5301	75426.9358	-28.5989	271.9755
5 (12-54)	185 9 39	.3636	164 16 55	-.3500	.0985	-.3500	.0985	-148667.8801	75427.0343	-24.8729	8.7055
6 (12-5)	87 23 15	13.0493	71 40 10	4.1040	12.3871	4.1040	12.3872	-148663.7761	75439.4215	-12.3872	-50.8370
	720 00 00	49.3306		.0001	.0000						

2A: 300.2842 A: 150.1421 45.417 t

ACCURACY 493306

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-2

45

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		65-40-49						-8649.9111	5441.3180	1 45
1	96-25-5	162-5-54	7.3168	-6.9626	2.2491	2.2491	-15.6596	-8656.8737	5443.5671	2 46
2	89-41-21	71-47-15	9.2395	2.8877	8.7766	13.2748	38.3336	-8653.9860	5452.3437	3 43
3	92-17-44	344-4-59	5.4594	5.2501	-1.4972	20.5542	107.9116	-8648.7359	5450.8465	4 56
4	127-2-6	291-7-5	4.0045	1.4428	-3.7356	15.3214	22.1057	-8647.2931	5447.1109	5 57
5	134-33-44	245-40-49	6.3570	-2.6180	-5.7929	5.7929	-15.1658	-8649.9111	5441.3180	6 45
540-0-0			32.3772			SASHIHIKI	137.525565			
						1/2	68.762783			
						MENSEKI	68.7628			
						TSUBO MENSEKI	20.8007			

1-3

44

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		65-40-46						-8652.3647	5435.8891	1 52
1	97-7-14	162-48-0	11.9456	-11.4114	3.5324	3.5324	-40.3096	-8663.7761	5439.4215	2 51
2	88-52-17	71-40-17	1.5000	0.4717	1.4239	8.4887	4.0041	-8663.3044	5440.8454	3 50
3	89-59-58	341-40-15	3.5996	3.4170	-1.1320	8.7806	30.0033	-8659.8874	5439.7134	4 49
4	269-14-51	70-55-6	3.2253	1.0544	3.0481	10.6967	11.2786	-8658.8330	5442.7615	5 48
5	91-7-44	342-2-50	2.0212	1.9228	-0.6230	13.1218	25.2306	-8656.9102	5442.1385	6 47
6	270-0-39	72-3-29	1.3706	0.4222	1.3039	13.8027	5.8275	-8656.4880	5443.4424	7 46
7	90-2-28	342-5-57	6.9115	6.5769	-2.1244	12.9822	85.3826	-8649.9111	5441.3180	8 45
8	83-34-49	245-40-46	5.9576	-2.4536	-5.4289	5.4289	-13.3203	-8652.3647	5435.8891	9 52
1080-0-0			36.5314			■	108.096780			
						1/2	54.048390			
						■ EKI	54.0484			
						TSUBO MENSEKI	16.3496			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

195号地

46

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		72-56-0						-8670.7895	5426.8820	1(21)
1	84-36-29	157-32-29	6.6372	-6.1338	2.5355	2.5355	-15.5522	-8676.9233	5429.4175	2(37)
2	97-51-25	75-23-54	14.5055	3.6568	14.0370	19.1080	69.8741	-8673.2665	5443.4545	3(38)
3	271-15-29	166-39-23	3.1500	-3.0650	0.7270	33.8720	-103.8177	-8676.3315	5444.1815	4(39)
4	133-56-32	120-35-55	0.8074	-0.4110	0.6950	35.2940	-14.5058	-8676.7425	5444.8765	5(40)
5	151-32-37	92-8-32	0.8213	-0.0307	0.8207	36.8097	-1.1301	-8676.7732	5445.6972	6(41)
6	163-25-34	75-34-6	12.6452	3.1515	12.2462	49.8766	157.1861	-8673.6217	5457.9434	7(42)
7	88-30-53	344-4-59	20.4186	19.6357	-5.5997	56.5231	1109.8706	-8653.9860	5452.3437	8(43)
8	87-42-16	251-47-15	9.2395	-2.8877	-8.7766	42.1468	-121.7073	-8656.8737	5443.5671	9(44)
9	270-17-46	342-5-1	0.4054	0.3857	-0.1247	33.2455	12.8228	-8656.4880	5443.4424	10(45)
10	89-58-28	252-3-29	4.3706	-0.4222	-1.3039	31.8169	-13.4331	-8656.9102	5442.1385	11(46)
11	89-59-21	162-2-50	2.0212	-1.9228	0.6230	31.1360	-59.8683	-8658.8330	5442.7615	12(47)
12	268-52-16	250-55-6	3.2253	-1.0544	-3.0481	28.7109	-30.2728	-8659.8874	5439.7134	13(48)
13	90-45-9	161-40-15	3.5996	-3.4170	1.1320	26.7948	-91.5578	-8663.3044	5440.8454	14(49)
14	269-59-56	251-40-11	14.5493	-4.5757	-13.8111	14.1157	-64.5892	-8667.8801	5427.0343	15(50)
15	92-36-48	164-16-59	2.7373	-2.6350	0.7415	1.0461	-2.7565	-8670.5151	5427.7758	16(51)
16	268-39-1	252-56-0	0.9350	-0.2744	-0.8938	0.8938	-0.2453	-8670.7895	5426.8820	17(52)
2520-0-0			97.0684			SASHIHIKI	.830.317586			
						1/2	415.158793			
						MENSEKI	415.1588			
						TSUBO MENSEKI	125.5855			

1-6

48-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-23-52						-8676.9233	5429.4175	1(37)
1	82-8-50	157-32-42	1.4800	-1.3678	0.5653	0.5653	-0.7732	-8678.2911	5429.9828	2(38)
2	185-38-51	163-11-33	7.0045	-6.7053	2.0254	3.1560	-21.1619	-8684.9964	5432.0082	3(39)
3	88-8-18	71-19-51	11.0005	3.5213	10.4217	15.6031	54.9432	-8681.4751	5442.4299	4(40)
4	92-33-7	343-52-58	7.6880	7.3858	-2.1342	23.8906	176.4512	-8674.0893	5440.2957	5(41)
5	91-30-54	255-23-52	11.2413	-2.8340	-10.8782	10.8782	-30.8288	-8676.9233	5429.4175	6(42)
540-0-0			38.4143			SASHIHIKI	178.630427			
						1/2	89.315213			
						MENSEKI	89.3152			
						TSUBO MENSEKI	27.0179			

取扱注意
この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

P.12

(三ノ四)

47

ST	AN	D	AZ	dx	dy	DX	DY	X	Y	DMD	2A
1 (12-21)	174 20 58	8.1172	337 32 32	7.5016	-3.1008	7.5016	-3.1008	-148670.7895	75426.8820	-3.1008	-23.2609
2 (12-13)	95 23 41	6.0547	252 56 13	-1.7766	-5.7882	-1.7766	-5.7882	-148672.5661	75421.0938	-11.9898	21.3010
3 (12-12)	90 3 27	15.7454	162 59 40	-15.0569	4.6050	-15.0570	4.6050	-148687.6231	75425.6988	-13.1730	198.3458
4 (12-20)	91 41 10	6.8017	74 40 50	1.7970	6.5600	1.7970	6.5600	-148685.8261	75432.2588	-2.0080	-3.6083
5 (12-19)	88 30 44	7.8712	343 11 34	7.5350	-2.2760	7.5350	-2.2760	-148678.2911	75429.9828	2.2760	17.1496
	540 00 00	44.5902		.0001	.0000						

2A: 209.9272 A: 104.9636 31.751 t

ACCURACY 445902

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

48-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		75-24- 0						-8674.0893	5440.2957	1 (58)
1	88-28-58	163-52-58	7.6880	-7.3858	2.1342	2.1342	-15.7628	-8681.4751	5442.4299	2 (59)
2	87-26-57	71-19-55	17.0923	5.4710	16.1930	20.4614	111.9443	-8676.0041	5458.6229	3 (22)
3	92-44-56	344- 4-51	2.4774	2.3824	-0.6795	35.9749	85.7066	-8673.6217	5457.9434	4 (42)
4	91-29-15	255-34- 6	12.6452	-3.1515	-12.2462	23.0492	-72.6396	-8676.7732	5445.6972	5 (21)
5	196-34-26	272- 8-32	0.8213	0.0307	-0.8207	9.9823	0.3065	-8676.7425	5444.8765	6 (40)
6	208-27-23	300-35-55	0.8074	0.4110	-0.6950	8.4666	3.4798	-8676.3315	5444.1815	7 (59)
7	226- 3-28	346-39-23	3.1500	3.0650	-0.7270	7.0446	21.5917	-8673.2665	5443.4545	8 (38)
8	88-44-37	255-24- 0	3.2642	-0.8228	-3.1588	3.1588	-2.5991	-8674.0893	5440.2957	9 (58)
1080- 0- 0			47.9458			SASHIHIKI	132.027461			
						1/2	66.013730			
						MENSEKI	66.0137			
						TSUBO MENSEKI	19.9692			