

## 取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

## 28 街区 (隅切り省く)

ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
	67-17-55						-3448.8085	1722.1232	1 (8)
83-48-25	151- 6-20	42.9383	-37.5930	20.7476	20.7476	-779.9645	-3486.4015	1742.8708	2 (7)
136-45-56	107-52-16	4.4402	-1.3626	4.2260	45.7212	-62.2997	-3487.7641	1747.0968	3 (6)
137-49-34	65-41-50	69.6515	28.6658	63.4792	113.4264	3251.4585	-3459.0983	1810.5760	4 (4)
122- 3-48	7-45-38	5.7060	5.6537	0.7705	177.6761	1004.5274	-3453.4446	1811.3465	5 (3)
155- 6-40	342-52-18	18.3274	17.5145	-5.3976	173.0490	3030.8667	-3435.9301	1805.9489	6 (55)
184-28-48	347-21- 6	3.4959	3.4111	-0.7655	166.8859	569.2645	-3432.5190	1805.1834	7 (2)
173-20- 6	340-41-12	17.0574	16.0975	-5.6415	160.4789	2583.3091	-3416.4215	1799.5419	8 (1)
86-36-43	247-17-55	83.9200	-32.3870	-77.4187	77.4187	-2507.3594	-3448.8085	1722.1232	9 (8)
1080- 0- 0		245.5367			SASHIHIKI	7089.802490			
					1/2	3544.901245			
					MENSEKI	3544.9012			
					TSUBO MENSEKI	1072.3326			

(1-17) 座標面積計算書なし

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

(水路)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
		67-17-58						-3416.4215	1799.5419	1(1)
1	93-23-14	160-41-12	17.0574	-16.0975	5.6415	5.6415	-90.8140	-3432.5190	1805.1834	2(2)
2	186-39-54	167-21-6	3.4959	-3.4111	0.7655	12.0485	-41.0986	-3435.9301	1805.9489	3(5)
3	175-31-12	162-52-18	18.3274	-17.5145	5.3976	18.2116	-318.9671	-3453.4446	1811.3465	4(3)
4	86-6-19	68-58-37	1.1044	0.3962	1.0309	24.6401	9.7624	-3453.0484	1812.3774	5(13)
5	91-8-9	340-6-46	4.7453	4.4623	-1.6142	24.0568	107.3487	-3448.5861	1810.7632	6(14)
6	185-6-47	345-13-33	17.0288	16.4658	-4.3425	18.1001	298.0326	-3432.1203	1806.4207	7(15)
7	175-27-39	340-41-12	17.1673	16.2012	-5.6778	8.0798	130.9025	-3415.9191	1800.7429	8(11)
8	86-36-46	247-17-58	1.3018	-0.5024	-1.2010	1.2010	-0.6034	-3416.4215	1799.5419	9(1)
	1080-0-0		80.2283			SASHIHIKI	94.563013			
						1/2	47.281507			
						MENSEKI	47.2815			
						TSUBO MENSEKI	14.3027			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

4-4号地

(1-1)

ハイオウキヨ メンセキ クイサツシヨ

ソクセン	ナイカク	ホウコウカク	キヨリ	COS.A	SIN.A	D X	D Y	X	Y	ソクセン	ハイオウキヨ	ハイメンセキ
1756		248-44-03										
								-143441.3567	81792.3878	1754 54		
1754	85-55-45	154-39-48	23.6588	-0.903808	0.427936	-21.3830	10.1245					
						-21.3830	10.1245	-143462.7397	81802.5123	1752 52	10.1245	-216.492183
1752	91-02-02	65-41-50	8.8478	0.411558	0.911383	3.6414	8.0637					
						3.6414	8.0637	-143459.0983	81810.5760	1704 4	28.3127	103.097865
1704	122-03-48	7-45-38	5.7060	0.990841	0.135033	5.6537	0.7705					
						5.6537	0.7705	-143453.4446	81811.3465	1703 3	37.1469	210.017428
1703	155-06-40	342-52-18	18.3274	0.955647	-0.294512	17.5145	-5.3977					
						17.5145	-5.3977	-143435.9301	81805.9489	1755 55	32.5198	569.568037
1755	85-04-54	247-57-12	10.1659	-0.375361	-0.926878	-3.8159	-9.4226					
						-3.8159	-9.4226	-143439.7460	81796.5263	1756 56	17.6996	-67.539903
1756	180-46-51	248-44-03	4.4409	-0.362695	-0.931907	-1.6107	-4.1385					
						-1.6107	-4.1385	-143441.3567	81792.3878	1754 54	4.1385	-6.665881
TOTAL												
	720-00-00		71.1468			0.0000	-0.0001					591.985362

メンセキ 295.992681  
ツホ" スウ 89.537786

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

4-3号地 (1-2)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		66-12- 8						-3447.4924	1777.1224	1 (51)
1	88-43-58	154-56- 6	24.3478	-22.0549	10.3148	10.3148	-227.4919	-3469.5473	1787.4372	2 (50)
2	90-45-43	65-41-49	16.5409	6.8076	15.0751	35.7047	243.0633	-3462.7397	1802.5123	3 (52)
3	88-57-59	334-39-48	24.2047	21.8764	-10.3581	40.4217	884.2813	-3440.8633	1792.1542	4 (53)
4	91-32-20	246-12- 8	16.4286	-6.6291	-15.0318	15.0318	-99.6473	-3447.4924	1777.1224	5 (51)
	360- 0- 0		81.5220			SASHIHIKI	800.205406			
						1/2	400.102703			
						MENSEKI	400.1027			
						TSUBO MENSEKI	121.0311			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

4-1号地 (1-3)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		66-12-9						-3455.0258	1760.0398	1 (47')
1	90-21-50	156-33-59	24.5131	-22.4913	9.7485	9.7485	-219.2564	-3477.5171	1769.7883	2 (5)
2	89-7-51	65-41-50	19.3650	7.9698	17.6489	37.1459	296.0454	-3469.5473	1787.4372	3 (50')
3	89-14-16	334-56-6	24.3478	22.0549	-10.3148	44.4800	981.0020	-3447.4924	1777.1224	4 (51)
4	91-16-3	246-12-9	18.6700	-7.5334	-17.0826	17.0826	-128.6901	-3455.0258	1760.0398	5 (47')
	360-0-0		86.8959			SASHIHIKI	929.100849			
						1/2	464.550424			
						MENSEKI	464.5504			
						TSUBO MENSEKI	140.5265			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

5-2号地 (1-4)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		66-55-11						-3472.0110	1762.4431	1 (59)
1	86-39-13	153-34-24	8.0467	-7.2059	3.5812	3.5812	-25.8058	-3479.2169	1766.0243	2 (58)
2	92- 7-23	65-41-47	4.1300	1.6998	3.7640	10.9264	18.5727	-3477.5171	1769.7883	3 (57)
3	90-52-12	336-33-59	7.9450	7.2897	-3.1596	11.5308	84.0561	-3470.2274	1766.6287	4 (56)
4	90-21-12	246-55-11	4.5498	-1.7836	-4.1856	4.1856	-7.4654	-3472.0110	1762.4431	5 (59)
360- 0- 0			24.6715			SASHIHIKI	69.357562			
						1/2	34.678781			
						MENSEKI	34.6788			
						TSUBO MENSEKI	10.4903			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

3-4, 5-1, 6-3, 6-5号地

(1-5)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-17-55						-3442.6160	1736.9260	1 (48)
1	84-3-42	151-21-37	20.8779	-18.3235	10.0068	10.0068	-183.3596	-3460.9395	1746.9328	2 (49)
2	193-39-6	165-0-43	8.4476	-8.1602	2.1847	22.1983	-181.1426	-3469.0997	1749.1175	3 (67)
3	171-23-16	156-23-59	16.1800	-14.8267	6.4777	30.8607	-457.5623	-3483.9264	1755.5952	4 (68)
4	89-17-51	65-41-50	11.4431	4.7095	10.4291	47.7675	224.9610	-3479.2169	1766.0243	5 (58)
5	87-52-34	333-34-24	8.0467	7.2059	-3.5812	54.6154	393.5531	-3472.0110	1762.4431	6 (59)
6	273-20-47	66-55-11	4.5498	1.7836	4.1856	55.2198	98.4900	-3470.2274	1766.6287	7 (60)
7	89-38-48	336-33-59	16.5681	15.2016	-6.5889	52.8165	802.8953	-3455.0258	1760.0398	8 (47)
8	183-47-37	340-21-36	8.2544	7.7742	-2.7744	43.4532	337.8139	-3447.2516	1757.2654	9 (45)
9	180-0-9	340-21-45	0.3556	0.3349	-0.1195	40.5593	13.5833	-3446.9167	1757.1459	10 (77)
10	162-29-10	322-50-55	4.9286	3.9283	-2.9765	37.4633	147.1671	-3442.9884	1754.1694	11 (43)
11	182-21-6	325-12-1	7.1573	5.8772	-4.0847	30.4021	178.6792	-3437.1112	1750.0847	12 (42)
12	102-5-54	247-17-55	14.2637	-5.5048	-13.1587	13.1587	-72.4360	-3442.6160	1736.9260	13 (48)
	1800-0-0		121.0728			SASHIHIKI	1302.642454			
						1/2	651.321227			
						MENSEKI	651.3212			
						TSUBO MENSEKI	197.0247			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

6-2号地

(1-8)

ハ<sup>ニ</sup>イ<sup>ニ</sup>ウ<sup>ニ</sup>キヨ <sup>ニ</sup>メ<sup>ニ</sup>セ<sup>ニ</sup>キ <sup>ニ</sup>ケ<sup>ニ</sup>イ<sup>ニ</sup>サ<sup>ニ</sup>シヨ

ソクセツ	ナイカク	ホウコウカク	キヨリ	COS.A	SIN.A	D X	D Y	X	Y	ソクセツ	ハ <sup>ニ</sup> イ <sup>ニ</sup> ウ <sup>ニ</sup> キヨ	ハ <sup>ニ</sup> イ <sup>ニ</sup> メ <sup>ニ</sup> セ <sup>ニ</sup> キ
1748		247-17-55										
1708	83-48-25	151-06-20	27.5745	-0.875511	-0.483197	-24.1418	13.3239	-143448.8085	81722.1232	1708	8	
1764	92-40-23	63-46-43	6.0153	0.441840	0.897093	2.6578	5.3963	-143472.9503	81735.4471	1764	64	13.3239
1763	88-11-14	331-57-57	13.3398	0.882667	-0.469997	2.6578	5.3963	-143470.2925	81740.8434	1763	63	32.0441
1762	265-07-10	57-05-07	9.7133	0.543390	0.839480	11.7746	-6.2697	-143458.5179	81734.5737	1762	62	31.1707
1761	94-16-30	331-21-37	12.1048	0.877650	-0.479300	11.7746	-6.2697	-143453.2398	81742.7278	1761	61	33.0551
1748	95-56-18	247-17-55	16.0459	-0.385928	-0.922528	10.6238	-5.8018	-143442.6160	81736.9260	1748	48	35.4074
TOTAL	720-00-00		84.7936			-6.1926	-14.8028	-143448.8085	81722.1232	1708	8	14.8028
						-6.1925	-14.8028					-91.666339
						-0.0001	0.0000					589.489324

メ<sup>ニ</sup>セ<sup>ニ</sup>キ 294.744662  
ツ<sup>ニ</sup>ホ<sup>ニ</sup> ス<sup>ニ</sup>ウ 89.160260

6-4号地

(1-6)

ハ<sup>ニ</sup>イ<sup>ニ</sup>ウ<sup>ニ</sup>キヨ <sup>ニ</sup>メ<sup>ニ</sup>セ<sup>ニ</sup>キ <sup>ニ</sup>ケ<sup>ニ</sup>イ<sup>ニ</sup>サ<sup>ニ</sup>シヨ

ソクセツ	ナイカク	ホウコウカク	キヨリ	COS.A	SIN.A	D X	D Y	X	Y	ソクセツ	ハ <sup>ニ</sup> イ <sup>ニ</sup> ウ <sup>ニ</sup> キヨ	ハ <sup>ニ</sup> イ <sup>ニ</sup> メ <sup>ニ</sup> セ <sup>ニ</sup> キ
1767		247-36-16										
1766	88-47-43	156-23-59	16.1867	-0.916360	0.400353	-14.8329	6.4804	-143469.1768	81748.9304	1766	66	
1765	89-17-51	65-41-50	0.2023	0.411558	0.911383	-14.8329	6.4804	-143484.0097	81755.4108	1765	65	6.4804
1768	90-42-09	336-23-59	16.1800	0.916360	-0.400353	0.0833	0.1844	-143483.9264	81755.5952	1768	68	13.1452
1767	91-12-17	247-36-16	0.2024	-0.380928	-0.924575	0.0833	0.1844	-143469.0997	81749.1175	1767	67	6.8519
TOTAL	360-00-00		32.7714			-0.0771	-0.1871	-143469.1768	81748.9304	1766	66	0.1871
						-0.0771	-0.1871					0.014425
						0.0000	0.0000					6.548510

メ<sup>ニ</sup>セ<sup>ニ</sup>キ 3.274255  
ツ<sup>ニ</sup>ホ<sup>ニ</sup> ス<sup>ニ</sup>ウ 0.990462



取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

3-3号地 (1-9)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		79-20-36						-3447.2516	1757.2654	1 (45)
1	81- 1- 0	160-21-36	8.2544	-7.7742	2.7744	2.7744	-21.5687	-3455.0258	1760.0398	2 (47)
2	85-50-35	66-12-11	13.6628	5.5129	12.5012	18.0500	99.5078	-3449.5129	1772.5410	3 (70)
3	91-51-22	338- 3-33	6.0878	5.6469	-2.2747	28.2765	159.6746	-3443.8660	1770.2663	4 (46)
4	101-14-29	259-18- 2	4.2002	-0.7798	-4.1272	21.8746	-17.0578	-3444.6458	1766.1391	5 (78)
5	91-19- 1	170-37- 3	0.9201	-0.9078	0.1500	17.8974	-16.2473	-3445.5536	1766.2891	6 (79)
6	268-43-33	259-20-36	9.1821	-1.6980	-9.0237	9.0237	-15.3222	-3447.2516	1757.2654	7 (45)

720- 0- 0	42.3074	SASHIHIKI	188.986357
		1/2	94.493178
		MENSEKI	94.4932
		TSUBO MENSEKI	28.5842



取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

3-1号地

(1-11)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-17-56						-3437.1112	1750.0847	1 (42)
1	77-54-5	145-12-1	7.1573	-5.8772	4.0847	4.0847	-24.0066	-3442.9884	1754.1694	2 (43)
2	107-37-43	72-49-44	14.6539	4.3262	14.0007	22.1701	95.9123	-3438.6622	1768.1701	3 (44)
3	85-13-50	338-3-34	8.4112	7.8020	-3.1428	33.0280	257.6845	-3430.8602	1765.0273	4 (38)
4	89-14-22	247-17-56	16.1974	-6.2510	-14.9426	14.9426	-93.4062	-3437.1112	1750.0847	5 (42)
	360-0-0		46.4198			SASHIHIKI	236.183951			
						1/2	118.091976			
						MENSEKI	118.0920			
						TSUBO MENSEKI	35.7228			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

(2-2号地) (1-12)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-17-55						-3430.8602	1765.0273	1 (38)
1	90-45-38	158- 3-33	9.5371	-8.8463	3.5635	3.5635	-31.5238	-3439.7065	1768.5908	2 (39)
2	89-12- 6	67-15-39	11.4952	4.4433	10.6017	17.7287	78.7739	-3435.2632	1779.1925	3 (40)
3	89-58-30	337-14- 9	9.5286	8.7864	-3.6870	24.6434	216.5268	-3426.4768	1775.5055	4 (41)
4	90- 3-46	247-17-55	11.3581	-4.3834	-10.4782	10.4782	-45.9301	-3430.8602	1765.0273	5 (38)
	360- 0- 0		41.9190			SASHIHIKI	217.846771			
						1/2	108.923385			
						MENSEKI	108.9234			
						TSUBO MENSEKI	32.9493			

(2-3号地) (1-13)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-17-56						-3426.4768	1775.5055	1 (41)
1	89-56-13	157-14- 9	9.5286	-8.7864	3.6870	3.6870	-32.3955	-3435.2632	1779.1925	2 (40)
2	270- 1-30	247-15-39	11.4952	-4.4433	-10.6017	-3.2277	14.3416	-3439.7065	1768.5908	3 (39)
3	90-47-55	158- 3-34	10.5721	-9.8064	3.9502	-9.8792	96.8794	-3449.5129	1772.5410	4 (70)
4	88- 8-33	66-12- 7	13.2069	5.3292	12.0840	6.1550	32.8012	-3444.1837	1784.6250	5 (37)
5	92-11-38	338-23-45	19.8582	18.4632	-7.3116	10.9274	201.7548	-3425.7205	1777.3134	6 (36)
6	88-54-11	247-17-56	1.9597	-0.7563	-1.8079	1.8079	-1.3673	-3426.4768	1775.5055	7 (41)
	720- 0- 0		66.6207			SASHIHIKI	312.014252			
						1/2	156.007126			
						MENSEKI	156.0071			
						TSUBO MENSEKI	47.1922			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

2-1号地 (1-14)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-17-53						-3425.7205	1777.3134	1 (36)
1	91-5-52	158-23-45	19.8582	-18.4632	7.3116	7.3116	-134.9955	-3444.1837	1784.6250	2 (37)
2	87-48-25	66-12-10	1.6967	0.6846	1.5524	16.1756	11.0738	-3443.4991	1786.1774	3 (75)
3	92-48-27	339-0-37	19.8310	18.5151	-7.1035	10.6245	196.7137	-3424.9840	1779.0739	4 (76)
4	88-17-16	247-17-53	1.9083	-0.7365	-1.7605	1.7605	-1.2966	-3425.7205	1777.3134	5 (36)
	360-0-0		43.2942				SASHIHIKI	71.495354		
							1/2	35.747677		
							MENSEKI	35.7477		
							TSUBO MENSEKI	10.8137		

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

Z-4号地

(1-15)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-17-56						-3424.9840	1779.0739	1(76)
1	91-42-41	159- 0-37	19.8310	-18.5151	7.1035	7.1035	-131.5220	-3443.4991	1786.1774	2(75)
2	87-11-31	66-12- 8	8.3824	3.3824	7.6697	21.8767	73.9958	-3440.1167	1793.8471	3(ZZ)
3	92-47-25	338-59-33	19.6703	18.3629	-7.0516	22.4948	413.0698	-3421.7538	1786.7955	4(ZI)
4	88-18-23	247-17-56	8.3700	-3.2302	-7.7216	7.7216	-24.9423	-3424.9840	1779.0739	5(76)
	360- 0- 0		56.2537			SASHIHIKI	330.601188			
						1/2	165.300594			
						MENSEKI	165.3006			
						TSUBO MENSEKI	50.0034			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

1 - 1

4 - 5

(1-16)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		67-17-56						-3421.7538	1786.7955	1(21)
1	91-41-37	158-59-33	19.6703	-18.3629	7.0516	7.0516	-129.4878	-3440.1167	1793.8471	2(22)
2	267-12-33	246-12-6	1.8502	-0.7466	-1.6929	12.4103	-9.2655	-3440.8633	1792.1542	3(53)
3	88-27-47	154-39-53	0.5459	-0.4934	0.2336	10.9510	-5.4032	-3441.3567	1792.3878	4(54)
4	94-4-10	68-44-3	4.4409	1.6107	4.1385	15.3231	24.6809	-3439.7460	1796.5263	5(56)
5	104-24-19	353-8-22	3.4817	3.4568	-0.4159	19.0457	65.8372	-3436.2892	1796.1104	6(33)
6	200-26-6	13-34-28	1.7119	1.6641	0.4018	19.0316	31.6705	-3434.6251	1796.5122	7(24)
7	145-9-8	338-43-36	12.6816	11.8175	-4.6011	14.8323	175.2807	-3422.8076	1791.9111	8(25)
8	92-21-54	251-5-30	0.3024	-0.0980	-0.2861	9.9451	-0.9746	-3422.9056	1791.6250	9(26)
9	267-52-35	338-58-5	2.9276	2.7326	-1.0507	8.6083	23.5230	-3420.1730	1790.5743	10(27)
10	88-19-51	247-17-56	4.0961	-1.5808	-3.7788	3.7788	-5.9735	-3421.7538	1786.7955	11(21)
1440-0-0			51.7086	SASHIHIKI			169.887598			
				1/2			84.943799			
				MENSEKI			84.9438			
				TSUBO MENSEKI			25.6955			



取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

1 - 4

4 - 6

(1-20)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		120-56-48						-3436.2892	1796.1104	1 (33)
1	52-11-34	173- 8-22	3.4817	-3.4568	0.4159	0.4159	-1.4377	-3439.7460	1796.5263	2 (56)
2	74-48-50	67-57-12	10.1659	3.8159	9.4226	10.2544	39.1298	-3435.9301	1805.9489	3 (55)
3	99-23-53	347-21- 5	1.0727	1.0467	-0.2349	19.4421	20.3500	-3434.8834	1805.7140	4 (35)
4	78-51- 4	246-12- 9	7.5243	-3.0361	-6.8846	12.3226	-37.4126	-3437.9195	1798.8294	5 (34)
5	234-44-39	300-56-48	3.1703	1.6303	-2.7190	2.7190	4.4328	-3436.2892	1796.1104	6 (33)

540- 0- 0

25.4149

SASHIHIKI

25.062268

1/2

12.531134

MENSEKI

12.5311

TSUBO MENSEKI

3.7907