

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

7-15号地

87

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-10-0						-9752.8430	3870.6484	127
1	89-33-57	140-43-57	12.8299	-9.9329	8.1206	8.1206	-80.6611	-9762.7759	3878.7690	238
2	90-22-48	51-6-45	5.9255	3.7200	4.6123	20.8535	77.5750	-9759.0559	3883.3813	312
3	89-57-10	321-3-55	12.8240	9.9753	-8.0590	17.4068	173.6381	-9749.0806	3875.3223	4106
4	90-6-5	231-10-0	6.0001	-3.7624	-4.6739	4.6739	-17.5851	-9752.8430	3870.6484	527
360-0-0			37.5795			SASHIHIKI	152.966883			
						1/2	76.483441			
						MENSEKI	76.4834			
						TSUBO MENSEKI	23.1362			

7-16号地

86

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-9-57						-9749.0806	3875.3223	1106
1	89-53-58	141-3-55	12.8240	-9.9753	8.0590	8.0590	-80.3909	-9759.0559	3883.3813	2112
2	90-2-49	51-6-44	6.0932	3.8253	4.7428	20.8608	79.7988	-9755.2306	3888.1241	39
3	89-56-57	321-3-41	12.8183	9.9703	-8.0561	17.5475	174.9538	-9745.2603	3880.0680	428
4	90-6-16	231-9-57	6.0923	-3.8203	-4.7457	4.7457	-18.1300	-9749.0806	3875.3223	5106
360-0-0			37.8278			SASHIHIKI	156.231717			
						1/2	78.115859			
						MENSEKI	78.1159			
						TSUBO MENSEKI	23.6300			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

7-10号地

92番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 0-22						-9766.8836	3844.1775	1 50
1	90-11-28	141-11-50	5.3495	-4.1689	3.3522	3.3522	-13.9750	-9771.0525	3847.5297	2 54
2	89-47-19	50-59- 9	13.3176	8.3836	10.3477	17.0521	142.9580	-9762.6689	3857.8774	3 53
3	90-12-39	321-11-48	5.3448	4.1652	-3.3493	24.0505	100.1751	-9758.5037	3854.5281	4 54
4	89-48-34	231- 0-22	13.3176	-8.3799	-10.3506	10.3506	-86.7370	-9766.8836	3844.1775	5 50
360- 0- 0			37.3295			SASHIHIKI	142.421149			
						1/2	71.210574			
						MENSEKI	71.2106			
						TSUBO MENSEKI	21.5412			

7-18号地

93番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 0-21						-9762.0458	3840.2873	1 50
1	90-11-26	141-11-47	6.2079	-4.8378	3.8902	3.8902	-18.8200	-9766.8836	3844.1775	2 50
2	89-48-34	51- 0-21	6.6588	4.1900	5.1753	12.9557	54.2844	-9762.6936	3849.3528	3 55
3	90-11-26	321-11-47	6.2079	4.8378	-3.8902	14.2408	68.8941	-9757.8558	3845.4626	4 51
4	89-48-34	231- 0-21	6.6588	-4.1900	-5.1753	5.1753	-21.6845	-9762.0458	3840.2873	5 51
360- 0- 0			25.7334			SASHIHIKI	82.674009			
						1/2	41.337004			
						MENSEKI	41.3370			
						TSUBO MENSEKI	12.5044			

7-13号地

89番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 9-57						-9760.3975	3861.2640	1 32
1	90- 1-45	141-11-42	12.8409	-10.0067	8.0470	8.0470	-80.5239	-9770.4042	3869.3110	2 37
2	89-55- 3	51- 6-45	6.2401	3.9175	4.8572	20.9512	82.0763	-9766.4867	3874.1682	3 11
3	90- 6-50	321-13-35	12.8351	10.0066	-8.0379	17.7705	177.8223	-9756.4801	3866.1303	4 109
4	89-56-22	231- 9-57	6.2472	-3.9174	-4.8663	4.8663	-19.0632	-9760.3975	3861.2640	5 32
360- 0- 0			38.1633			SASHIHIKI	160.311453			
						1/2	80.155726			
						MENSEKI	80.1557			
						TSUBO MENSEKI	24.2471			

7-14号地

88番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 9-57						-9756.4801	3866.1303	1 109
1	90- 3-38	141-13-35	12.8351	-10.0066	8.0379	8.0379	-80.4321	-9766.4867	3874.1682	2 111
2	89-53- 8	51- 6-43	5.9108	3.7108	4.6008	20.6766	76.7267	-9762.7759	3878.7690	3 38
3	89-37-14	320-43-57	12.8299	9.9329	-8.1206	17.1568	170.4168	-9752.8430	3870.6484	4 27
4	90-26- 0	231- 9-57	5.8001	-3.6371	-4.5181	4.5181	-16.4328	-9756.4801	3866.1303	5 109
360- 0- 0			37.3759			SASHIHIKI	150.278674			
						1/2	75.139337			
						MENSEKI	75.1393			
						TSUBO MENSEKI	22.7296			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

7-11号地

ハイクウキヨ メンセキ ケイサンジョ

91番

ソクセン	ナイカク	ホウコウカク	キヨリ	COS.A	SIN.A	D X	D Y	X	Y	ソクセン	ハイクウキヨ	ハイクウキヨ
1333		230-59-10										
								-149771.0525	73847.5297	1334 34		
1334	90-12-38	141-11-48	4.3637	-0.779301	0.626649	-3.4006	2.7345					
						-3.4006	2.7345	-149774.4531	73850.2642	1335 35	2.7345	-9.298940
1335	89-47-21	50-59-09	8.3789	0.629512	0.776990	5.2746	-6.5103					
						5.2746	-6.5103	-149769.1785	73856.7745	1336 36	11.9793	63.186015
1336	90-12-40	321-11-49	4.3636	0.779304	-0.626645	3.4006	-2.7344					
						3.4006	-2.7344	-149765.7779	73854.0401	1333 33	15.7552	53.577133
1333	89-47-21	230-59-10	8.3789	-0.629508	-0.776993	-5.2746	-6.5103					
						-5.2746	-6.5104	-149771.0525	73847.5297	1334 34	6.5104	-34.339755
TOTAL												
	360-00-00		25.4851			0.0000	0.0001					73.124452

メンセキ
ツホ" スウ

36.562226
11.060073

7-12号地

ハイクウキヨ メンセキ ケイサンジョ

90番

ソクセン	ナイカク	ホウコウカク	キヨリ	COS.A	SIN.A	D X	D Y	X	Y	ソクセン	ハイクウキヨ	ハイクウキヨ
1331		230-59-10										
								-149765.7779	73854.0401	1333 33		
1333	90-12-39	141-11-49	4.3636	-0.779304	0.626645	-3.4006	2.7344					
						-3.4006	2.7344	-149769.1785	73856.7745	1336 36	2.7344	-9.298600
1336	269-47-20	230-59-09	8.3789	-0.629512	-0.776990	-5.2746	-6.5103					
						-5.2746	-6.5103	-149774.4531	73850.2642	1335 35	-1.0415	5.493495
1335	90-12-39	141-11-48	8.8059	-0.779301	0.626649	-6.8625	5.5182					
						-6.8625	5.5182	-149781.3156	73855.7824	1308 8	-2.0336	13.955580
1308	89-54-56	51-06-44	17.3805	0.627797	0.778377	10.9114	13.5286					
						10.9114	13.5286	-149770.4042	73869.3110	1337 37	17.0132	185.637830
1337	90-04-58	321-11-42	13.2079	0.779283	-0.626671	10.2927	-8.2770					
						10.2927	-8.2770	-149760.1115	73861.0340	1331 31	22.2648	229.164906
1331	89-47-28	230-59-10	9.0013	-0.629508	-0.776993	-5.6664	-6.9940					
						-5.6664	-6.9939	-149765.7779	73854.0401	1333 33	6.9939	-39.630234
TOTAL												
	720-00-00		61.1381			0.0000	-0.0001					385.322977

メンセキ
ツホ" スウ

192.661488
58.280100

7-6号地

97番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-0-18						-9749.6853	3855.5545	1701
1	89-41-41	140-41-59	11.9251	-9.2281	7.5532	7.5532	-69.7017	-9758.9134	3863.1077	2110
2	90-27-55	51-9-54	4.3556	2.7313	3.3928	18.4992	50.5269	-9756.1821	3866.5005	3708
3	89-58-10	321-8-4	11.9371	9.2945	-7.4905	14.4015	133.8547	-9746.8876	3859.0100	4102
4	89-52-14	231-0-18	4.4461	-2.7977	-3.4555	3.4555	-9.6675	-9749.6853	3855.5545	5701
	360-0-0		32.6639			SASHIHIKI	165.012469			
						1/2	52.506235			
						MENSEKI	52.5062			
						TSUBO MENSEKI	15.8831			

7-7号地

96番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-0-21						-9751.0542	3853.8637	129
1	90-11-28	141-11-49	11.5513	-9.0020	7.2386	7.2386	-65.1619	-9760.0562	3861.1023	230
2	269-48-26	231-0-15	0.0879	-0.0553	-0.0683	14.4089	-0.7968	-9760.1115	3861.0340	331
3	90-11-23	141-11-38	0.3670	-0.2860	0.2300	14.5706	-4.1672	-9760.3975	3861.2640	432
4	89-58-25	51-10-3	2.3668	1.4841	1.8437	16.6443	24.7018	-9758.9134	3863.1077	5710
5	89-31-56	320-41-59	11.9251	9.2281	-7.5532	10.9348	100.9074	-9749.6853	3855.5545	6101
6	90-18-22	231-0-21	2.1755	-1.3689	-1.6908	1.6908	-2.3145	-9751.0542	3853.8637	721
	720-0-0		28.4736			SASHIHIKI	53.168816			
						1/2	26.584408			
						MENSEKI	26.5844			
						TSUBO MENSEKI	8.0418			

7-8号地

95番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-0-23						-9753.6658	3850.6379	152
1	90-11-26	141-11-49	11.5528	-9.0031	7.2395	7.2395	-65.1779	-9762.6689	3857.8774	253
2	89-47-24	50-59-13	4.1504	2.6127	3.2249	17.7039	46.2550	-9760.0562	3861.1023	330
3	90-12-36	321-11-49	11.5513	9.0020	-7.2386	13.6902	123.2392	-9751.0542	3853.8637	429
4	89-48-34	231-0-23	4.1505	-2.6116	-3.2258	3.2258	-8.4245	-9753.6658	3850.6379	552
	360-0-0		31.4050			SASHIHIKI	95.891718			
						1/2	47.945859			
						MENSEKI	47.9459			
						TSUBO MENSEKI	14.5036			

7-9号地

94番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-0-21						-9757.8558	3845.4626	151
1	90-11-26	141-11-47	6.2079	-4.8378	3.8902	3.8902	-18.8200	-9762.6936	3849.3528	255
2	89-48-36	51-0-23	6.6588	4.1899	5.1753	12.9557	54.2831	-9758.5037	3854.5281	354
3	90-11-26	321-11-49	6.2080	4.8379	-3.8902	14.2408	68.8956	-9753.6658	3850.6379	452
4	89-48-32	231-0-21	6.6588	-4.1900	-5.1753	5.1753	-21.6845	-9757.8558	3845.4626	551
	360-0-0		25.7335			SASHIHIKI	82.674137			
						1/2	41.337069			
						MENSEKI	41.3371			
						TSUBO MENSEKI	12.5045			

7-2号地

101

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 0-22						-9738.8975	3868.8790	1 ¹⁰⁴
1	89-18-14	140-18-36	11.9740	-9.2141	7.6470	7.6470	-70.4602	-9748.1116	3876.5260	2 ¹⁰⁵
2	90-51-22	51- 9-58	4.5471	2.8513	3.5420	18.8360	53.7071	-9745.2603	3880.0680	3 ²⁸
3	89-53-43	321- 3-41	11.9858	9.3228	-7.5329	14.8451	138.3979	-9735.9375	3872.5351	4 ¹⁰
4	89-56-41	231- 0-22	4.7041	-2.9600	-3.6561	3.6561	-10.8221	-9738.8975	3868.8790	5 ¹⁰⁴
360- 0- 0			33.2110			SASHIHIKI	110.822706			
						1/2	55.411353			
						MENSEKI	55.4114			
						TSUBO MENSEKI	16.7619			

7-3号地

100

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 0-18						-9741.7424	3865.3652	1 ¹⁰³
1	90-24- 5	141-24-23	11.9601	-9.3479	7.4606	7.4606	-69.7409	-9751.0903	3872.8258	2 ¹⁰⁷
2	89-45-33	51- 9-56	4.7502	2.9787	3.7002	18.6214	55.4676	-9748.1116	3876.5260	3 ¹⁰⁵
3	89- 8-40	320-18-36	11.9740	9.2141	-7.6470	14.6746	135.2132	-9738.8975	3868.8790	4 ¹⁰⁴
4	90-41-42	231- 0-18	4.5211	-2.8449	-3.5138	3.5138	-9.9964	-9741.7424	3865.3652	5 ¹⁰³
360- 0- 0			33.2054			SASHIHIKI	110.943444			
						1/2	55.471722			
						MENSEKI	55.4717			
						TSUBO MENSEKI	16.7802			

7-4号地

99

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 0-24						-9744.2914	3862.2167	1 ²⁵
1	90-17-59	141-18-23	11.9487	-9.3260	7.4698	7.4698	-69.6634	-9753.6174	3869.6865	2 ²⁶
2	89-51-36	51- 9-59	4.0301	2.5271	3.1393	18.0789	45.6872	-9751.0903	3872.8258	3 ¹⁰⁷
3	90-14-24	321-24-23	11.9601	9.3479	-7.4606	13.7576	128.6047	-9741.7424	3865.3652	4 ¹⁰³
4	89-36- 1	231- 0-24	4.0510	-2.5490	-3.1485	3.1485	-8.0255	-9744.2914	3862.2167	5 ²⁵
360- 0- 0			31.9899			SASHIHIKI	96.602976			
						1/2	48.301488			
						MENSEKI	48.3015			
						TSUBO MENSEKI	14.6112			

7-5号地

98

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 0-21						-9746.8876	3859.0100	1 ¹⁰²
1	90- 7-43	141- 8- 4	11.9371	-9.2945	7.4905	7.4905	-69.6205	-9756.1821	3866.5005	2 ¹⁰⁸
2	90- 1-55	51- 9-59	4.0900	2.5647	3.1860	18.1670	46.5929	-9753.6174	3869.6865	3 ²⁶
3	90- 8-24	321-18-23	11.9487	9.3260	-7.4698	13.8832	129.4747	-9744.2914	3862.2167	4 ²⁵
4	89-41-58	231- 0-21	4.1259	-2.5962	-3.2067	3.2067	-8.3252	-9746.8876	3859.0100	5 ¹⁰²
360- 0- 0			32.1017			SASHIHIKI	98.121941			
						1/2	49.060971			
						MENSEKI	49.0610			
						TSUBO MENSEKI	14.8409			