

倍横距面積計算書

地 番：春日野換地区7街区

測 点	測 角	方向角	距 離	DX	DY	X	Y	測 点	倍横距	倍面積
1		192-54-50				-42932.1839	80192.2580	2		
2	135-09-12	148-04-02	31.3771	-26.6288	16.5961	-42958.8127	80208.8541	3	16.5961	-441.934228
3	142-22-36	110-26-38	5.3008	-1.8515	4.9669	-42960.6642	80213.8210	4	38.1591	-70.651574
4	131-00-38	61-27-16	40.6218	19.4115	35.6837	-42941.2527	80249.5047	5	78.8097	1529.814492
5	181-42-45	63-10-01	38.4892	17.3737	34.3449	-42923.8790	80283.8496	6	148.8383	2585.871973
6	136-56-16	20-06-17	4.8639	4.5675	1.6719	-42919.3115	80285.5215	7	184.8551	844.325669
7	142-30-09	342-36-26	35.8282	34.1901	-10.7098	-42885.1214	80274.8117	8	175.8172	6011.207650
8	121-26-32	284-02-58	4.8978	1.1890	-4.7513	-42883.9324	80270.0604	9	160.3561	190.663403
9	136-40-51	240-43-49	87.7887	-42.9219	-76.5804	-42926.8543	80193.4800	1	79.0244	-3391.877394
1	132-11-01	192-54-50	5.4679	-5.3296	-1.2220	-42932.1839	80192.2580	2	1.2220	-6.512771
合 計	1260-00-00		254.6354	0.0000	0.0000			倍面積 面 積 坪 数		7250.907219 3625.4536095 1096.699717

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		331- 5-15						-42928.1375	80275.4314	1 25
1	92- 4-45	63-10 0	9.4340	4.2585	8.4182	8.4182	35.8489	-42923.8790	80283.8496	2 6
2	136-56-17	20- 6-17	4.8639	4.5675	1.6719	18.5083	84.5367	-42919.3115	80285.5215	3 7
3	142-30- 8	342-36-25	15.0882	14.3983	-4.5102	15.6700	225.6214	-42904.9132	80281.0113	4 26
4	78-40-27	241-16-52	16.1129	-7.7424	-14.1308	-2.9710	23.0027	-42912.6556	80266.8805	5 39
5	89-48-23	151- 5-15	17.6864	-15.4819	8.5509	-8.5509	132.3842	-42928.1375	80275.4314	6 25
540- 0- 0			63.1854			SASHIHIKI	501.393775			
						1/2	250.696888			
						MENSEKI	250.6969			
						TSUBO MENSEKI	75.8358			

1-2

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-37-41						-42908.2797	80258.9752	1 才
1	90-27-35	151- 5-16	25.1643	-22.0278	12.1662	12.1662	-267.9946	-42930.3075	80271.1414	2 工
2	92- 4-50	63-10- 6	4.8076	2.1700	4.2900	28.6224	62.1106	-42928.1375	80275.4314	3 25
3	87-55- 9	331- 5-15	25.3774	22.2143	-12.2693	20.6431	458.5720	-42905.9232	80263.1621	4 22
4	89-32-26	240-37-41	4.8045	-2.3565	-4.1869	4.1869	-9.8664	-42908.2797	80258.9752	5 才
360- 0- 0			60.1538			SASHIHIKI	242.821574			
						1/2	121.410787			
						MENSEKI	121.4108			
						TSUBO MENSEKI	36.7268			

1-3

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		328- 4- 2						-42958.8127	80208.8541	1 3
1	142-22-36	110-26-38	5.3008	-1.8515	4.9669	4.9669	-9.1962	-42960.6642	80213.8210	2 4
2	131- 0-38	61-27-16	29.3450	14.0227	25.7778	35.7116	500.7731	-42946.6415	80239.5988	3 24
3	89- 3-55	330-31-11	23.9263	20.8285	-11.7747	49.7147	1035.4826	-42925.8130	80227.8241	4 8
4	90- 6-26	240-37-37	33.5871	-16.4742	-29.2693	8.6707	-142.8428	-42942.2872	80198.5548	5 5
5	87-26-25	148- 4- 2	19.4722	-16.5255	10.2993	-10.2993	170.2011	-42958.8127	80208.8541	6 3
540- 0- 0			111.6344			SASHIHIKI	1554.417703			
						1/2	777.208852			
						MENSEKI	777.2089			
						TSUBO MENSEKI	235.1057			

1-4 (ア)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		328- 4- 2						-42942.2872	80198.5548	1 5
1	92-33-31	60-37-33	5.2103	2.5557	4.5404	4.5404	11.6039	-42939.7315	80203.0952	2 1
2	91-28- 6	332- 5-39	15.9389	14.0855	-7.4597	1.6211	22.8340	-42925.6460	80195.6355	3 ア
3	88-37-56	240-43-35	2.4711	-1.2083	-2.1555	-7.9941	9.6593	-42926.8543	80193.4800	4 1
4	132-11-15	192-54-50	5.4679	-5.3296	-1.2220	-11.3716	60.6061	-42932.1839	80192.2580	5 2
5	135- 9-12	148- 4- 2	11.9049	-10.1033	6.2968	-6.2968	63.6185	-42942.2872	80198.5548	6 5
540- 0- 0			40.9931			SASHIHIKI	168.321714			
						1/2	84.160857			
						MENSEKI	84.1609			
						TSUBO MENSEKI	25.4587			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-5

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		240-37-39						-42936.6499	80208.5703	1 ¹⁶
1	90-46-38	331-24-17	15.9241	13.9817	-7.6216	-7.6216	-106.5629	-42922.6682	80200.9487	2 ³⁴
2	89-19-36	240-43-53	6.0908	-2.9778	-5.3132	-20.5564	61.2128	-42925.6460	80195.6355	3 ⁷
3	91-21-46	152-5-39	15.9389	-14.0855	7.4597	-18.4099	259.3126	-42939.7315	80203.0952	4 ¹
4	88-32-0	60-37-39	6.2828	3.0816	5.4751	-5.4751	-16.8721	-42936.6499	80208.5703	5 ¹⁶
360-0-0			44.2366			SASHIHIKI	197.090501			
						1/2	98.545251			
						MENSEKI	98.5453			
						TSUBO MENSEKI	29.8099			

1-6

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-43-50						-42922.6682	80200.9487	1 ³⁵
1	90-40-27	151-24-17	15.9241	-13.9817	7.6216	7.6216	-106.5629	-42936.6499	80208.5703	2 ¹⁶
2	89-13-21	60-37-38	11.6410	5.7098	10.1445	25.3877	144.9587	-42930.9401	80218.7148	3 ¹⁷
3	90-47-2	331-24-40	15.9031	13.9641	-7.6100	27.9222	389.9084	-42916.9760	80211.1048	4 ³⁴
4	89-19-10	240-43-50	11.6425	-5.6922	-10.1561	10.1561	-57.8106	-42922.6682	80200.9487	5 ³⁵
360-0-0			55.1107			SASHIHIKI	370.493605			
						1/2	185.246803			
						MENSEKI	185.2468			
						TSUBO MENSEKI	56.0372			

1-7

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-43-48						-42916.9760	80211.1048	1 ³⁴
1	90-40-52	151-24-40	15.9031	-13.9641	7.6100	7.6100	-106.2668	-42930.9401	80218.7148	2 ¹⁷
2	89-12-59	60-37-39	21.3510	10.4724	-18.6063	33.8263	354.2425	-42920.4677	80237.3211	3 ¹⁹
3	90-47-54	331-25-33	15.8649	13.9325	-7.5881	44.8445	624.7960	-42906.5352	80229.7330	4 ³³
4	89-18-15	240-43-48	21.3546	-10.4408	-18.6282	18.6282	-194.4933	-42916.9760	80211.1048	5 ³⁴
360-0-0			74.4736			SASHIHIKI	678.278429			
						1/2	339.139214			
						MENSEKI	339.1392			
						TSUBO MENSEKI	102.5896			

1-8

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-43-49						-42906.5352	80229.7330	1 ³³
1	90-41-44	151-25-33	15.8649	-13.9325	7.5881	7.5881	-105.7212	-42920.4677	80237.3211	2 ¹⁹
2	89-12-5	60-37-38	17.9800	8.8190	15.6686	30.8448	272.0203	-42911.6487	80252.9897	3 ²⁰
3	90-46-40	331-24-18	15.8325	13.9013	-7.5777	38.9357	541.2568	-42897.7474	80245.4120	4 ³²
4	89-19-31	240-43-49	17.9738	-8.7878	-15.6790	15.6790	-137.7839	-42906.5352	80229.7330	5 ³³
360-0-0			67.6512			SASHIHIKI	569.772018			
						1/2	284.886009			
						MENSEKI	284.8860			
						TSUBO MENSEKI	86.1780			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-9

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-43-49						-42897.7474	80245.4120	1 32
1	90-40-29	151-24-18	15.8325	-13.9013	7.5777	7.5777	-105.3399	-42911.6487	80252.9897	2 20
2	89-13-19	60-37-37	7.3456	3.6030	6.4013	21.5567	77.6688	-42908.0457	80259.3910	3 21
3	90-4-31	330-42-8	15.8181	13.7948	-7.7406	20.2174	278.8950	-42894.2509	80251.6504	4 31
4	90-1-41	240-43-49	7.1514	-3.4965	-6.2384	6.2384	-21.8126	-42897.7474	80245.4120	5 32
360- 0- 0			46.1476			SASHIHIKI	229.411333			
						1/2	114.705667			
						MENSEKI	114.7057			
						TSUBO MENSEKI	34.6985			

1-10

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-43-48						-42894.2509	80251.6504	1 31
1	89-58-20	150-42-8	15.8181	-13.7948	7.7406	7.7406	-106.7800	-42908.0457	80259.3910	2 21
2	89-55-30	60-37-38	13.8074	6.7724	12.0324	27.5136	186.3331	-42901.2733	80271.4234	3 23
3	90-3-32	330-41-10	15.7933	13.7710	-7.7323	31.8137	438.1065	-42887.5023	80263.6911	4 30
4	90-2-38	240-43-48	13.8030	-6.7486	-12.0407	12.0407	-81.2579	-42894.2509	80251.6504	5 31
360- 0- 0			59.2218			SASHIHIKI	436.401670			
						1/2	218.200835			
						MENSEKI	218.2008			
						TSUBO MENSEKI	66.0058			

1-11

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-43-49						-42887.5023	80263.6911	1 30
1	89-57-19	150-41-8	6.6105	-5.7640	3.2365	3.2365	-18.6552	-42893.2663	80266.9276	2 36
2	90-2-41	60-43-49	5.0174	2.4531	4.3768	10.8498	26.6156	-42890.8132	80271.3044	3 37
3	89-48-48	330-32-37	6.6105	5.7560	-3.2508	11.9758	68.9327	-42885.0572	80268.0536	4 29
4	90-11-12	240-43-49	5.0010	-2.4451	-4.3625	4.3625	-10.6667	-42887.5023	80263.6911	5 30
360- 0- 0			23.2394			SASHIHIKI	66.226414			
						1/2	33.113207			
						MENSEKI	33.1132			
						TSUBO MENSEKI	10.0167			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-12

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		330-32-37						-42893.8342	80273.0106	1 38
1	90- 2-31	60-35- 8	4.4201	2.1708	3.8503	3.8503	8.3582	-42891.6634	80276.8609	2 28
2	102- 1-19	342-36-27	6.8554	6.5420	-2.0492	5.6514	36.9715	-42885.1214	80274.8117	3 8
3	121-26-31	284- 2-58	4.8978	1.1890	-4.7513	-1.1491	-1.3663	-42883.9324	80270.0604	4 9
4	136-40-49	240-43-47	2.3005	-1.1248	-2.0068	-7.9072	8.8940	-42885.0572	80268.0536	5 29
5	89-48-50	150-32-37	10.0801	-8.7770	4.9570	-4.9570	43.5076	-42893.8342	80273.0106	6 38

540- 0- 0 28.5539 SASHIHIKI 96.365018

1/2 48.182509

MENSEKI 48.1825

TSUBO MENSEKI 14.5752

1-13

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-43-49						-42893.2663	80266.9276	1 36
1	89-57-22	150-41-11	9.1828	-8.0070	4.4958	4.4958	-35.9979	-42901.2733	80271.4234	2 23
2	89-56-28	60-37-39	8.2410	4.0421	7.1816	16.1732	65.3737	-42897.2312	80278.6050	3 27
3	101-58-46	342-36-25	5.8346	5.5678	-1.7441	21.6107	120.3241	-42891.6634	80276.8609	4 28
4	77-58-43	240-35- 8	4.4201	-2.1708	-3.8503	16.0163	-34.7682	-42893.8342	80273.0106	5 38
5	269-57-27	330-32-35	3.4695	3.0210	-1.7062	10.4598	31.5991	-42890.8132	80271.3044	6 37
6	90-11-14	240-43-49	5.0174	-2.4531	-4.3768	4.3768	-10.7367	-42893.2663	80266.9276	7 36

720- 0- 0 36.1654 SASHIHIKI 135.794020

1/2 67.897010

MENSEKI 67.8970

TSUBO MENSEKI 20.5388

1-14

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-37-38						-42905.9232	80263.1621	1 22
1	90-27-37	151- 5-15	7.6910	-6.7324	3.7184	3.7184	-25.0338	-42912.6556	80266.8805	2 39
2	90-11-37	61-16-52	16.1129	7.7424	14.1308	21.5676	166.9850	-42904.9132	80281.0113	3 26
3	101-19-35	342-36-27	8.0501	7.6820	-2.4063	33.2921	255.7499	-42897.2312	80278.6050	4 27
4	78- 1-11	240-37-38	17.7210	-8.6920	-15.4429	15.4429	-134.2297	-42905.9232	80263.1621	5 22

360- 0- 0 49.5750 SASHIHIKI 263.471455

1/2 131.735728

MENSEKI 131.7357

TSUBO MENSEKI 39.8501 *

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-15

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-37-39						-42919.1883	80239.5939	1イ
1	89-53-33	150-31-12	24.1880	-21.0563	11.9034	11.9034	-250.6416	-42940.2446	80251.4973	2ウ
2	92-38-50	63-10-2	22.0145	9.9371	19.6441	43.4509	431.7759	-42930.3075	80271.1414	3エ
3	87-55-14	331-5-16	25.1643	22.0278	-12.1662	50.9288	1121.8494	-42908.2797	80258.9752	4オ
4	89-32-23	240-37-39	22.2403	-10.9086	-19.3813	19.3813	-211.4228	-42919.1883	80239.5939	5イ
360- 0- 0			93.6071			SASHIHIKI	1091.560948			
						1/2	545.780474			
						MENSEKI	545.7805			
						TSUBO MENSEKI	165.0986			

1-16

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-37-35						-42920.2130	80237.7734	1ア
1	90-13-50	150-51-25	24.0893	-21.0397	11.7313	11.7313	-246.8230	-42941.2527	80249.5047	2イ
2	92-18-26	63-9-51	2.2331	1.0081	1.9926	25.4552	25.6614	-42940.2446	80251.4973	3ウ
3	87-21-21	330-31-12	24.1880	21.0563	-11.9034	15.5444	327.3075	-42919.1883	80239.5939	4イ
4	90-6-23	240-37-35	2.0891	-1.0247	-1.8205	1.8205	-1.8655	-42920.2130	80237.7734	5ア
360- 0- 0			52.5995			SASHIHIKI	104.280438			
						1/2	52.140219			
						MENSEKI	52.1402			
						TSUBO MENSEKI	15.7724			

1-17

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-37-37						-42925.8130	80227.8241	1ハ
1	89-53-34	150-31-11	23.9263	-20.8285	11.7747	11.7747	-245.2493	-42946.6415	80239.5988	2ニ
2	90-56-3	61-27-14	11.2768	5.3888	9.9059	33.4553	180.2839	-42941.2527	80249.5047	3ホ
3	89-24-11	330-51-25	24.0893	21.0397	-11.7313	31.6299	665.4836	-42920.2130	80237.7734	4セ
4	89-46-12	240-37-37	11.4170	-5.6000	-9.9493	9.9493	-55.7161	-42925.8130	80227.8241	5ハ
360- 0- 0			70.7094			SASHIHIKI	544.802109			
						1/2	272.401054			
						MENSEKI	272.4011			
						TSUBO MENSEKI	82.4013			