

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

ハ 街区計算（隅切除く）

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		4-17-54						-7705.3536	5684.0346	1 12
1	136-17-53	140-35-47	79.7237	-61.6019	50.6071	50.6071	-3117.4935	-7766.9555	5734.6417	2 3
2	90- 4-53	50-40-40	85.2528	54.0229	65.9512	167.1654	9030.7597	-7712.9326	5800.5929	3 4
3	90-17-38	320-58-18	39.9028	30.9979	-25.1270	207.9896	6447.2408	-7681.9347	5775.4659	4 5
4	269-12-14	50-10-32	13.3050	8.5210	10.2184	193.0810	1645.2432	-7673.4137	5785.6843	5 6
5	90-29-39	320-40-11	41.8160	32.3449	-26.5026	176.7968	5718.4748	-7641.0688	5759.1817	6 7
6	89-26- 8	230- 6-19	56.8854	-36.4852	-43.6438	106.6504	-3891.1612	-7677.5540	5715.5379	7 11
7	180-26-49	230-33- 8	40.6016	-25.7972	-31.3528	31.6538	-816.5794	-7703.3512	5684.1851	8 140
8	133-44-46	184-17-54	2.0080	-2.0024	-0.1505	0.1505	-0.3014	-7705.3536	5684.0346	9 12

1080- 0- 0

359.4953

SASHIHIKI 15016.183069

1/2 7508.091534

MENSEKI 7508.0915

TSUBO MENSEKI 2271.1977

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

ハ 街区計算 室内小公園

17 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-41-0						-7681.9877	5780.6612	1 /
1	90-16-54	140-57-54	36.5805	-28.4143	23.0382	23.0382	-654.6143	-7710.4020	5803.6994	2 ㄤ
2	89-41-53	50-39-47	9.3311	5.9148	7.2170	53.2934	315.2198	-7704.4872	5810.9164	3 ㄥ
3	90-9-59	320-49-46	36.5769	28.3569	-23.1031	37.4073	1060.7551	-7676.1303	5787.8133	4 ㄥ
4	89-51-14	230-41-0	9.2445	-5.8574	-7.1521	7.1521	-41.8927	-7681.9877	5780.6612	5 /

360-0-0

91.7330

SASHIHIKI

679.467831

1/2

339.733915

MENSEKI

339.7339

TSUBO MENSEKI

102.7695

2-1号地

18番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-24-47						-7706.7251	5777.0059	1 62
1	90-51-24	141-16-11	9.0374	-7.0501	5.6543	5.6543	-39.8634	-7713.7752	5782.6602	2 136
2	88-46-10	50- 2-21	0.5200	0.3340	0.3986	11.7072	3.9102	-7713.4412	5783.0588	3 137
3	270- 0-16	140- 2-37	10.7182	-8.2159	6.8833	18.9891	-156.0125	-7721.6571	5789.9421	4 23
4	90-38- 3	50-40-40	13.7679	8.7245	10.6508	36.5232	318.6467	-7712.9326	5800.5929	5 4
5	90-17-38	320-58-18	19.8156	15.3934	-12.4780	34.6960	534.0894	-7697.5392	5788.1149	6 24
6	89-26-29	230-24-47	14.4149	-9.1859	-11.1090	11.1090	-102.0462	-7706.7251	5777.0059	7 62

720- 0- 0 68.2740

SASHIHIKI 558.724179

1/2

279.362090

MENSEKI

279.3621

TSUBO MENSEKI

84.5070

2-2号地

19番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-24-47						-7712.4696	5770.0588	1 60
1	90-10-30	140-35-17	12.3245	-9.5219	7.8247	7.8247	-74.5060	-7721.9915	5777.8835	2 134
2	88-32-15	49- 7-32	3.6161	2.3664	2.7343	18.3837	43.5032	-7719.6251	5780.6178	3 135
3	270-52-54	140- 0-26	7.4810	-5.7314	4.8080	25.9260	-148.5923	-7725.3565	5785.4258	4 22
4	90-40-16	50-40-42	5.8380	3.6994	4.5163	35.2503	130.4050	-7721.6571	5789.9421	5 23
5	89-21-55	320- 2-37	10.7182	8.2159	-6.8833	32.8833	270.1659	-7713.4412	5783.0588	6 137
6	89-59-44	230- 2-21	0.5200	-0.3340	-0.3986	25.6014	-8.5509	-7713.7752	5782.6602	7 136
7	271-13-50	321-16-11	9.0374	7.0501	-5.6543	19.5485	137.8189	-7706.7251	5777.0059	8 62
8	89- 8-36	230-24-47	9.0145	-5.7445	-6.9471	6.9471	-39.9076	-7712.4696	5770.0588	9 60

1080- 0- 0 58.5497

SASHIHIKI 310.336161

1/2

155.168080

MENSEKI

155.1681

TSUBO MENSEKI

46.9383

2-3号地

20番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		49- 7-32						-7721.9915	5777.8835	1 134
1	91-27-46	140-35-18	7.3826	-5.7038	4.6871	4.6871	-26.7343	-7727.6953	5782.5706	2 21
2	90- 5-22	50-40-40	3.6908	2.3388	2.8552	12.2294	28.6021	-7725.3565	5785.4258	3 22
3	89-19-46	320- 0-26	7.4810	5.7314	-4.8080	10.2766	58.8993	-7719.6251	5780.6178	4 135
4	89- 7- 6	229- 7-32	3.6161	-2.3664	-2.7343	2.7343	-6.4704	-7721.9915	5777.8835	5 134

360- 0- 0 22.1705

SASHIHIKI 54.296697

1/2

27.148349

MENSEKI

27.1483

TSUBO MENSEKI

8.2124

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

3-1号地

21番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-24-48						-7719.5280	5761.5226	1 38
1	90-10-33	140-35-21	19.6559	-15.1864	12.4791	12.4791	-189.5126	-7734.7144	5774.0017	2 20
2	90-5-19	50-40-40	11.0767	7.0191	8.5689	33.5271	235.3301	-7727.6953	5782.5706	3 21
3	89-54-37	320-35-17	19.7070	15.2257	-12.5118	29.5842	450.4402	-7712.4696	5770.0588	4 60
4	89-49-31	230-24-48	11.0764	-7.0584	-8.5362	8.5362	-60.2519	-7719.5280	5761.5226	5 38
360-0-0			61.5160			SASHIHIKI	436.005703			
						1/2	218.002852			
						MENSEKI	218.0029			
						TSUBO-MENSEKI	65.9459			

3-2号地

22

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-24-45						-7723.0039	5757.3191	1 37
1	90-10-35	140-35-20	19.6306	-15.1668	12.4631	12.4631	-189.0253	-7738.1707	5769.7822	2 19
2	90-5-22	50-40-42	5.4544	3.4563	4.2195	29.1457	100.7363	-7734.7144	5774.0017	3 20
3	89-54-39	320-35-21	19.6559	15.1864	-12.4791	20.8861	317.1847	-7719.5280	5761.5226	4 38
4	89-49-24	230-24-45	5.4545	-3.4759	-4.2035	4.2035	-14.6109	-7723.0039	5757.3191	5 37
360-0-0			50.1954			SASHIHIKI	214.284661			
						1/2	107.142331			
						MENSEKI	107.1423			
						TSUBO MENSEKI	32.4106			

3-3号地

23

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-24-51						-7725.3444	5754.4885	1 32
1	90-10-30	140-35-21	19.6137	-15.1538	12.4523	12.4523	-188.6997	-7740.4982	5766.9408	2 18
2	90-5-19	50-40-40	3.6730	2.3275	2.8414	27.7460	64.5788	-7738.1707	5769.7822	3 19
3	89-54-40	320-35-20	19.6306	15.1668	-12.4631	18.1243	274.8876	-7723.0039	5757.3191	4 37
4	89-49-31	230-24-51	3.6729	-2.3405	-2.8306	2.8306	-6.6250	-7725.3444	5754.4885	5 32
360-0-0			46.5902			SASHIHIKI	144.141765			
						1/2	72.070883			
						MENSEKI	72.0709			
						TSUBO MENSEKI	21.8014			

4-1号地

24番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-27-8						-7719.0060	5743.9266	1 36
1	90-16-21	140-43-29	31.2099	-24.1600	19.7574	19.7574	-477.3388	-7743.1660	5763.6840	2 17
2	89-57-10	50-40-39	4.2100	2.6678	3.2568	42.7716	114.1061	-7740.4982	5766.9408	3 18
3	89-54-42	320-35-21	19.6137	15.1538	-12.4523	33.5761	508.8055	-7725.3444	5754.4885	4 32
4	180-37-1	321-12-22	11.6135	9.0516	-7.2761	13.8477	125.3438	-7716.2928	5747.2124	5 49
5	89-14-46	230-27-8	4.2612	-2.7132	-3.2858	3.2858	-8.9150	-7719.0060	5743.9266	6 36
540-0-0			70.9083			SASHIHIKI	262.001603			
						1/2	131.000802			
						MENSEKI	131.0008			
						TSUBO MENSEKI	39.6277			

4-2号地

25番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-27-5						-7721.6610	5740.7114	1 55
1	89-57-42	140-24-47	31.1937	-24.0397	19.8782	19.8782	-477.8660	-7745.7007	5760.5896	2 16
2	90-15-55	50-40-42	4.0000	2.5347	3.0944	42.8508	108.6139	-7743.1660	5763.6840	3 17
3	90-2-47	320-43-29	31.2099	24.1600	-19.7574	26.1878	632.6972	-7719.0060	5743.9266	4 56
4	89-43-36	230-27-5	4.1697	-2.6550	-3.2152	3.2152	-8.5364	-7721.6610	5740.7114	5 55
360-0-0			70.5733			SASHIHIKI	254.908850			
						1/2	127.454425			
						MENSEKI	127.4544			
						TSUBO MENSEKI	38.5550			

5-1号地

26-2番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-27-7						-7727.9124	5733.1408	1 54
1	89-57-39	140-24-46	14.9002	-11.4829	9.4952	9.4952	-109.0324	-7739.3953	5742.6360	2 138
2	90-15-56	50-40-42	9.8181	6.2215	7.5953	26.5857	165.4029	-7733.1738	5750.2313	3 139
3	89-44-4	320-24-46	14.9390	11.5128	-9.5199	24.6611	283.9183	-7721.6610	5740.7114	4 55
4	90-2-21	230-27-7	9.8180	-6.2514	-7.5706	7.5706	-47.3268	-7727.9124	5733.1408	5 54
360-0-0			49.4753			SASHIHIKI	292.961964			
						1/2	146.480982			
						MENSEKI	146.4810			
						TSUBO MENSEKI	44.3105			

5-2号地

26-1番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-40-42						-7739.3953	5742.6360	1 138
1	89-44-6	140-24-48	16.2548	-12.5270	10.3583	10.3583	-129.7584	-7751.9223	5752.9943	2 15
2	90-15-52	50-40-40	9.8182	6.2216	7.5953	28.3119	176.1453	-7745.7007	5760.5896	3 16
3	89-44-7	320-24-47	16.2548	12.5269	-10.3583	25.5489	320.0485	-7733.1738	5750.2313	4 139
4	90-15-55	230-40-42	9.8181	-6.2215	-7.5953	7.5953	-47.2542	-7739.3953	5742.6360	5 138
360-0-0			52.1459			SASHIHIKI	319.181249			
						1/2	159.590625			
						MENSEKI	159.5906			
						TSUBO MENSEKI	48.2762			

6号地

27番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-27-6						-7734.9223	5724.6517	1 53
1	89-57-41	140-24-47	31.1116	-23.9764	19.8258	19.8258	-475.3513	-7758.8987	5744.4775	2 14
2	90-15-54	50-40-41	11.0094	6.9764	8.5168	48.1684	336.0420	-7751.9223	5752.9943	3 15
3	89-44-6	320-24-47	31.1550	24.0099	-19.8535	36.8317	884.3254	-7727.9124	5733.1408	4 54
4	90-2-19	230-27-6	11.0092	-7.0099	-8.4891	8.4891	-59.5077	-7734.9223	5724.6517	5 53
360-0-0			84.2852			SASHIHIKI	685.508406			
						1/2	342.754203			
						MENSEKI	342.7542			
						TSUBO MENSEKI	103.6831			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

倍横距面積計算書

地番: (旧) 7 (新) 28

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
53		230-11-12				-7742.9997	5714.9615	13		
13	90-24-34	140-35-46	31.0031	-23.9558	19.6802	-7766.9555	5734.6417	3	19.6802	-471.454935
3	90-04-55	50-40-41	12.7144	8.0568	9.8358	-7758.8987	5744.4775	14	49.1962	396.363944
14	89-44-06	320-24-47	31.1116	23.9764	-19.8258	-7734.9223	5724.6517	53	39.2062	940.023534
53	89-46-25	230-11-12	12.6152	-8.0774	-9.6902	-7742.9997	5714.9615	13	9.6902	-78.271621
合計	360-00-00		87.4443	0.0000	0.0000			倍面積 面積 坪数		786.660921 393.3304605 118.982464

倍横距面積計算書

地番: (旧) 8 (新) 29

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
140		184-17-54				-7705.3536	5684.0346	12		
12	136-17-53	140-35-47	48.7207	-37.6461	30.9269	-7742.9997	5714.9615	13	30.9269	-1164.277170
13	89-35-25	50-11-12	12.6152	8.0774	9.6902	-7734.9223	5724.6517	53	71.5440	577.889506
53	180-15-55	50-27-07	29.2582	18.6295	22.5607	-7716.2928	5747.2124	49	103.7949	1933.647090
49	90-16-38	320-43-45	50.0397	38.7388	-31.6745	-7677.5540	5715.5379	11	94.6811	3667.832197
11	89-49-23	230-33-08	40.6016	-25.7972	-31.3528	-7703.3512	5684.1851	140	31.6538	-816.579409
140	133-44-46	184-17-54	2.0080	-2.0024	-0.1505	-7705.3536	5684.0346	12	0.1505	-0.301361
合計	720-00-00		183.2434	0.0000	0.0000			倍面積 面積 坪数		4198.210851 2099.1054255 634.979391

1-41号地

43番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-25-58						-7721.9263	5751.7409	1 51
1	90-46-25	141-12-23	4.3855	-3.4181	2.7476	2.7476	-9.3916	-7725.3444	5754.4885	2 52
2	89-12-24	50-24-47	11.3500	7.2328	8.7470	14.2422	103.0110	-7718.1116	5763.2355	3 53
3	90-10-42	320-35-29	4.3812	3.3851	-2.7814	20.2078	68.4054	-7714.7265	5760.4541	4 54
4	89-50-29	230-25-58	11.3030	-7.1998	-8.7132	8.7132	-62.7333	-7721.9263	5751.7409	5 51
360- 0- 0			31.4197			SASHIHIKI	99.291539			
						1/2	49.645770			
						MENSEKI	49.6458			
						TSUBO MENSEKI	15.0178			

1-42号地

30番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50- 6-18						-7677.5540	5715.5379	1 //
1	90-37-26	140-43-44	10.6700	-8.2603	6.7540	6.7540	-55.7901	-7685.8143	5722.2919	2 39
2	89-31-56	50-15-40	5.0201	3.2093	3.8603	17.3683	55.7401	-7682.6050	5726.1522	3 74
3	90-21-33	320-37-13	10.6835	8.2579	-6.7782	14.4504	119.3300	-7674.3471	5719.3740	4 38
4	89-29- 5	230- 6-18	5.0000	-3.2069	-3.8361	3.8361	-12.3020	-7677.5540	5715.5379	5 //
360- 0- 0			31.3736			SASHIHIKI	106.977988			
						1/2	53.488994			
						MENSEKI	53.4890			
						TSUBO MENSEKI	16.1804			

1-43号地

70番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-24-46						-7710.3120	5770.5503	1 92
1	90-19- 7	140-43-53	1.3495	-1.0448	0.8542	0.8542	-0.8925	-7711.3568	5771.4045	2 61
2	89-40-54	50-24-47	10.6500	6.7867	8.2075	9.9159	67.2962	-7704.5701	5779.6120	3 83
3	90-23-27	320-48-14	1.3496	1.0459	-0.8529	17.2705	18.0632	-7703.5242	5778.7591	4 64
4	89-36-32	230-24-46	10.6517	-6.7878	-8.2088	8.2088	-55.7197	-7710.3120	5770.5503	5 92
360- 0- 0			24.0008			SASHIHIKI	28.747294			
						1/2	14.373647			
						MENSEKI	14.3736			
						TSUBO MENSEKI	4.3480			

1-44号地

72番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-59-56						-7697.7752	5774.0710	1 66
1	89-48-20	140-48-16	4.0811	-3.1628	2.5791	2.5791	-8.1572	-7700.9380	5776.6501	2 65
2	90-11-43	50-59-59	11.0465	6.9518	8.5847	13.7429	95.5379	-7693.9862	5785.2348	3 25
3	89-58-24	320-58-23	4.0812	3.1705	-2.5699	19.7577	62.6418	-7690.8157	5782.6649	4 26
4	90- 1-33	230-59-56	11.0585	-6.9595	-8.5939	8.5939	-59.8092	-7697.7752	5774.0710	5 66
360- 0- 0			30.2673			SASHIHIKI	90.213256			
						1/2	45.106628			
						MENSEKI	45.1066			
						TSUBO MENSEKI	13.6448			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

1-29号 地

31番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-6-20						-7674.3471	5719.3740	1 38
1	90-30-53	140-37-13	10.6835	-8.2579	6.7782	6.7782	-55.9737	-7682.6050	5726.1522	2 74
2	89-38-26	50-15-39	6.1102	3.9062	4.6985	18.2549	71.3073	-7678.6988	5730.8507	3 75
3	90-19-46	320-35-25	10.7000	8.2671	-6.7930	16.1604	133.5996	-7670.4317	5724.0577	4 37
4	89-30-55	230-6-20	6.1047	-3.9154	-4.6837	4.6837	-18.3386	-7674.3471	5719.3740	5 38

360- 0- 0

33.5984

SASHIHIKI

130.594676

1/2

65.297338

MENSEKI

65.2973

TSUBO MENSEKI

19.7524

1-30号 地

32番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-15-40						-7685.8143	5722.2919	1 37
1	90-28-7	140-43-47	4.5330	-3.5093	2.8693	2.8693	-10.0692	-7689.3236	5725.1612	2 40
2	89-30-58	50-14-45	11.1413	7.1248	8.5654	14.3040	101.9131	-7682.1988	5733.7266	3 123
3	90-20-41	320-35-26	4.5300	3.5000	-2.8759	19.9935	69.9773	-7678.6988	5730.8507	4 75
4	89-40-14	230-15-40	11.1303	-7.1155	-8.5588	8.5588	-60.9001	-7685.8143	5722.2919	5 39

360- 0- 0

31.3346

SASHIHIKI

100.921013

1/2

50.460507

MENSEKI

50.4605

TSUBO MENSEKI

15.2643

1-31号 地

33番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-14-45						-7689.3236	5725.1612	1 40
1	90-29-0	140-43-45	4.0900	-3.1663	2.5889	2.5889	-8.1972	-7692.4899	5727.7501	2 41
2	89-37-12	50-20-57	11.1511	7.1156	8.5858	13.7636	97.9363	-7685.3743	5736.3359	3 124
3	90-14-28	320-35-25	4.1100	3.1755	-2.6093	19.7401	62.6847	-7682.1988	5733.7266	4 123
4	89-39-20	230-14-45	11.1413	-7.1248	-8.5654	8.5654	-61.0268	-7689.3236	5725.1612	5 40

360- 0- 0

30.4924

SASHIHIKI

91.396964

1/2

45.698482

MENSEKI

45.6985

TSUBO MENSEKI

13.8238

1-32号 地

34番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-20-57						-7692.4899	5727.7501	1 41
1	90-22-44	140-43-41	4.0900	-3.1663	2.5890	2.5890	-8.1976	-7695.6562	5730.3391	2 42
2	89-43-26	50-27-7	11.1608	7.1064	8.6060	13.7840	97.9546	-7688.5498	5738.9451	3 125
3	90-8-21	320-35-28	4.1100	3.1755	-2.6092	19.7808	62.8139	-7685.3743	5736.3359	4 124
4	89-45-29	230-20-57	11.1511	-7.1156	-8.5858	8.5858	-61.0931	-7692.4899	5727.7501	5 41

360- 0- 0

30.5119

SASHIHIKI

91.477879

1/2

45.738939

MENSEKI

45.7389

TSUBO MENSEKI

13.8360

1-33号地

35番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-27-7						-7695.6562	5730.3391	1 42
1	90-16-41	140-43-48	4.1000	-3.1741	2.5952	2.5952	-8.2374	-7698.8303	5732.9343	2 43
2	89-49-29	50-33-17	11.1707	7.0972	8.6264	13.8168	98.0606	-7691.7331	5741.5607	3 126
3	90-2-12	320-35-29	4.1200	3.1833	-2.6156	19.8276	63.1172	-7688.5498	5738.9451	4 125
4	89-51-38	230-27-7	11.1608	-7.1064	-8.6060	8.6060	-61.1577	-7695.6562	5730.3391	5 42
360-0-0			30.5515			SASHIHIKI	91.782689			
						1/2	45.891345			
						MENSEKI	45.8913			
						TSUBO MENSEKI	13.8821			

1-34号地

36番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-17						-7698.8303	5732.9343	1 43
1	90-10-30	140-43-47	4.1300	-3.1973	2.6142	2.6142	-8.3584	-7702.0276	5735.5485	2 44
2	89-49-31	50-33-18	11.1808	7.1036	8.6342	13.8626	98.4744	-7694.9240	5744.1827	3 127
3	90-2-5	320-35-23	4.1300	3.1909	-2.6220	19.8748	63.4185	-7691.7331	5741.5607	4 126
4	89-57-54	230-33-17	11.1707	-7.0972	-8.6264	8.6264	-61.2233	-7698.8303	5732.9343	5 43
360-0-0			30.6115			SASHIHIKI	92.311197			
						1/2	46.155598			
						MENSEKI	46.1556			
						TSUBO MENSEKI	13.9621			

1-35号地

37番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-18						-7702.0276	5735.5485	1 44
1	90-10-25	140-43-43	4.6500	-3.5998	2.9434	2.9434	-10.5957	-7705.6274	5738.4919	2 45
2	89-49-37	50-33-20	11.1920	7.1106	8.6429	14.5297	103.3149	-7698.5168	5747.1348	3 128
3	90-2-8	320-35-28	4.6501	3.5928	-2.9521	20.2205	72.6482	-7694.9240	5744.1827	4 127
4	89-57-50	230-33-18	11.1808	-7.1036	-8.6342	8.6342	-61.3339	-7702.0276	5735.5485	5 44
360-0-0			31.6729			SASHIHIKI	104.033543			
						1/2	52.016771			
						MENSEKI	52.0168			
						TSUBO MENSEKI	15.7351			

1-36号地

38番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-20						-7705.6274	5738.4919	1 45
1	90-10-25	140-43-45	4.6750	-3.6192	2.9592	2.9592	-10.7099	-7709.2466	5741.4511	2 46
2	89-44-58	50-28-43	11.2033	7.1294	8.6421	14.5605	103.8076	-7702.1172	5750.0932	3 129
3	90-6-43	320-35-26	4.6599	3.6004	-2.9584	20.2442	72.8872	-7698.5168	5747.1348	4 128
4	89-57-54	230-33-20	11.1920	-7.1106	-8.6429	8.6429	-61.4562	-7705.6274	5738.4919	5 45
360-0-0			31.7302			SASHIHIKI	104.528705			
						1/2	52.264353			
						MENSEKI	52.2644			
						TSUBO MENSEKI	15.8100			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

1-37号地

39番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-28-43						-7709.2466	5741.4511	1 41
1	90-14-59	140-43-42	4.0848	-3.1623	2.5857	2.5857	-8.1768	-7712.4089	5744.0368	2 47
2	89-43-33	50-27-15	11.2131	7.1393	8.6466	13.8180	98.6508	-7705.2696	5752.6834	3 130
3	90-8-14	320-35-29	4.0800	3.1524	-2.5902	19.8744	62.6521	-7702.1172	5750.0932	4 129
4	89-53-14	230-28-43	11.2033	-7.1294	-8.6421	8.6421	-61.6130	-7709.2466	5741.4511	5 46
360-0-0			30.5812			SASHIHIKI	91.513159			
						1/2	45.756580			
						MENSEKI	45.7566			
						TSUBO MENSEKI	13.8414			

1-38号地

40番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-27-15						-7712.4089	5744.0368	1 47
1	90-16-30	140-43-45	4.0849	-3.1624	2.5857	2.5857	-8.1770	-7715.5713	5746.6225	2 48
2	89-42-0	50-25-45	11.2230	7.1494	8.6511	13.8225	98.8226	-7708.4219	5755.2736	3 131
3	90-9-41	320-35-26	4.0800	3.1523	-2.5902	19.8834	62.6784	-7705.2696	5752.6834	4 130
4	89-51-49	230-27-15	11.2131	-7.1393	-8.6466	8.6466	-61.7307	-7712.4089	5744.0368	5 47
360-0-0			30.6010			SASHIHIKI	91.593334			
						1/2	45.796667			
						MENSEKI	45.7967			
						TSUBO MENSEKI	13.8535			

1-39号地

41番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-25-45						-7715.5713	5746.6225	1 48
1	90-18-5	140-43-50	0.9320	-0.7215	0.5899	0.5899	-0.4256	-7716.2928	5747.2124	2 49
2	180-28-33	141-12-23	3.1480	-2.4536	1.9723	3.1521	-7.7340	-7718.7464	5749.1847	3 50
3	89-13-27	50-25-50	11.2591	7.1722	8.6791	13.8035	99.0015	-7711.5742	5757.8638	4 132
4	90-9-36	320-35-26	4.0800	3.1523	-2.5902	19.8924	62.7068	-7708.4219	5755.2736	5 131
5	89-50-19	230-25-45	11.2230	-7.1494	-8.6511	8.6511	-61.8502	-7715.5713	5746.6225	6 48
540-0-0			30.6421			SASHIHIKI	91.698495			
						1/2	45.849248			
						MENSEKI	45.8492			
						TSUBO MENSEKI	13.8694			

1-40号地

42番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-25-50						-7718.7464	5749.1847	1 50
1	90-46-30	141-12-20	4.0799	-3.1799	2.5562	2.5562	-8.1285	-7721.9263	5751.7409	2 51
2	89-13-38	50-25-58	11.3030	7.1998	8.7132	13.8256	99.5416	-7714.7265	5760.4541	3 133
3	90-9-24	320-35-22	4.0800	3.1523	-2.5903	19.9485	62.8837	-7711.5742	5757.8638	4 132
4	89-50-28	230-25-50	11.2591	-7.1722	-8.6791	8.6791	-62.2482	-7718.7464	5749.1847	5 50
360-0-0			30.7220			SASHIHIKI	92.048510			
						1/2	46.024255			
						MENSEKI	46.0243			
						TSUBO MENSEKI	13.9223			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

1-25号 地

46番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-43-7						-7705.9958	5753.2802	1 113
1	89-52-22	140-35-29	4.2100	-3.2528	2.6727	2.6727	-8.6938	-7709.2486	5755.9529	2 114
2	90-4-23	50-39-52	10.6284	6.7369	8.2205	13.5659	91.3921	-7702.5117	5764.1734	3 94
3	90-4-6	320-43-58	4.1999	3.2516	-2.6583	19.1281	62.1969	-7699.2601	5761.5151	4 95
4	89-59-9	230-43-7	10.6388	-6.7357	-8.2349	8.2349	-55.4678	-7705.9958	5753.2802	5 115
	360-0-0		29.6771			SASHIHIKI	89.427467			
						1/2	44.713734			
						MENSEKI	44.7137			
						TSUBO MENSEKI	13.5259			

1-26号 地

45番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-39-52						-7709.2486	5755.9529	1 114
1	89-55-34	140-35-26	4.2099	-3.2527	2.6727	2.6727	-8.6935	-7712.5013	5758.6256	2 113
2	90-1-14	50-36-40	10.6179	6.7379	8.2061	13.5515	91.3087	-7705.7634	5766.8317	3 93
3	90-7-21	320-44-1	4.2000	3.2517	-2.6583	19.0993	62.1052	-7702.5117	5764.1734	4 94
4	89-55-51	230-39-52	10.6284	-6.7369	-8.2205	8.2205	-55.3807	-7709.2486	5755.9529	5 114
	360-0-0		29.6562			SASHIHIKI	89.339668			
						1/2	44.669834			
						MENSEKI	44.6698			
						TSUBO MENSEKI	13.5126			

1-27号 地

44番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-36-40						-7712.5013	5758.6256	1 113
1	89-58-46	140-35-26	7.2613	-5.6103	4.6099	4.6099	-25.8629	-7718.1116	5763.2355	2 59
2	89-49-22	50-24-48	10.6000	6.7548	8.1690	17.3888	117.4579	-7711.3568	5771.4045	3 11
3	90-19-10	320-43-58	7.2247	5.5934	-4.5728	20.9850	117.3775	-7705.7634	5766.8317	4 93
4	89-52-42	230-36-40	10.6179	-6.7379	-8.2061	8.2061	-55.2919	-7712.5013	5758.6256	5 113
	360-0-0		35.7039			SASHIHIKI	153.680562			
						1/2	76.840281			
						MENSEKI	76.8403			
						TSUBO MENSEKI	23.2442			

1-28号 地

55番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-6-17						-7670.4317	5724.0577	1 37
1	90-29-8	140-35-25	10.7000	-8.2671	6.7930	6.7930	-56.1584	-7678.6988	5730.8507	2 75
2	89-30-50	50-6-15	6.1000	3.9125	4.6800	18.2660	71.4657	-7674.7863	5735.5307	3 76
3	90-29-12	320-35-27	10.6999	8.2671	-6.7929	16.1531	133.5393	-7666.5192	5728.7378	4 36
4	89-30-50	230-6-17	6.1001	-3.9125	-4.6801	4.6801	-18.3109	-7670.4317	5724.0577	5 37
	360-0-0		33.6000			SASHIHIKI	130.535716			
						1/2	65.267858			
						MENSEKI	65.2679			
						TSUBO MENSEKI	19.7435			

1-21号 地

50番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-55-53						-7692.1194	5741.8781	1 117
1	89-39-33	140-35-26	4.2600	-3.2914	2.7045	2.7045	-8.9016	-7695.4108	5744.5826	2 118
2	90-20-28	50-55-54	10.6661	6.7223	8.2811	13.6901	92.0290	-7688.6885	5752.8637	3 98
3	89-43-5	320-38-59	4.2600	3.2942	-2.7011	19.2701	63.4796	-7685.3943	5750.1626	4 106
4	90-16-54	230-55-53	10.6705	-6.7251	-8.2845	8.2845	-55.7141	-7692.1194	5741.8781	5 119
360- 0- 0			29.8566			SASHIHIKI	90.892840			
						1/2	45.446420			
						MENSEKI	45.4464			
						TSUBO MENSEKI	13.7475			

1-22号 地

49番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-55-54						-7695.4108	5744.5826	1 118
1	89-39-33	140-35-27	4.6901	-3.6237	2.9775	2.9775	-10.7896	-7699.0345	5747.5601	2 117
2	90-30-12	51- 5-39	10.6614	6.6958	8.2965	14.2515	95.4252	-7692.3387	5755.8566	3 97
3	89-33-24	320-39- 3	4.7203	3.6502	-2.9929	19.5551	71.3800	-7688.6885	5752.8637	4 98
4	90-16-51	230-55-54	10.6661	-6.7223	-8.2811	8.2811	-55.6680	-7695.4108	5744.5826	5 118
360- 0- 0			30.7379			SASHIHIKI	100.347614			
						1/2	50.173807			
						MENSEKI	50.1738			
						TSUBO MENSEKI	15.1776			

1-23号 地

48番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 5-39						-7699.0345	5747.5601	1 117
1	89-29-47	140-35-26	4.8000	-3.7086	3.0473	3.0473	-11.3012	-7702.7431	5750.6074	2 116
2	90-10-53	50-46-19	10.6493	6.7347	8.2493	14.3439	96.6019	-7696.0084	5758.8567	3 96
3	89-57-39	320-43-58	4.7400	3.6697	-3.0001	19.5931	71.9008	-7692.3387	5755.8566	4 97
4	90-21-41	231- 5-39	10.6614	-6.6958	-8.2965	8.2965	-55.5517	-7699.0345	5747.5601	5 117
360- 0- 0			30.8507			SASHIHIKI	101.649741			
						1/2	50.824870			
						MENSEKI	50.8249			
						TSUBO MENSEKI	15.3745			

1-24号 地

47番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-46-19						-7702.7431	5750.6074	1 116
1	89-49- 3	140-35-22	4.2100	-3.2527	2.6728	2.6728	-8.6938	-7705.9958	5753.2802	2 115
2	90- 7-45	50-43- 7	10.6388	6.7357	8.2349	13.5805	91.4742	-7699.2601	5761.5151	3 95
3	90- 0-50	320-43-57	4.2001	3.2517	-2.6584	19.1570	62.2928	-7696.0084	5758.8567	4 96
4	90- 2-22	230-46-19	10.6493	-6.7347	-8.2493	8.2493	-55.5566	-7702.7431	5750.6074	5 116
360- 0- 0			29.6982			SASHIHIKI	89.516613			
						1/2	44.758307			
						MENSEKI	44.7583			
						TSUBO MENSEKI	13.5394			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-17号 地

54番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-6-15						-7678.6988	5730.8507	1 15
1	90-29-12	140-35-27	4.6800	-3.6159	2.9711	2.9711	-10.7432	-7682.3147	5733.8218	2 122
2	90-20-25	50-55-52	10.6838	6.7335	8.2948	14.2370	95.8648	-7675.5812	5742.1166	3 103
3	89-43-7	320-38-59	4.5300	3.5030	-2.8723	19.6595	68.8672	-7672.0782	5739.2443	4 77
4	89-58-10	230-37-9	0.0881	-0.0559	-0.0681	16.7191	-0.9346	-7672.1341	5739.1762	5 78
5	270-1-30	320-38-39	0.3034	0.2346	-0.1924	16.4586	3.8612	-7671.8995	5738.9838	6 77
6	89-27-36	230-6-15	10.6008	-6.7993	-8.1331	8.1331	-55.2994	-7678.6988	5730.8507	7 75
720-0-0			30.8861	SASHIHIKI			101.616071			
				1/2			50.808035			
				MENSEKI			50.8080			
				TSUBO MENSEKI			15.3694			

1-18号 地

53番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-55-52						-7682.3147	5733.8218	1 122
1	89-39-35	140-35-27	4.2301	-3.2683	2.6855	2.6855	-8.7770	-7685.5830	5736.5073	2 121
2	90-20-23	50-55-50	10.6794	6.7308	8.2913	13.6623	91.9582	-7678.8522	5744.7986	3 104
3	89-43-12	320-39-2	4.2300	3.2710	-2.6820	19.2716	63.0374	-7675.5812	5742.1166	4 103
4	90-16-50	230-55-52	10.6838	-6.7335	-8.2948	8.2948	-55.8530	-7682.3147	5733.8218	5 122
360-0-0			29.8233	SASHIHIKI			90.365557			
				1/2			45.182778			
				MENSEKI			45.1828			
				TSUBO MENSEKI			13.6678			

1-19号 地

52番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-55-50						-7685.5830	5736.5073	1 121
1	89-39-37	140-35-27	4.2300	-3.2682	2.6854	2.6854	-8.7764	-7688.8512	5739.1927	2 120
2	90-20-25	50-55-52	10.6749	6.7279	8.2879	13.6587	91.8944	-7682.1233	5747.4806	3 105
3	89-43-13	320-39-5	4.2300	3.2711	-2.6820	19.2646	63.0164	-7678.8522	5744.7986	4 104
4	90-16-45	230-55-50	10.6794	-6.7308	-8.2913	8.2913	-55.8071	-7685.5830	5736.5073	5 121
360-0-0			29.8143	SASHIHIKI			90.327294			
				1/2			45.163647			
				MENSEKI			45.1636			
				TSUBO MENSEKI			13.6620			

1-20号 地

51番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-55-52						-7688.8512	5739.1927	1 120
1	89-39-35	140-35-27	4.2300	-3.2682	2.6854	2.6854	-8.7764	-7692.1194	5741.8781	2 119
2	90-20-26	50-55-53	10.6705	6.7251	8.2845	13.6553	91.8333	-7685.3943	5750.1626	3 106
3	89-43-9	320-39-2	4.2300	3.2710	-2.6820	19.2578	62.9923	-7682.1233	5747.4806	4 105
4	90-16-50	230-55-52	10.6749	-6.7279	-8.2879	8.2879	-55.7602	-7688.8512	5739.1927	5 120
360-0-0			29.8054	SASHIHIKI			90.288935			
				1/2			45.144468			
				MENSEKI			45.1445			
				TSUBO MENSEKI			13.6562			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

1-13号地

68番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-46-24						-7702.5117	5764.1734	1 94
1	89-57-37	140-44-1	4.2000	-3.2517	2.6583	2.6583	-8.6440	-7705.7634	5766.8317	2 93
2	90-2-22	50-46-23	10.6587	6.7405	8.2567	13.5733	91.4908	-7699.0229	5775.0884	3 91
3	90-1-50	320-48-13	4.2000	3.2549	-2.6543	19.1757	62.4150	-7695.7680	5772.4341	4 90
4	89-58-11	230-46-24	10.6638	-6.7437	-8.2607	8.2607	-55.7077	-7702.5117	5764.1734	5 94
	360-0-0		29.7225			SASHIHIKI	89.554138			
						1/2	44.777069			
						MENSEKI	44.7771			
						TSUBO MENSEKI	13.5451			

1-14号地

69番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-46-23						-7705.7634	5766.8317	1 93
1	89-57-36	140-43-59	5.8752	-4.5486	3.7186	3.7186	-16.9144	-7710.3120	5770.5503	2 92
2	89-40-47	50-24-46	10.6517	6.7878	8.2088	15.6460	106.2019	-7703.5242	5778.7591	3 64
3	90-23-27	320-48-13	5.8082	4.5013	-3.6707	20.1841	90.8547	-7699.0229	5775.0884	4 91
4	89-58-10	230-46-23	10.6587	-6.7405	-8.2567	8.2567	-55.6543	-7705.7634	5766.8317	5 93
	360-0-0		32.9938			SASHIHIKI	124.487898			
						1/2	62.243949			
						MENSEKI	62.2439			
						TSUBO MENSEKI	18.8288			

1-15号地

57番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-6-22						-7663.6263	5732.1982	1 35
1	90-32-8	140-38-30	11.0034	-8.5078	6.9780	6.9780	-59.3674	-7672.1341	5739.1762	2 78
2	89-58-22	50-36-52	4.5202	2.8682	3.4936	17.4496	50.0489	-7669.2659	5742.6698	3 90
3	90-1-32	320-38-24	11.0435	8.5386	-7.0037	13.9395	119.0238	-7660.7273	5735.6661	4 34
4	89-27-58	230-6-22	4.5200	-2.8990	-3.4679	3.4679	-10.0534	-7663.6263	5732.1982	5 35
	360-0-0		31.0871			SASHIHIKI	99.651887			
						1/2	49.825943			
						MENSEKI	49.8259			
						TSUBO MENSEKI	15.0723			

1-16号地

56番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-6-16						-7666.5192	5728.7378	1 36
1	90-29-11	140-35-27	10.6999	-8.2671	6.7929	6.7929	-56.1576	-7674.7863	5735.5307	2 96
2	89-30-48	50-6-15	4.5008	2.8868	3.4531	17.0389	49.1879	-7671.8995	5738.9838	3 77
3	90-32-15	320-38-30	10.7000	8.2732	-6.7856	13.7064	113.3958	-7663.6263	5732.1982	4 35
4	89-27-46	230-6-16	4.5103	-2.8929	-3.4604	3.4604	-10.0106	-7666.5192	5728.7378	5 36
	360-0-0		30.4110			SASHIHIKI	96.415510			
						1/2	48.207755			
						MENSEKI	48.2078			
						TSUBO MENSEKI	14.5828			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-1号地

75番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-6-18						-7656.6545	5740.5380	1 33
1	90-41-55	140-48-13	36.1378	-28.0062	22.8384	22.8384	-639.6168	-7684.6607	5763.3764	2 68
2	89-55-21	50-43-34	11.0725	7.0092	8.5715	54.2483	380.2372	-7677.6515	5771.9479	3 69
3	89-52-32	320-36-6	36.2565	28.0173	-23.0122	39.8076	1115.3015	-7649.6342	5748.9357	4 32
4	89-30-12	230-6-18	10.9456	-7.0203	-8.3977	8.3977	-58.9544	-7656.6545	5740.5380	5 33
	360-0-0		94.4124			SASHIHIKI	796.967484			
						1/2	398.483742			
						MENSEKI	398.4837			
						TSUBO MENSEKI	120.5413			

1-2号地

71番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-59-59						-7700.9380	5776.6501	1 65
1	89-48-14	140-48-13	4.6867	-3.6321	2.9619	2.9619	-10.7579	-7704.5701	5779.6120	2 63
2	89-36-35	50-24-48	11.0333	7.0309	8.5029	14.4267	101.4327	-7697.5392	5788.1149	3 24
3	90-33-29	320-58-17	4.5737	3.5530	-2.8801	20.0495	71.2359	-7693.9862	5785.2348	4 25
4	90-1-42	230-59-59	11.0465	-6.9518	-8.5847	8.5847	-59.6791	-7700.9380	5776.6501	5 65
	360-0-0		31.3402			SASHIHIKI	102.231524			
						1/2	51.115762			
						MENSEKI	51.1158			
						TSUBO MENSEKI	15.4625			

1-3号地

58番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-6-18						-7660.7273	5735.6661	1 34
1	90-32-6	140-38-24	11.0435	-8.5386	7.0037	7.0037	-59.8018	-7669.2659	5742.6698	2 80
2	89-58-27	50-36-51	6.3181	4.0091	4.8832	18.8906	75.7343	-7665.2568	5747.5530	3 81
3	90-11-21	320-48-12	11.1000	8.6023	-7.0150	16.7588	144.1642	-7656.6545	5740.5380	4 33
4	89-18-6	230-6-18	6.3500	-4.0728	-4.8719	4.8719	-19.8423	-7660.7273	5735.6661	5 34
	360-0-0		34.8116			SASHIHIKI	140.254463			
						1/2	70.127231			
						MENSEKI	70.1272			
						TSUBO MENSEKI	21.2135			

1-4号地

59番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-36-51						-7672.0782	5739.2443	1 79
1	90-2-11	140-39-2	4.5000	-3.4798	2.8532	2.8532	-9.9286	-7675.5580	5742.0975	2 102
2	89-51-26	50-30-28	10.7302	6.8292	8.2868	13.9932	95.5624	-7668.7288	5750.3843	3 82
3	90-17-46	320-48-14	4.4801	3.4720	-2.8313	19.4487	67.5259	-7665.2568	5747.5530	4 81
4	89-48-37	230-36-51	10.7502	-6.8214	-8.3087	8.3087	-56.6770	-7672.0782	5739.2443	5 79
	360-0-0		30.4685			SASHIHIKI	96.482716			
						1/2	48.241358			
						MENSEKI	48.2414			
						TSUBO MENSEKI	14.5930			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

1-5号 地

60番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-30-28						-7675.5580	5742.0975	1 102
1	90- 8-34	140-39- 2	4.2500	-3.2865	2.6947	2.6947	-8.8561	-7678.8445	5744.7922	2 101
2	89-57-48	50-36-50	10.7268	6.8066	8.2906	13.6800	93.1143	-7672.0379	5753.0828	3 83
3	90-11-23	320-48-13	4.2699	3.3091	-2.6985	19.2721	63.7733	-7668.7288	5750.3843	4 82
4	89-42-15	230-30-28	10.7382	-6.8292	-8.2868	8.2868	-56.5922	-7675.5580	5742.0975	5 102
360- 0- 0			29.9849			SASHIHIKI	91.439248			
						1/2	45.719624			
						MENSEKI	45.7196			
						TSUBO MENSEKI	13.8302			

1-6号 地

61番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-36-50						-7678.8445	5744.7922	1 101
1	90- 2- 9	140-38-59	4.2501	-3.2865	2.6948	2.6948	-8.8565	-7682.1310	5747.4870	2 100
2	90- 4-15	50-43-14	10.7153	6.7839	8.2944	13.6840	92.8309	-7675.3471	5755.7814	3 84
3	90- 4-58	320-48-12	4.2700	3.3092	-2.6986	19.2798	63.8007	-7672.0379	5753.0828	4 83
4	89-48-38	230-36-50	10.7268	-6.8066	-8.2906	8.2906	-56.4308	-7678.8445	5744.7922	5 101
360- 0- 0			29.9622			SASHIHIKI	91.344344			
						1/2	45.672172			
						MENSEKI	45.6722			
						TSUBO MENSEKI	13.8158			

1-7号 地

62番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-43-14						-7682.1310	5747.4870	1 100
1	89-55-52	140-39- 6	4.2400	-3.2788	2.6883	2.6883	-8.8144	-7685.4098	5750.1753	2 99
2	90-13-46	50-52-52	10.7040	6.7535	8.3046	13.6812	92.3960	-7678.6563	5758.4799	3 85
3	89-55-24	320-48-16	4.2700	3.3092	-2.6985	19.2873	63.8255	-7675.3471	5755.7814	4 84
4	89-54-58	230-43-14	10.7153	-6.7839	-8.2944	8.2944	-56.2684	-7682.1310	5747.4870	5 100
360- 0- 0			29.9293			SASHIHIKI	91.138739			
						1/2	45.569370			
						MENSEKI	45.5694			
						TSUBO MENSEKI	13.7847			

1-8号 地

63番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-52-52						-7685.4098	5750.1753	1 99
1	89-46- 7	140-38-59	4.2400	-3.2787	2.6884	2.6884	-8.8145	-7688.6885	5752.8637	2 98
2	90-23-34	51- 2-33	10.6927	6.7230	8.3148	13.6916	92.0486	-7681.9655	5761.1785	3 86
3	89-45-39	320-48-12	4.2700	3.3092	-2.6986	19.3078	63.8934	-7678.6563	5758.4799	4 85
4	90- 4-40	230-52-52	10.7040	-6.7535	-8.3046	8.3046	-56.0851	-7685.4098	5750.1753	5 99
360- 0- 0			29.9067			SASHIHIKI	91.042425			
						1/2	45.521213			
						MENSEKI	45.5212			
						TSUBO MENSEKI	13.7702			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

1-9号地

64番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-2-33						-7688.6885	5752.8637	1 98
1	89-36-30	140-39-3	4.7203	-3.6502	2.9929	2.9929	-10.9247	-7692.3387	5755.8566	2 97
2	90-26-39	51-5-42	10.6802	6.7075	8.3112	14.2970	95.8971	-7685.6312	5764.1678	3 87
3	89-42-31	320-48-13	4.7300	3.6657	-2.9893	19.6189	71.9170	-7681.9655	5761.1785	4 86
4	90-14-20	231-2-33	10.6927	-6.7230	-8.3148	8.3148	-55.9004	-7688.6885	5752.8637	5 98
	360-0-0		30.8232			SASHIHIKI	100.989045			
						1/2	50.494523			
						MENSEKI	50.4945			
						TSUBO / MENSEKI	15.2746			

1-10号地

65番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-5-42						-7692.3387	5755.8566	1 97
1	89-38-16	140-43-58	4.7400	-3.6697	3.0001	3.0001	-11.0095	-7696.0084	5758.8567	2 96
2	90-2-24	50-46-22	10.6742	6.7503	8.2687	14.2689	96.3194	-7689.2581	5767.1254	3 88
3	90-1-53	320-48-15	4.6799	3.6269	-2.9576	19.5800	71.0147	-7685.6312	5764.1678	4 87
4	90-17-27	231-5-42	10.6802	-6.7075	-8.3112	8.3112	-55.7474	-7692.3387	5755.8566	5 97
	360-0-0		30.7743			SASHIHIKI	100.577217			
						1/2	50.288608			
						MENSEKI	50.2886			
						TSUBO / MENSEKI	15.2123			

1-11号地

66番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-46-22						-7696.0084	5758.8567	1 96
1	89-57-35	140-43-57	4.2001	-3.2517	2.6584	2.6584	-8.6443	-7699.2601	5761.5151	2 95
2	90-2-23	50-46-20	10.6690	6.7471	8.2646	13.5814	91.6351	-7692.5130	5769.7797	3 89
3	90-1-53	320-48-13	4.2000	3.2549	-2.6543	19.1917	62.4671	-7689.2581	5767.1254	4 88
4	89-58-9	230-46-22	10.6742	-6.7503	-8.2687	8.2687	-55.8162	-7696.0084	5758.8567	5 96
	360-0-0		29.7433			SASHIHIKI	89.641603			
						1/2	44.820802			
						MENSEKI	44.8208			
						TSUBO / MENSEKI	13.5583			

1-12号地

67番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-46-20						-7699.2601	5761.5151	1 95
1	89-57-38	140-43-58	4.1999	-3.2516	2.6583	2.6583	-8.6437	-7702.5117	5764.1734	2 94
2	90-2-26	50-46-24	10.6638	6.7437	8.2607	13.5773	91.5612	-7695.7680	5772.4341	3 90
3	90-1-48	320-48-12	4.2001	3.2550	-2.6544	19.1836	62.4426	-7692.5130	5769.7797	4 89
4	89-58-8	230-46-20	10.6690	-6.7471	-8.2646	8.2646	-55.7621	-7699.2601	5761.5151	5 95
	360-0-0		29.7328			SASHIHIKI	89.598045			
						1/2	44.799023			
						MENSEKI	44.7990			
						TSUBO / MENSEKI	13.5517			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-45号地

73番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-59-53						-7694.5815	5771.4665	1 67
1	89-48-15	140-48-8	4.1211	-3.1937	2.6045	2.6045	-8.3180	-7697.7752	5774.0710	2 66
2	90-11-48	50-59-56	11.0585	6.9595	8.5939	13.8029	96.0613	-7690.8157	5782.6649	3 26
3	89-58-24	320-58-20	4.1212	3.2015	-2.5951	19.8017	63.3951	-7687.6142	5780.0698	4 27
4	90-1-33	230-59-53	11.0707	-6.9673	-8.6033	8.6033	-59.9418	-7694.5815	5771.4665	5 67
	360-0-0		30.3715			SASHIHIKI	91.196661			
						1/2	45.598331			
						MENSEKI	45.5983			
						TSUBO MENSEKI	13.7935			

1-46号地

74番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-43-34						-7684.6607	5763.3764	1 68
1	90-4-40	140-48-14	12.8012	-9.9208	8.0901	8.0901	-80.2603	-7694.5815	5771.4665	2 67
2	90-11-39	50-59-53	11.0707	6.9673	8.6033	24.7835	172.6741	-7687.6142	5780.0698	3 27
3	89-58-23	320-58-16/8	7.3111	5.6795	-4.6039	28.7829	163.4725	-7681.9347	5775.4659	4 5
4	179-37-51	320-36-7	5.5428	4.2832	-3.5180	20.6610	88.4952	-7677.6515	5771.9479	5 69
5	90-7-27	230-43-34	11.0725	-7.0092	-8.5715	8.5715	-60.0794	-7684.6607	5763.3764	6 68
	540-0-0		47.7983			SASHIHIKI	284.302133			
						1/2	142.151067			
						MENSEKI	142.1511			
						TSUBO MENSEKI	43.0007			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

13号地

76番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-6-18						-7649.6342	5748.9357	1 32
1	90-29-49	140-36-7	12.0606	-9.3199	7.6549	7.6549	-71.3429	-7658.9541	5756.5906	2 71
2	89-40-53	50-17-0	4.4494	2.8431	3.4225	18.7323	53.2578	-7656.1110	5760.0131	3 72
3	89-36-35	319-53-35	12.0741	9.2348	-7.7783	14.3765	132.7641	-7646.8762	5752.2348	4 31
4	90-12-43	230-6-18	4.3001	-2.7580	-3.2991	3.2991	-9.0989	-7649.6342	5748.9357	5 32
	360-0-0		32.8842			SASHIHIKI	105.580084			
						1/2	52.790042			
						MENSEKI	52.7900			
						TSUBO MENSEKI	15.9690			

14号地

79番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-17-0						-7658.9541	5756.5906	1 71
1	90-19-7	140-36-7	18.1386	-14.0167	11.5127	11.5127	-161.3701	-7672.9708	5768.1033	2 70
2	89-24-7	50-0-14	13.3192	8.5607	10.2037	33.2291	284.4644	-7664.4101	5778.3070	3 20
3	90-39-57	320-40-11	18.0738	13.9802	-11.4550	31.9778	447.0560	-7650.4299	5766.8520	4 29
4	89-36-49	230-17-0	13.3401	-8.5242	-10.2614	10.2614	-87.4702	-7658.9541	5756.5906	5 71
	360-0-0		62.8717			SASHIHIKI	482.680108			
						1/2	241.340054			
						MENSEKI	241.3401			
						TSUBO MENSEKI	73.0054			

15号地

80番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-0-14						-7672.9708	5768.1033	1 70
1	90-35-52	140-36-6	11.6000	-8.9639	7.3626	7.3626	-65.9976	-7681.9347	5775.4659	2 5
2	89-34-26	50-10-32	13.3050	8.5210	10.2184	24.9436	212.5444	-7673.4137	5785.6843	3 6
3	90-29-39	320-40-11	11.6400	9.0036	-7.3773	27.7847	250.1623	-7664.4101	5778.3070	4 20
4	89-20-3	230-0-14	13.3192	-8.5607	-10.2037	10.2037	-87.3508	-7672.9708	5768.1033	5 70
	360-0-0		49.8642			SASHIHIKI	309.358316			
						1/2	154.679158			
						MENSEKI	154.6792			
						TSUBO MENSEKI	46.7904			

倍横距面積計算書

地番: (旧) 11 (新) 78

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
7		230-06-17				-7644.1408	5755.5070	30		
30	90-02-07	140-08-24	12.0871	-9.2782	7.7468	-7653.4190	-5763.2538	73	7.7468	-71.876360
73	90-08-34	50-16-58	4.6778	2.9891	3.5982	-7650.4299	5766.8520	29	19.0918	57.067299
29	90-23-12	320-40-10	12.1022	9.3611	-7.6703	-7641.0688	5759.1817	7	15.0197	140.600914
7	89-26-07	230-06-17	4.7896	-3.0720	-3.6747	-7644.1408	5755.5070	30	3.6747	-11.288678
合計	360-00-00		33.6567	0.0000	0.0000			倍面積 面積 坪数		114.503175 57.2515875 17.318605

倍横距面積計算書

地番: (旧) 12 (新) 77

測点	測角	方向角	距離	DX	DY	X	Y	測点	倍横距	倍面積
30		230-06-22				-7646.8762	5752.2348	31		
31	89-47-13	139-53-35	12.0741	-9.2348	7.7783	-7656.1110	5760.0131	72	7.7783	-71.831045
72	90-23-28	50-17-03	4.2130	2.6920	3.2407	-7653.4190	5763.2538	73	18.7973	50.602332
73	89-51-21	320-08-24	12.0871	9.2782	-7.7468	-7644.1408	5755.5070	30	14.2912	132.596612
30	89-57-58	230-06-22	4.2649	-2.7354	-3.2722	-7646.8762	5752.2348	31	3.2722	-8.950776
合計	360-00-00		32.6391	0.0000	0.0000			倍面積 面積 坪数		102.417123 51.2085615 15.490590