

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

28-1 街区

ハイオウキヨ メンセキ ケイサンシヨ													
	ソクセン	タイカク	ホウコウカク	キヨリ	COS.A	SIN.A	D X	D Y	X	Y	ソクセン	ハイオウキヨ	ハイメンセキ
0005			231-12-36										
									-149838.7871	74402.4068	0004		
0004	94-07-41	145-20-17	16.9462	-0.822521	0.568733	-13.9386	9.6379						
						-13.9386	9.6379	-149852.7257	74412.0447	0034	9.6379	-134.338832	
0034	192-11-10	157-31-27	27.3540	-0.924040	0.382293	-25.2762	10.4573						
						-25.2762	10.4572	-149878.0019	74422.5019	0035	29.7330	-751.537254	
0035	169-25-59	146-57-26	9.1721	-0.838263	0.545265	-7.6886	5.0012						
						-7.6886	5.0012	-149885.6905	74427.5031	0036	45.1914	-347.458598	
0036	181-37-00	148-34-26	14.7409	-0.853313	0.521398	-12.5786	7.6859						
						-12.5786	7.6859	-149898.2691	74435.1890	0037	57.8785	-728.030500	
0037	88-35-23	57-09-49	28.2981	0.542241	0.840222	15.3444	23.7767						
						15.3445	23.7767	-149882.9246	74458.9657	0039	89.3411	1370.894508	
0039	173-37-49	50-47-38	17.2847	0.632111	0.774877	10.9259	13.3935						
						10.9259	13.3935	-149871.9987	74472.3592	0007	126.5113	1382.249812	
0007	90-29-46	321-17-24	66.3318	0.780321	-0.625378	51.7601	-41.4825						
						51.7601	-41.4825	-149820.2386	74430.8767	0006	98.4223	5094.348090	
0006	133-37-55	274-55-19	4.8882	0.085798	-0.996312	0.4194	-4.8702						
						0.4194	-4.8702	-149819.8192	74426.0065	0005	52.0696	21.837990	
0005	136-17-17	231-12-36	30.2775	-0.626467	-0.779447	-18.9679	-23.5997						
						-18.9679	-23.5997	-149838.7871	74402.4068	0004	23.5997	-447.636749	
TOTAL													
	1260-00-00		215.2935					-0.0001	0.0001				5460.328466
						メンセキ	2730.164233						
						ツキ スク	825.874680						

2-2号地

64-1

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-36-55						-9850.6644	4436.2550	1 110
1	92-14-54	142-41-49	4.5177	-3.5936	2.7379	2.7379	-9.8389	-9854.2580	4438.9929	2 7
2	88-12-34	50-54-23	14.9421	9.4223	11.5968	17.0726	160.8632	-9844.8357	4450.5897	3 105
3	90-23-3	321-17-26	4.5910	3.5825	-2.8711	25.7983	92.4224	-9841.2532	4447.7186	4 110
4	89-19-29	230-36-55	14.8319	-9.4112	-11.4636	11.4636	-107.8862	-9850.6644	4436.2550	5
360- 0- 0			38.8827			SASHIHIKI	135.560419			
						1/2	67.780209			
						MENSEKI	67.7802			
						TSUBO MENSEKI	20.5035			

2-2号地 借地計算

64-2イ

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 1-30						-9857.5592	4441.5080	1 7
1	91-40-20	142-41-50	3.9120	-3.1118	2.3708	2.3708	-7.3775	-9860.6710	4443.8788	2 7
2	88-21-51	51- 3-41	15.1399	9.5152	11.7761	16.5177	157.1692	-9851.1558	4455.6549	3 7
3	90-13-44	321-17-25	3.9200	3.0589	-2.4515	25.8423	79.0490	-9848.0969	4453.2034	4 7
4	89-44- 5	231- 1-30	15.0439	-9.4623	-11.6954	11.6954	-110.6654	-9857.5592	4441.5080	5 7
360- 0- 0			38.0158			SASHIHIKI	118.175392			
						1/2	59.087696			
						MENSEKI	59.0877			
						TSUBO MENSEKI	17.8740			

2-2号地 借地計算

64-2ア

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-54-23						-9854.2580	4438.9929	1 7
1	91-47-27	142-41-50	4.1501	-3.3012	2.5151	2.5151	-8.3028	-9857.5592	4441.5080	2 7
2	88-19-40	51- 1-30	15.0439	9.4623	11.6954	16.7256	158.2626	-9848.0969	4453.2034	3 7
3	90-15-52	321-17-22	4.1793	3.2612	-2.6137	25.8073	84.1628	-9844.8357	4450.5897	4 7
4	89-37- 1	230-54-23	14.9421	-9.4223	-11.5968	11.5968	-109.2685	-9854.2580	4438.9929	5 7
360- 0- 0			38.3154			SASHIHIKI	124.854035			
						1/2	62.427017			
						MENSEKI	62.4270			
						TSUBO MENSEKI	18.8842			

2-1号地 借地計算

64-2ウ

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51- 3-41						-9860.6710	4443.8788	1 7
1	91-38- 8	142-41-49	4.3620	-3.4697	2.6435	2.6435	-9.1722	-9864.1407	4446.5223	2 7
2	88-23-37	51- 5-26	15.2469	9.5764	11.8642	17.1512	164.2468	-9854.5643	4458.3865	3 7
3	90-12- 2	321-17-28	4.3680	3.4085	-2.7316	26.2838	89.5883	-9851.1558	4455.6549	4 7
4	89-46-13	231- 3-41	15.1399	-9.5152	-11.7761	11.7761	-112.0519	-9860.6710	4443.8788	5 7
360- 0- 0			39.1168			SASHIHIKI	132.610985			
						1/2	66.305493			
						MENSEKI	66.3055			
						TSUBO MENSEKI	20.0574			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

2-1 子地 (64-2)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-54-23						-9854.2580	4438.9929	1
1	91-47-26	142-41-49	34.8574	-27.7270	21.1247	21.1247	-585.7246	-9881.9850	4460.1176	2
2	88- 5-48	50-47-37	15.7982	9.9863	12.2416	54.4910	544.1635	-9871.9987	4472.3592	3
3	90-29-47	321-17-24	34.8101	27.1630	-21.7695	44.9631	1221.3327	-9844.8357	4450.5897	4
4	89-36-59	230-54-23	14.9421	-9.4223	-11.5968	11.5968	-109.2685	-9854.2580	4438.9929	5
	360- 0- 0		100.4078			SASHIHIKI	1070.503073			
						1/2	535.251537			
						MENSEKI	535.2515			
						TSUBO MENSEKI	161.9136			

2-1号地 借地計算

64-2エ

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-5-26						-9864.1407	4446.5223	1
1	91-36-22	142-41-48	10.6048	-8.4355	6.4269	6.4269	-54.2141	-9872.5762	4452.9492	2
2	88-42-19	51-24-7	15.5072	9.6742	12.1195	24.9733	241.5967	-9862.9020	4465.0687	3
3	89-53-16	321-17-23	10.6850	8.3377	-6.6822	30.4106	253.5545	-9854.5643	4458.3865	4
4	89-48-3	231-5-26	15.2469	-9.5764	-11.8642	11.8642	-113.6163	-9864.1407	4446.5223	5
	360-0-0		52.0439			SASHIHIKI	327.320719			
						1/2	163.660359			
						MENSEKI	163.6604			
						TSUBO MENSEKI	49.5073			

2-1号地

(残地)

残地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-24-7						-9872.5762	4452.9492	1
1	91-17-42	142-41-49	11.8284	-9.4088	7.1684	7.1684	-67.4460	-9881.9850	4460.1176	2
2	88-5-48	50-47-37	15.7982	9.9863	12.2416	26.5784	265.4199	-9871.9987	4472.3592	3
3	90-29-46	321-17-23	11.6577	9.0967	-7.2905	31.5295	286.8144	-9862.9020	4465.0687	4
4	90-6-44	231-24-7	15.5072	-9.6742	-12.1195	12.1195	-117.2465	-9872.5762	4452.9492	5
	360-0-0		54.7915			SASHIHIKI	367.541770			
						1/2	183.770885			
						MENSEKI	183.7709			
						TSUBO MENSEKI	55.5907			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-1号地

65-3番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		63-49-55						-9857.4771	4414.0104	1 107
1	93-41-30	157-31-25	3.2396	-2.9935	1.2385	1.2385	-3.7074	-9860.4706	4415.2489	2 212
2	86-18-30	63-49-55	23.0867	10.1813	20.7204	23.1974	236.1797	-9850.2893	4435.9693	3 210
3	78-51-50	322-41-45	3.2950	2.6209	-1.9969	41.9209	109.8705	-9847.6684	4433.9724	4 109
4	101- 8-10	243-49-55	22.2417	-9.8087	-19.9620	19.9620	-195.8013	-9857.4771	4414.0104	5 107
360- 0- 0			51.8630			SASHIHIKI	146.541456			
						1/2	73.270728			
						MENSEKI	73.2707			
						TSUBO MENSEKI	22.1644			

3-2号地

65-2番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		63-49-55						-9860.4706	4415.2489	1 212
1	93-41-32	157-31-27	7.8942	-7.2946	3.0179	3.0179	-22.0144	-9867.7652	4418.2668	2 213
2	86-18-28	63-49-55	25.1456	11.0893	22.5683	28.6041	317.1994	-9856.6759	4440.8351	3 211
3	78-51-54	322-41-49	8.0290	6.3866	-4.8658	46.3066	295.7417	-9850.2893	4435.9693	4 210
4	101- 8- 6	243-49-55	23.0867	-10.1813	-20.7204	20.7204	-210.9606	-9860.4706	4415.2489	5 212
360- 0- 0			64.1555			SASHIHIKI	379.966196			
						1/2	189.983098			
						MENSEKI	189.9831			
						TSUBO MENSEKI	57.4699			

3-3号地

65-1番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		63-49-55						-9867.7652	4418.2668	1 213
1	93-41-32	157-31-27	11.0782	-10.2367	4.2351	4.2351	-43.3534	-9878.0019	4422.5019	2 35
2	169-25-59	146-57-26	9.1721	-7.6886	5.0012	13.4714	-103.5762	-9885.6905	4427.5031	3 36
3	181-37- 0	148-34-26	14.7409	-12.5786	7.6859	26.1585	-329.0373	-9898.2691	4435.1890	4 37
4	88-35-23	57- 9-49	28.2981	15.3445	23.7767	57.6211	884.1670	-9882.9246	4458.9657	5 39
5	173-37-57	50-47-46	1.4865	0.9396	1.1519	82.5497	77.5637	-9881.9850	4460.1176	6 106
6	91-54- 3	322-41-49	31.8177	25.3091	-19.2825	64.4191	1630.3894	-9856.6759	4440.8351	7 211
7	101- 8- 6	243-49-55	25.1456	-11.0893	-22.5683	22.5683	-250.2666	-9867.7652	4418.2668	8 213
900- 0- 0			121.7391			SASHIHIKI	1865.886499			
						1/2	932.943250			
						MENSEKI	932.9432			
						TSUBO MENSEKI	282.2153			

4-1 号地

66番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-12-37						-9838.7871	4402.4068	1 4
1	94- 7-40	145-20-17	16.9462	-13.9386	9.6379	9.6379	-134.3388	-9852.7257	4412.0447	2 34
2	192-11-12	157-31-29	5.1420	-4.7514	1.9657	21.2415	-100.9269	-9857.4771	4414.0104	3 107
3	86-18-26	63-49-55	22.2417	9.8087	19.9620	43.1692	423.4337	-9847.6684	4433.9724	4 109
4	76-31-50	320-21-45	9.9345	7.6505	-6.3375	56.7937	434.5002	-9840.0179	4427.6349	5 108
5	91-18-42	231-40-27	11.1233	-6.8979	-8.7262	41.7300	-287.8494	-9846.9158	4418.9087	6 111
6	274- 7-11	325-47-38	16.7273	13.8338	-9.4036	23.6002	326.4804	-9833.0820	4409.5051	7 47
7	85-24-59	231-12-37	9.1068	-5.7051	-7.0983	7.0983	-40.4965	-9838.7871	4402.4068	8 4
900- 0- 0			91.2218			SASHIHIKI	620.802806			
						1/2	310.401403			
						MENSEKI	310.4014			
						TSUBO MENSEKI	93.8964			

4-2 号地

67番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-12-36						-9833.0820	4409.5051	1 47
1	94-35- 2	145-47-38	16.7273	-13.8338	9.4036	9.4036	-130.0875	-9846.9158	4418.9087	2 111
2	85-52-49	51-40-27	11.1233	6.8979	8.7262	27.5334	189.9226	-9840.0179	4427.6349	3 108
3	89-27-32	321- 7-59	16.7639	13.0525	-10.5196	25.7400	335.9714	-9826.9654	4417.1153	4 48
4	90- 4-37	231-12-36	9.7636	-6.1166	-7.6102	7.6102	-46.5485	-9833.0820	4409.5051	5 47
360- 0- 0			54.3781			SASHIHIKI	349.257919			
						1/2	174.628959			
						MENSEKI	174.6290			
						TSUBO MENSEKI	52.8253			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1 号地

68

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-12-35						-9826.9654	4417.1153	1 48
1	89-55-24	141- 7-59	16.7639	-13.0525	10.5196	10.5196	-137.3071	-9840.0179	4427.6349	2 108
2	179-13-46	140-21-45	9.9345	-7.6505	6.3375	27.3767	-209.4454	-9847.6684	4433.9724	3 109
3	182-20- 4	142-41-49	3.7665	-2.9960	2.2826	35.9968	-107.8464	-9850.6644	4436.2550	4 110
4	87-55- 6	50-36-55	14.8319	9.4112	11.4636	49.7430	468.1413	-9841.2532	4447.7186	5 105
5	90-40-29	321-17-24	26.9307	21.0146	-16.8419	44.3647	932.3064	-9820.2386	4430.8767	6 6
6	133-37-55	274-55-19	4.8882	0.4194	-4.8702	22.6526	-9.5005	-9819.8192	4426.0065	7 5
7	136-17-16	231-12-35	11.4071	-7.1462	-8.8912	8.8912	-63.5383	-9826.9654	4417.1153	8 48
	900- 0- 0		88.5228			SASHIHIKI	891.811018			
						1/2	445.905509			
						MENSEKI	445.9055			
						TSUBO MENSEKI	134.8864			