

35-1 街区計算

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-15-16						-148101.1477	74880.5182	1 (1)
1	90-11-40	141-26-56	25.5606	-19.9897	15.9297	15.9297	-318.4299	-148121.1374	74896.4479	2 (2)
2	92-38-26	54- 5-22	77.3337	45.3580	62.6351	94.4945	4286.0815	-148075.7794	74959.0830	3 (3)
3	87- 6-43	321-12- 5	29.3851	22.9014	-18.4122	138.7174	3176.8227	-148052.8780	74940.6708	4 (4)
4	90- 3-11	231-15-16	77.1252	-48.2697	-60.1526	60.1526	-2903.5480	-148101.1477	74880.5182	5 (1)
	360- 0- 0		209.4046							
						SASHIHIKI	4240.926315			
						1/2	2120.463158			
						MENSEKI	2120.4632			
						TSUBO MENSEKI	641.4401			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

4-2号 地

12番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		49-51-56						-8083.0132	4931.7237	1 (13)
1	89-59-59	139-51-55	10.2157	-7.8102	6.5849	6.5849	-51.4294	-8090.8234	4938.3086	2 (20)
2	94-13-27	54- 5-22	25.6495	15.0440	20.7744	33.9442	510.6565	-8075.7794	4959.0830	3 (3)
3	87- 6-44	321-12- 6	8.1670	6.3650	-5.1173	49.6013	315.7123	-8069.4144	4953.9657	4 (18)
4	89-59-58	231-12- 4	13.6908	-8.5785	-10.6699	33.8141	-290.0743	-8077.9929	4943.2958	5 (17)
5	270- 0- 0	321-12- 4	3.6220	2.8228	-2.2695	20.8747	58.9251	-8075.1701	4941.0263	6 (15)
6	88-39-52	229-51-56	12.1677	-7.8431	-9.3026	9.3026	-72.9612	-8083.0132	4931.7237	7 (13)
	720- 0- 0		73.5127			SASHIHIKI 1/2	470.829058 235.414529			
						MENSEKI	235.4145			
						TSUBO MENSEKI	71.2129			

5-1号 地

18番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		49-52-15						-8087.0239	4913.4345	1 (22)
1	89-59-41	139-51-56	17.7147	-13.5435	11.4186	11.4186	-154.6478	-8100.5674	4924.8531	2 (21)
2	94-13-25	54- 5-21	16.6131	9.7440	13.4555	36.2927	353.6361	-8090.8234	4938.3086	3 (20)
3	85-46-35	319-51-56	18.9367	14.4778	-12.2063	37.5419	543.5241	-8076.3456	4926.1023	4 (9)
4	90- 0-19	229-52-15	16.5680	-10.6783	-12.6678	12.6678	-135.2706	-8087.0239	4913.4345	5 (22)
	360- 0- 0		69.8325			SASHIHIKI 1/2	607.241811 303.620905			
						MENSEKI	303.6209			
						TSUBO MENSEKI	91.8453			

5-2 号 地

14番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		49-52-14						-8094.3362	4904.7599	1 (10)
1	89-59-43	139-51-57	16.8778	-12.9037	10.8791	10.8791	-140.3806	-8107.2399	4915.6390	2 (7)
2	94-13-25	54- 5-22	11.3764	6.6725	9.2141	30.9723	206.6627	-8100.5674	4924.8531	3 (21)
3	85-46-34	319-51-56	17.7147	13.5435	-11.4186	28.7678	389.6167	-8087.0239	4913.4345	4 (22)
4	90- 0-18	229-52-14	11.3454	-7.3123	-8.6746	8.6746	-63.4313	-8094.3362	4904.7599	5 (10)
	360- 0- 0		57.3143			SASHIHIKI 1/2	392.467451 196.233725			
						MENSEKI	196.2337			
						TSUBO MENSEKI	59.3607			

6 号 地

15番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-15-16						-8101.1477	4880.5182	1 (1)
1	90-11-40	141-26-56	18.1788	-14.2168	11.3293	11.3293	-161.0664	-8115.3645	4891.8475	2 (5)
2	90-21- 2	51-47-58	12.4329	7.6887	9.7704	32.4290	249.3369	-8107.6758	4901.6179	3 (11)
3	270-39-26	142-27-24	7.8738	-6.2431	4.7980	46.9974	-293.4095	-8113.9189	4906.4159	4 (6)
4	91-37-58	54- 5-22	11.3875	6.6790	9.2231	61.0185	407.5426	-8107.2399	4915.6390	5 (7)
5	85-46-35	319-51-57	16.8778	12.9037	-10.8791	59.3625	765.9959	-8094.3362	4904.7599	6 (10)
6	270- 0-18	49-52-15	27.9134	17.9906	21.3424	69.8258	1256.2080	-8076.3456	4926.1023	7 (9)
7	89-59-39	319-51-54	9.1880	7.0245	-5.9225	85.2457	598.8084	-8069.3211	4920.1798	8 (8)
8	91-23-22	231-15-16	50.8525	-31.8266	-39.6616	39.6616	-1262.2939	-8101.1477	4880.5182	9 (1)
	1080- 0- 0		154.7047			SASHIHIKI 1/2	1561.122023 780.561012			
						MENSEKI	780.5610			
						TSUBO MENSEKI	236.1197			

7 号 地

16番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-47-58						-8115.3645	4891.8475	1 (5)
1	89-38-58	141-26-56	7.3817	-5.7729	4.6004	4.6004	-26.5576	-8121.1374	4896.4479	2 (2)
2	92-38-25	54- 5-21	12.3072	7.2185	9.9680	19.1688	138.3700	-8113.9189	4906.4159	3 (6)
3	88-22- 3	322-27-24	7.8738	6.2431	-4.7980	24.3388	151.9496	-8107.6758	4901.6179	4 (11)
4	89-20-34	231-47-58	12.4329	-7.6887	-9.7704	9.7704	-75.1217	-8115.3645	4891.8475	5 (5)
	360- 0- 0		39.9956			SASHIHIKI 1/2	188.640221 94.320111			
						MENSEKI	94.3201			
						TSUBO MENSEKI	28.5318			

6号地 残地計算

15番の残地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-15-16						-8087.9402	4896.9771	1 (24)
1	88-49-57	140- 5-13	9.9066	-7.5985	6.3563	6.3563	-48.2983	-8095.5387	4903.3334	2 (25)
2	89-47- 2	49-52-15	29.7792	19.1931	22.7689	35.4815	681.0000	-8076.3456	4926.1023	3 (29)
3	89-59-39	319-51-54	9.1880	7.0245	-5.9225	52.3279	367.5773	-8069.3211	4920.1798	4 (28)
4	91-23-22	231-15-16	29.7496	-18.6191	-23.2027	23.2027	-432.0134	-8087.9402	4896.9771	5 (24)
	360- 0- 0		78.6234			SASHIHIKI	568.265574			
						1/2	284.132787			
						MENSEKI	284.1328			
						TSUBO MENSEKI	85.9502			

6号地 残地計算

15番の残地

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-15-17						-8101.1477	4880.5182	1 (1)
1	90-11-39	141-26-56	18.1788	-14.2168	11.3293	11.3293	-161.0664	-8115.3645	4891.8475	2 (5)
2	90-21- 2	51-47-58	12.4329	7.6887	9.7704	32.4290	249.3369	-8107.6758	4901.6179	3 (11)
3	89-22- 8	321-10- 6	18.2970	14.2532	-11.4728	30.7266	437.9524	-8093.4226	4890.1451	4 (23)
4	90- 5-11	231-15-17	12.3432	-7.7251	-9.6269	9.6269	-74.3688	-8101.1477	4880.5182	5 (1)
	360- 0- 0		61.2519			SASHIHIKI	451.854070			
						1/2	225.927035			
						MENSEKI	225.9270			
						TSUBO MENSEKI	68.3429			

6号地 借地計算

15 (ア)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-15-16						-8093.4226	4890.1451	1 (23)
1	89-54-50	141-10- 6	18.2970	-14.2532	11.4728	11.4728	-163.5241	-8107.6758	4901.6179	2 (11)
2	181-17-18	142-27-24	7.8738	-6.2431	4.7980	27.7436	-173.2061	-8113.9189	4906.4159	3 (8)
3	91-37-58	54- 5-22	11.3875	6.6790	9.2231	41.7647	278.9464	-8107.2399	4915.6390	4 (7)
4	85-46-35	319-51-57	16.8778	12.9037	-10.8791	40.1087	517.5506	-8094.3362	4904.7599	5 (10)
5	90- 0-15	229-52-12	1.8657	-1.2025	-1.4265	27.8031	-33.4332	-8095.5387	4903.3334	6 (25)
6	270-13- 1	320- 5-13	9.9066	7.5985	-6.3563	20.0203	152.1242	-8087.9402	4896.9771	7 (24)
7	91-10- 3	231-15-16	8.7597	-5.4824	-6.8320	6.8320	-37.4558	-8093.4226	4890.1451	8 (23)
	900- 0- 0		74.9681			SASHIHIKI	541.002146			
						1/2	270.501073			
						MENSEKI	270.5011			
						TSUBO MENSEKI	81.8266			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-1 号 地

17番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-15-16						-8069.3211	4920.1798	1 (8)
1	88-36-40	139-51-56	17.9091	-13.6921	11.5439	11.5439	-158.0602	-8083.0132	4931.7237	2 (13)
2	90- 0- 0	49-51-56	12.1677	7.8431	9.3026	32.3904	254.0411	-8075.1701	4941.0263	3 (15)
3	91-20- 8	321-12- 4	6.2870	4.8998	-3.9394	37.7536	184.9851	-8070.2703	4937.0869	4 (14)
4	270- 0- 1	51-12- 5	13.6909	8.5785	10.6700	44.4842	381.6077	-8061.6918	4947.7569	5 (12)
5	90- 0- 0	321-12- 5	11.3091	8.8138	-7.0861	48.0681	423.6626	-8052.8780	4940.6708	6 (4)
6	90- 3-11	231-15-16	26.2727	-16.4431	-20.4910	20.4910	-336.9356	-8069.3211	4920.1798	7 (8)
	720- 0- 0		87.6365			SASHIHIKI	749.300770			
						1/2	374.650385			
						MENSEKI	374.6504			
						TSUBO MENSEKI	113.3317			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

3-2号 地

18番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-12-5						-8070.2703	4937.0869	1 (14)
1	89-59-58	141-12-3	6.7632	-5.2709	4.2378	4.2378	-22.3370	-8075.5412	4941.3247	2 (16)
2	90-0-2	51-12-5	13.6909	8.5785	10.6700	19.1456	164.2405	-8066.9627	4951.9947	3 (17)
3	89-59-58	321-12-3	6.7632	5.2709	-4.2378	25.5778	134.8180	-8061.6918	4947.7569	4 (12)
4	90-0-2	231-12-5	13.6909	-8.5785	-10.6700	10.6700	-91.5326	-8070.2703	4937.0869	5 (14)
	360-0-0		40.9082			SASHIHIKI	185.188941			
						1/2	92.594470			
						MENSEKI	92.5945			
						TSUBO MENSEKI	28.0098			

4-1号 地

19番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-12-5						-8075.5412	4941.3247	1 (16)
1	90-0-1	141-12-6	3.1458	-2.4517	1.9711	1.9711	-4.8325	-8077.9929	4943.2958	2 (17)
2	89-59-58	51-12-4	13.6908	8.5785	10.6699	14.6121	125.3499	-8069.4144	4953.9657	3 (18)
3	90-0-7	321-12-11	3.1457	2.4517	-1.9710	23.3110	57.1516	-8066.9627	4951.9947	4 (19)
4	89-59-54	231-12-5	13.6909	-8.5785	-10.6700	10.6700	-91.5326	-8075.5412	4941.3247	5 (16)
	360-0-0		33.6732			SASHIHIKI	86.136338			
						1/2	43.068169			
						MENSEKI	43.0682			
						TSUBO MENSEKI	13.0281			