

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

御蔵菅原換地区 才街区 (隅切なし)

街区計算

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-39						-8083.8834	5700.7343	1(B)
1	89-50-31	140-23-10	66.4727	-51.2077	-42.3838	42.3838	-2170.3769	-8135.0911	5743.1181	2(A)
2	90-15-1	50-38-11	106.5034	67.5487	82.3417	167.1093	11288.0160	-8067.5424	5825.4598	3(D)
3	89-38-48	320-16-59	66.6447	51.2638	-42.5856	206.8654	10604.7065	-8016.2786	5782.8742	4(C)
4	90-15-40	230-32-39	106.3831	-67.6048	-82.1399	82.1399	-5553.0515	-8083.8834	5700.7343	5(B)
	360- 0- 0		346.0039			SASHIHIKI	14169.294039			
						1/2	7084.647019			
						MENSEKI	7084.6470			
						TSUBO MENSEKI	2143.1057			

御蔵菅原換地区 ヽ 街区

3の1号地分割

3-1号地

125番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-46						-8058.7897	5792.0077	1 (22)
1	89-59-59	140-33-45	12.2942	-9.4950	7.8097	7.8097	-74.1531	-8068.2847	5799.8174	2 (42)
2	89-51-36	50-25-21	6.6393	4.2300	5.1173	20.7367	87.7162	-8064.0547	5804.9347	3 (43)
3	90- 8-25	320-33-46	10.1769	7.8598	-6.4647	19.3893	152.3960	-8056.1949	5798.4700	4 (21)
4	89-59-53	230-33-39	1.6834	-1.0694	-1.3001	11.6245	-12.4312	-8057.2643	5797.1699	5 (18)
5	270- 0- 5	320-33-44	2.1011	1.6227	-1.3347	8.9897	14.5876	-8055.6416	5795.8352	6 (19)
6	90- 0- 2	230-33-46	4.9558	-3.1481	-3.8275	3.8275	-12.0494	-8058.7897	5792.0077	7
720- 0- 0			37.8507			SASHIHIKI	156.066153			
						1/2	78.033076			
						MENSEKI	78.0331			
						TSUBO MENSEKI	23.6050			

3-2号地

103番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-25-21						-8068.2847	5799.8174	1 (42)
1	90- 8-24	140-33-45	15.6896	-12.1173	9.9666	9.9666	-120.7683	-8080.4020	5809.7840	2 (8)
2	90- 4-26	50-38-11	20.2756	12.8596	15.6758	35.6090	457.9175	-8067.5424	5825.4598	3 (D)
3	89-38-49	320-17- 0	10.0000	7.6921	-6.3899	44.8949	345.3361	-8059.8503	5819.0699	4 (7)
4	90-16-45	230-33-45	13.5877	-8.6314	-10.4940	28.0110	-241.7741	-8068.4817	5808.5759	5 (20)
5	270- 0- 1	320-33-46	5.7321	4.4270	-3.6412	13.8758	61.4282	-8064.0547	5804.9347	6 (43)
6	89-51-35	230-25-21	6.6393	-4.2300	-5.1173	5.1173	-21.6462	-8068.2847	5799.8174	7
720- 0- 0			71.9243			SASHIHIKI	480.493117			
						1/2	240.246558			
						MENSEKI	240.2466			
						TSUBO MENSEKI	72.6746			

3-3号地

104番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-46						-8065.3660	5784.0122	1 (17)
1	89-45- 8	140-18-54	27.9709	-21.5254	17.8613	17.8613	-384.4716	-8086.8914	5801.8735	2 (10)
2	90-19-16	50-38-10	10.2317	6.4894	7.9105	43.6331	283.1526	-8080.4020	5809.7840	3 (8)
3	89-55-35	320-33-45	27.9837	21.6123	-17.7763	33.7673	729.7890	-8058.7897	5792.0077	4 (22)
4	90- 0- 1	230-33-46	10.3526	-6.5763	-7.9955	7.9955	-52.5808	-8065.3660	5784.0122	5
360- 0- 0			76.5389			SASHIHIKI	575.889223			
						1/2	287.944612			
						MENSEKI	287.9446			
						TSUBO MENSEKI	87.1032			

1-2 大 地

4210号地

105-2番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-42						-8053.2152	5755.7779	1 49
1	89-45-20	140-18-2	25.0506	-19.2741	16.0013	16.0013	-308.4107	-8072.4893	5771.7792	2 34
2	270-13-37	230-31-39	2.4225	-1.5400	-1.8700	30.1326	-46.4042	-8074.0293	5769.9092	3 54
3	91-7-44	141-39-23	6.9261	-5.4322	4.2968	32.5594	-176.8692	-8079.4615	5774.2060	4 61
4	88-58-48	50-38-11	16.5478	10.4953	12.7937	49.6499	521.0906	-8068.9662	5786.9997	5 62
5	89-40-43	320-18-54	32.0026	24.6281	-20.4358	42.0078	1034.5723	-8044.3381	5766.5639	6 53
6	90-13-48	230-32-42	13.9693	-8.8771	-10.7860	10.7860	-95.7484	-8053.2152	5755.7779	7 49
	720-0-0		96.9189							
						SASHIHIKI	928.230461			
						1/2	464.115231			
						MENSEKI	464.1152			
						TSUBO MENSEKI	140.3949			

4213号地

105-1番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-38-11						-8079.4615	5774.2060	1 61
1	91-1-19	141-39-30	7.2298	-5.6705	4.4850	4.4850	-25.4322	-8085.1320	5778.6910	2 59
2	268-55-8	230-34-38	6.5555	-4.1630	-5.0640	3.9060	-16.2607	-8089.2950	5773.6270	3 58
3	88-47-0	139-21-38	16.0608	-12.1873	10.4603	9.3023	-113.3699	-8101.4823	5784.0873	4 60
4	91-16-33	50-38-11	23.0053	14.5909	17.7862	37.5488	547.8708	-8086.8914	5801.8735	5 10
5	89-40-43	320-18-54	23.2925	17.9252	-14.8738	40.4612	725.2751	-8068.9662	5786.9997	6 62
6	90-19-17	230-38-11	16.5478	-10.4953	-12.7937	12.7937	-134.2737	-8079.4615	5774.2060	7 61
	720-0-0		92.6917							
						SASHIHIKI	983.809377			
						1/2	491.904689			
						MENSEKI	491.9047			
						TSUBO MENSEKI	148.8012			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

4の12号地

106-1番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-35-6						-8098.5939	5762.3124	167
1	89-42-30	140-17-36	16.0438	-12.3429	10.2497	10.2497	-126.5110	-8110.9368	5772.5621	268
2	90-20-37	50-38-13	14.9070	9.4545	11.5252	32.0246	302.7766	-8101.4823	5784.0873	360
3	88-43-25	319-21-38	16.0608	12.1873	-10.4603	33.0895	403.2717	-8089.2950	5773.6270	438
4	91-13-28	230-35-6	14.6455	-9.2989	-11.3146	11.3146	-105.2133	-8098.5939	5762.3124	567
360-0-0			61.6571			SASHIHIKI	474.323888			
						1/2	237.161944			
						MENSEKI	237.1619			
						TSUBO MENSEKI	71.7415			

4の16号地

106-2番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-9-37						-8107.2919	5752.8832	153
1	90-7-59	140-17-36	15.2995	-11.7703	9.7742	9.7742	-115.0453	-8119.0622	5762.6574	211
2	90-20-34	50-38-10	12.8111	8.1254	9.9047	29.4531	239.3182	-8110.9368	5772.5621	368
3	89-39-26	320-17-36	16.0438	12.3429	-10.2497	29.1081	359.2784	-8098.5939	5762.3124	467
4	90-17-27	230-35-3	8.8529	-5.6211	-6.8394	12.0190	-67.5600	-8104.2150	5755.4730	557
5	90-4-9	140-39-12	0.7035	-0.5440	0.4460	5.6256	-3.0603	-8104.7590	5755.9190	636
6	269-30-25	230-9-37	3.9537	-2.5329	-3.0358	3.0358	-7.6894	-8107.2919	5752.8832	755
720-0-0			57.6645			SASHIHIKI	405.241615			
						1/2	202.620807			
						MENSEKI	202.6208			
						TSUBO MENSEKI	61.2928			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

4711号地

106-4番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-31-36						-8087.8130	5753.1723	1 62
1	89-45-57	140-17-33	7.3868	-5.6828	4.7192	4.7192	-26.8183	-8093.4958	5757.8915	2 64
2	90-14-3	50-31-36	21.5062	13.6719	16.6011	26.0395	356.0094	-8079.8239	5774.4926	3 66
3	91-7-48	321-39-24	7.3882	5.7946	-4.5834	38.0572	220.5263	-8074.0293	5769.9092	4 57
4	88-52-12	230-31-36	21.6821	-13.7837	-16.7369	16.7369	-230.6964	-8087.8130	5753.1723	5 63

360-0-0

57.9633

SASHIHIKI

319.021013

1/2

159.510506

MENSEKI

159.5105

TSUBO MENSEKI

48.2519

4714号地

106-5番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-31-36						-8093.4958	5757.8915	1 64
1	89-46-3	140-17-39	6.7454	-5.1895	4.3093	4.3093	-22.3631	-8098.6853	5762.2008	2 65
2	90-17-30	50-35-9	14.7897	9.3903	11.4262	20.0448	188.2267	-8089.2950	5773.6270	3 68
3	179-59-29	50-34-38	6.5555	4.1630	5.0640	36.5350	152.0952	-8085.1320	5778.6910	4 59
4	91-4-51	321-39-29	6.7678	5.3081	-4.1984	37.4006	198.5261	-8079.8239	5774.4926	5 66
5	88-52-7	230-31-36	21.5062	-13.6719	-16.6011	16.6011	-226.9686	-8093.4958	5757.8915	6 67

540-0-0

56.3646

SASHIHIKI

289.516324

1/2

144.758162

MENSEKI

144.7582

TSUBO MENSEKI

43.7893

4715号地

106-3番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-31-34						-8095.8656	5743.3946	1 63
1	89-46-1	140-17-35	14.8524	-11.4263	9.4886	9.4886	-108.4196	-8107.2919	5752.8832	2 63
2	89-52-2	50-9-37	3.9537	2.5329	3.0358	22.0130	55.7567	-8104.7590	5755.9190	3 66
3	90-29-35	320-39-12	0.7035	0.5440	-0.4460	24.6028	13.3839	-8104.2150	5755.4730	4 57
4	269-55-45	50-34-57	8.7087	5.5297	6.7278	30.8846	170.7826	-8098.6853	5762.2008	5 65
5	89-42-39	320-17-36	14.1323	10.8723	-9.0285	28.5839	310.7727	-8087.8130	5753.1723	6 63
6	90-13-58	230-31-34	12.6668	-8.0526	-9.7777	9.7777	-78.7359	-8095.8656	5743.3946	7 63

720-0-0

55.0174

SASHIHIKI

363.540462

1/2

181.770231

MENSEKI

181.7702

TSUBO MENSEKI

54.9855

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果(日本測地系)ですので、あくまで参考資料として
取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

御蔵菅原換地区 才街区

502号地

108番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-38								1 (44)
1	89-50-31	140-23-9	4.3454	-3.3475	2.7707	2.7707	-9.2749	-8097.0894	5711.6647	2 (45)
2	90-9-59	50-33-8	11.7819	7.4859	9.0980	14.6394	109.5891	-8092.9510	5723.5334	3 (36)
3	89-50-0	320-23-8	4.3471	3.3488	-2.7718	20.9656	70.2096	-8089.6022	5720.7616	4 (35)
4	90-9-30	230-32-38	11.7818	-7.4872	-9.0969	9.0969	-68.1103	-8097.0894	5711.6647	
	360-0-0		32.2562			SASHIHIKI	102.413458			
						1/2	51.206729			
						MENSEKI	51.2067			
						TSUBO MENSEKI	15.4900			

501号地

107番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-39								1 (B)
1	89-50-31	140-23-10	17.1427	-13.2060	10.9304	10.9304	-144.3469	-8083.8834	5700.7343	2 (44)
2	90-9-28	50-32-38	11.7818	7.4872	9.0969	30.9577	231.7865	-8089.6022	5720.7616	3 (35)
3	269-50-30	140-23-8	4.3471	-3.3488	2.7718	42.8264	-143.4170	-8092.9510	5723.5334	4 (36)
4	270-10-0	230-33-8	11.7819	-7.4859	-9.0980	36.5002	-273.2368	-8100.4369	5714.4354	5 (45)
5	89-50-2	140-23-10	44.9846	-34.6542	28.6827	56.0849	-1943.5773	-8135.0911	5743.1181	6 (A)
6	90-15-2	50-38-12	25.2727	16.0289	19.5393	104.3069	1671.9249	-8119.0622	5762.6574	7 (11)
7	89-39-24	320-17-36	66.5138	51.1707	-42.4929	81.3533	4162.9053	-8067.8915	5720.1645	8 (1)
8	90-15-3	230-32-39	25.1649	-15.9919	-19.4302	19.4302	-310.7258	-8083.8834	5700.7343	9 B
	1080-0-0		206.9895			SASHIHIKI	3251.312754			
						1/2	1625.656377			
						MENSEKI	1625.6564			
						TSUBO MENSEKI	491.7611			

4-1 号地

117番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-37						-8038.1899	5756.2520	1 (4)
1	90-1-9	140-33-46	11.3001	-8.7273	7.1782	7.1782	-62.6463	-8046.9172	5763.4302	2 (2)
2	89-58-56	50-32-42	4.0586	2.5791	3.1337	17.4901	45.1087	-8044.3381	5766.5639	3 (2)
3	89-46-11	320-18-53	11.3003	8.6963	-7.2160	13.4078	116.5983	-8035.6418	5759.3479	4 (2)
4	90-13-44	230-32-37	4.0097	-2.5481	-3.0959	3.0959	-7.8887	-8038.1899	5756.2520	5 (4)
	360-0-0		30.6687			SASHIHIKI	91.172000			
						1/2	45.586000			
						MENSEKI	45.5860			
						TSUBO MENSEKI	13.7898			

4-2 号地

109番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-39						-8067.8915	5720.1645	1 (7)
1	89-44-57	140-17-36	36.3619	-27.9741	23.2301	23.2301	-649.8411	-8095.8656	5743.3946	2 (2)
2	90-14-0	50-31-36	36.7714	23.3763	28.3846	74.8448	1749.5945	-8072.4893	5771.7792	3 (2)
3	89-46-27	320-18-3	23.9805	18.4508	-15.3177	87.9117	1622.0412	-8054.0385	5756.4615	4 (2)
4	90-14-35	230-32-38	15.5100	-9.8564	-11.9755	60.6185	-597.4802	-8063.8949	5744.4860	5 (2)
5	269-45-24	320-18-2	12.3702	9.5177	-7.9016	40.7414	387.7644	-8054.3772	5736.5844	6 (2)
6	90-14-37	230-32-39	21.2662	-13.5143	-16.4199	16.4199	-221.9035	-8067.8915	5720.1645	7 (7)
	720-0-0		146.2602			SASHIHIKI	2290.175337			
						1/2	1145.087669			
						MENSEKI	1145.0877			
						TSUBO MENSEKI	346.3890			

4-3 号地

111番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-38						-8050.4499	5741.3561	1 (2)
1	89-45-24	140-18-2	12.3702	-9.5177	7.9016	7.9016	-75.2051	-8059.9676	5749.2577	2 (2)
2	90-14-34	50-32-36	4.6336	2.9446	-3.5776	19.3808	57.0687	-8057.0230	5752.8353	3 (2)
3	90-11-7	320-43-43	12.3701	9.5764	-7.8302	15.1282	144.8737	-8047.4466	5745.0051	4 (2)
4	89-48-55	230-32-38	4.7260	-3.0033	-3.6490	3.6490	-10.9590	-8050.4499	5741.3561	5 (2)
	360-0-0		34.0999			SASHIHIKI	115.778298			
						1/2	57.889149			
						MENSEKI	57.8891			
						TSUBO MENSEKI	17.5115			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

4 - 4 号 地

110番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-39						-8054.3772	5736.5844	1 (23)
1	89-45-23	140-18-2	12.3702	-9.5177	7.9016	7.9016	-75.2051	-8063.8949	5744.4860	2 (28)
2	90-14-37	50-32-39	6.1800	3.9273	4.7717	20.5749	80.8038	-8059.9676	5749.2577	3 (29)
3	89-45-23	320-18-2	12.3702	9.5177	-7.9016	17.4450	166.0363	-8050.4499	5741.3561	4 (26)
4	90-14-37	230-32-39	6.1800	-3.9273	-4.7717	4.7717	-18.7399	-8054.3772	5736.5844	5
360- 0- 0			37.1004			SASHIHIKI	152.895126			
						1/2	76.447563			
						MENSEKI	76.4476			
						TSUBO MENSEKI	23.1254			

4 - 5 号 地

112番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-38						-8047.4466	5745.0051	1 (25)
1	90-11-5	140-43-43	12.3701	-9.5764	7.8302	7.8302	-74.9851	-8057.0230	5752.8353	2 (30)
2	89-48-57	50-32-40	3.6520	2.3208	2.8198	18.4802	42.8888	-8054.7022	5755.6551	3 (31)
3	90- 3-36	320-36-16	12.3701	9.5594	-7.8509	13.4491	128.5653	-8045.1428	5747.8042	4 (26)
4	89-56-22	230-32-38	3.6253	-2.3038	-2.7991	2.7991	-6.4486	-8047.4466	5745.0051	5
360- 0- 0			32.0175			SASHIHIKI	90.020481			
						1/2	45.010240			
						MENSEKI	45.0102			
						TSUBO MENSEKI	13.6156			

4 - 6 号 地

113番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-35						-8045.1428	5747.8042	1 (26)
1	90- 3-41	140-36-16	12.3701	-9.5594	7.8509	7.8509	-75.0499	-8054.7022	5755.6551	2 (31)
2	89-56-23	50-32-39	1.0444	0.6637	0.8064	16.5082	10.9565	-8054.0385	5756.4615	3 (32)
3	89-45-23	320-18-2	12.3702	9.5177	-7.9016	9.4130	89.5901	-8044.5208	5748.5599	4 (27)
4	90-14-33	230-32-35	0.9788	-0.6220	-0.7557	0.7557	-0.4700	-8045.1428	5747.8042	5
360- 0- 0			26.7635			SASHIHIKI	25.026664			
						1/2	12.513332			
						MENSEKI	12.5133			
						TSUBO MENSEKI	3.7853			

4-7 号地

116番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-38								1-47
1	89-58-9	140-30-47	11.3000	-8.7210	7.1857	7.1857	-62.6665	-8040.5118	5753.4309	251
2	90-1-57	50-32-44	3.6439	2.3156	2.8136	17.1850	39.7936	-8049.2328	5760.6166	322
3	90-1-2	320-33-46	11.3001	8.7273	-7.1782	12.8204	111.8875	-8046.9172	5763.4302	446
4	89-58-52	230-32-38	3.6537	-2.3219	-2.8211	2.8211	-6.5503	-8038.1899	5756.2520	547
	360-0-0		29.8977					-8040.5118	5753.4309	
						SASHIHIKI	82.464261			
						1/2	41.232131			
						MENSEKI	41.2321			
						TSUBO MENSEKI	12.4727			

4-8 号地

115番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-39								1-48
1	90-8-16	140-40-55	11.3001	-8.7422	7.1600	7.1600	-62.5942	-8042.8057	5750.6438	250
2	89-51-42	50-32-37	3.6430	2.3151	2.8128	17.1328	39.6641	-8051.5479	5757.8038	321
3	89-58-10	320-30-47	11.3000	8.7210	-7.1857	12.7599	111.2791	-8049.2328	5760.6166	447
4	90-1-52	230-32-39	3.6097	-2.2939	-2.7871	2.7871	-6.3933	-8040.5118	5753.4309	548
	360-0-0		29.8528					-8042.8057	5750.6438	
						SASHIHIKI	81.955752			
						1/2	40.977876			
						MENSEKI	40.9779			
						TSUBO MENSEKI	12.3958			

4-9 号地

114番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-41								1-49
1	89-45-22	140-18-3	11.3001	-8.6944	7.2180	7.2180	-62.7562	-8044.5208	5748.5599	249
2	90-14-42	50-32-45	2.6238	1.6673	2.0259	16.4619	27.4469	-8053.2152	5755.7779	320
3	90-8-10	320-40-55	11.3001	8.7422	-7.1600	11.3278	99.0299	-8051.5479	5757.8038	448
4	89-51-46	230-32-41	2.6989	-1.7151	-2.0839	2.0839	-3.5741	-8042.8057	5750.6438	527
	360-0-0		27.9229					-8044.5208	5748.5599	
						SASHIHIKI	60.146543			
						1/2	30.073271			
						MENSEKI	30.0733			
						TSUBO MENSEKI	9.0972			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

面地計算

1-1号地

118番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-32-39						-8035.6418	5759.3479	1 (3)
1	89-46-15	140-18-54	11.9901	-9.2272	7.6565	7.6565	-70.6481	-8044.8690	5767.0044	2 (14)
2	90-14-51	50-33-45	18.9392	12.0309	14.6271	29.9401	360.2063	-8032.8381	5781.6315	3 (13)
3	90-0-5	320-33-50	3.3636	2.5978	-2.1366	42.4306	1 0.2262	-8030.2403	5779.4949	4 (12)
4	269-59-55	50-33-45	11.5210	7.3186	8.8979	49.1919	360.0158	-8022.9217	5788.3928	5 (4)
5	89-43-13	320-16-58	8.6363	6.6431	-5.5186	52.5712	349.2357	-8016.2786	5782.8742	6 (6)
6	90-15-41	230-32-39	30.4700	-19.3632	-23.5263	23.5263	-455.5445	-8035.6418	5759.3479	7
720- 0- 0			84.9202			SASHIHIKI	653.491631			
						1/2	326.745815			
						MENSEKI	326.7458			
						TSUBO MENSEKI	98.8406			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

1-10号地

119番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-45						-8044.8690	5767.0044	1-14
1	89-45-11	140-18-56	8.2534	-6.3516	5.2703	5.2703	-33.4748	-8051.2206	5772.2747	2-37
2	90-14-48	50-33-44	30.4814	19.3630	23.5413	34.0819	659.9278	-8031.8576	5795.8160	3-38
3	89-43-15	320-16-59	11.6170	8.9359	-7.4232	50.2000	448.5822	-8022.9217	5788.3928	4-4
4	90-16-46	230-33-45	11.5210	-7.3186	-8.8979	33.8789	-247.9461	-8030.2403	5779.4949	5-12
5	90-0-5	140-33-50	3.3636	-2.5978	2.1366	27.1176	-70.4461	-8032.8381	5781.6315	6-13
6	269-59-55	230-33-45	18.9392	-12.0309	-14.6271	14.6271	-175.9772	-8044.8690	5767.0044	7-14
	720-0-0		84.1756			SASHIHIKI	580.665776			
						1/2	290.332888			
						MENSEKI	290.3329			
						TSUBO MENSEKI	87.8257			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

1-2号 地

122番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-44						-8058.9601	5778.6968	1 4
1	89-45-11	140-18-55	8.3240	-6.4059	5.3154	5.3154	-34.0499	-8065.3660	5784.0122	2 17
2	90-14-50	50-33-45	16.9918	10.7938	13.1231	23.7539	256.3948	-8054.5722	5797.1353	3 16
3	90-0-1	320-33-46	5.6261	4.3452	-3.5739	33.3031	144.7086	-8050.2270	5793.5614	4 15
4	269-59-58	50-33-44	13.4724	8.5582	10.4049	40.1341	343.4757	-8041.6688	5803.9663	5 5
5	89-43-20	320-17-4	2.6979	2.0753	-1.7239	48.8151	101.3060	-8039.5935	5802.2424	6 40
6	90-16-40	230-33-44	30.4871	-19.3666	-23.5456	23.5456	-455.9982	-8058.9601	5778.6968	7 41
720-0-0			77.5993	SASHIHIKI 355.836970						
				1/2 177.918485						
				MENSEKI 177.9185						
				TSUBO MENSEKI 53.8203						

1-3号 地

120番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-44						-8051.2206	5772.2747	1 37
1	89-45-9	140-18-53	7.9776	-6.1393	5.0943	5.0943	-31.2754	-8057.3599	5777.3690	2 46
2	90-14-51	50-33-44	30.4859	19.3659	23.5447	33.7333	653.2757	-8037.9940	5800.9137	3 39
3	89-43-13	320-16-57	7.9776	6.1364	-5.0977	52.1803	320.1992	-8031.8576	5795.8160	4 38
4	90-16-47	230-33-44	30.4814	-19.3630	-23.5413	23.5413	-455.8302	-8051.2206	5772.2747	5 37
360-0-0			76.9225	SASHIHIKI 486.369280						
				1/2 243.184640						
				MENSEKI 243.1846						
				TSUBO MENSEKI 73.5634						

1-4号 地

121番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-44						-8057.3599	5777.3690	1 46
1	89-45-10	140-18-54	2.0793	-1.6002	1.3278	1.3278	-2.1247	-8058.9601	5778.6968	2 41
2	90-14-50	50-33-44	30.4871	19.3666	23.5456	26.2012	507.4282	-8039.5935	5802.2424	3 40
3	89-43-17	320-17-1	2.0794	1.5995	-1.3287	48.4181	77.4448	-8037.9940	5800.9137	4 39
4	90-16-43	230-33-44	30.4859	-19.3659	-23.5447	23.5447	-455.9643	-8057.3599	5777.3690	5 46
360-0-0			65.1317	SASHIHIKI 126.783860						
				1/2 63.391930						
				MENSEKI 63.3919						
				TSUBO MENSEKI 19.1761						

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

2-1 号 地

123 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-44						-8050.2270	5793.5614	1 (15)
1	90- 0- 2	140-33-46	5.6261	-4.3452	3.5739	3.5739	-15.5293	-8054.5722	5797.1353	2 (16)
2	269-59-53	230-33-39	1.6834	-1.0694	-1.3001	5.8477	-6.2535	-8055.6416	5795.8352	3 (17)
3	90- 0- 5	140-33-44	2.1011	-1.6227	1.3347	5.8823	-9.5452	-8057.2643	5797.1699	4 (18)
4	90- 0- 1	50-33-45	15.1934	9.6514	1.7341	18.9511	182.9046	-8047.6129	5808.9040	5 (6)
5	89-43-17	320-17- 2	7.7274	5.9441	-4.9377	25.7475	153.0457	-8041.6688	5803.9663	6 (5)
6	90-16-42	230-33-44	13.4724	-8.5582	-10.4049	10.4049	-89.0472	-8050.2270	5793.5614	7
720- 0- 0			45.8038	SASHIHIKI			215.575097			
				1/2			107.787549			
				MENSEKI			107.7875			
				TSUBO MENSEKI			32.6057			

2-2 号 地

124 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		50-33-45						-8056.1949	5798.4700	1 (24)
1	90- 0- 1	140-33-46	15.9089	-12.2868	10.1059	10.1059	-124.1692	-8068.4817	5808.5759	2 (20)
2	89-59-59	50-33-45	13.5877	8.6314	10.4940	30.7058	265.0340	-8059.8503	5819.0699	3 (7)
3	89-43-13	320-16-58	15.9091	12.2374	-10.1659	31.0339	379.7742	-8047.6129	5808.9040	4 (6)
4	90-16-47	230-33-45	13.5100	-8.5820	-10.4340	10.4340	-89.5446	-8056.1949	5798.4700	5
360- 0- 0			58.9157	SASHIHIKI			431.094530			
				1/2			215.547265			
				MENSEKI			215.5473			
				TSUBO MENSEKI			65.2030			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱うてください。