

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

61-1 街区計算 (隅切除<)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33- 9						-8439.4558	5784.6181	1 /
1	89-48-37	141-21-46	21.4814	-16.7795	13.4127	13.4127	-225.0584	-8456.2353	5798.0308	2 2.
2	135-12-11	96-33-57	2.0001	-0.2287	1.9870	28.8124	-6.5894	-8456.4640	5800.0178	3 3.
3	135-12- 4	51-46- 1	66.0304	40.8636	51.8669	82.6663	3378.0426	-8415.6004	5851.8847	4 4.
4	134-57-48	6-43-49	2.0001	1.9863	0.2344	134.7676	267.6889	-8413.6141	5852.1191	5 5.
5	134-57-50	321-41-39	20.3143	15.9409	-12.5920	122.4100	1951.3256	-8397.6732	5839.5271	6 6.
6	135- 1-51	276-43-30	2.0008	0.2343	-1.9870	107.8310	25.2648	-8397.4389	5837.5401	7 7.
7	134-49-39	231-33- 9	67.5734	-42.0169	-52.9220	52.9220	-2223.6184	-8439.4558	5784.6181	8 /
900- 0- 0			181.4005			SASHIHIKI	3167.055696			
						1/2	1583.527848			
						MENSEKI	1583.5278			
						TSUBO MENSEKI	479.0172			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

画 地 面 積

1 号 地

71 番

キヤクトラハース クイサンシヨ

NO.	X	Y	DX	DY	キヨリ	ホウコウカク	キヨウカク	ハイイウキヨ	ハイメンキ
016-148408.2042	75823.9808	-18.1100	14.3052	23.0784	141-41-40	90-08-31	14.3052	-259.06717200	
015-148426.3142	75838.2860	10.7138	13.5987	17.3121	51-46-01	90-04-21	42.2091	452.21985558	
004-148415.6004	75851.8847	1.9863	0.2344	2.0001	6-43-49	134-57-48	56.0422	111.31662186	
005-148413.6141	75852.1191	15.9409	-12.5920	20.3143	321-41-39	134-57-50	43.6846	696.37184014	
006-148397.6732	75839.5271	0.2343	-1.9870	2.0008	276-43-30	135-01-51	29.1056	6.81944208	
007-148397.4389	75837.5401	-10.7653	-13.5593	17.3132	231-33-09	134-49-39	13.5593	-145.96993229	
TOTAL				82.0189		719-59-60		861.69065537	

メンヤキ 430.84532768
ツホ スウ 130.33071162

メンヤキ 430.84532768
ツホ スウ 130.33071162

10-1号地

79番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-9						-8439.4558	5784.6181	1-1
1	89-48-37	141-21-46	18.2635	-14.2659	11.4035	11.4035	-162.6812	-8453.7217	5796.0216	2-2
2	90-21-27	51-43-13	11.3059	7.0040	8.8751	31.6821	221.9014	-8446.7177	5804.8967	3-2
3	89-39-10	321-22-23	18.2966	14.2938	-11.4216	29.1356	416.4584	-8432.4239	5793.4751	4-1
4	90-10-46	231-33-9	11.3090	-7.0319	-8.8570	8.8570	-62.2815	-8439.4558	5784.6181	5-1
	360-0-0		59.1750			SASHIHIKI	413.397139			
						1/2	206.698569			
						MENSEKI	206.6986			
						TSUBO MENSEKI	62.5263			

10-2号地

78番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-43-13						-8453.7217	5796.0216	1-2
1	89-38-36	141-21-49	3.2179	-2.5136	2.0092	2.0092	-5.0503	-8456.2353	5798.0308	2-2
2	135-12-8	96-33-57	2.0001	-0.2287	1.9870	6.0054	-1.3734	-8456.4640	5800.0178	3-3
3	135-12-5	51-46-2	9.8958	6.1241	7.7732	15.7656	96.5501	-8450.3399	5807.7910	4-1
4	89-36-23	321-22-25	4.6365	3.6222	-2.8943	20.6445	74.7785	-8446.7177	5804.8967	5-2
5	90-20-48	231-43-13	11.3059	-7.0040	-8.8751	8.8751	-62.1612	-8453.7217	5796.0216	6-2
	540-0-0		31.0562			SASHIHIKI	102.743658			
						1/2	51.371829			
						MENSEKI	51.3718			
						TSUBO MENSEKI	15.5400			

13-1号地

72番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-8						-8424.1299	5825.8556	1-2
1	90-8-32	141-41-40	9.4085	-7.3830	5.8319	5.8319	-43.0569	-8431.5129	5831.6875	2-1
2	90-4-21	51-46-1	8.4004	5.1987	6.5985	18.2623	94.9402	-8426.3142	5838.2860	3-1
3	89-55-39	321-41-40	9.4400	7.4077	-5.8514	19.0094	140.8159	-8418.9065	5832.4346	4-2
4	89-51-28	231-33-8	8.4004	-5.2234	-6.5790	6.5790	-34.3647	-8424.1299	5825.8556	5-2
	360-0-0		35.6493			SASHIHIKI	158.334485			
						1/2	79.167243			
						MENSEKI	79.1672			
						TSUBO MENSEKI	23.9481			

13-2号地

73番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-14						-8426.9141	5822.3486	1-2
1	90-1-4	141-34-18	9.3919	-7.3575	5.8374	5.8374	-42.9487	-8434.2716	5828.1860	2-1
2	90-11-42	51-46-0	4.4577	-2.7587	-3.5015	15.1763	41.8669	-8431.5129	5831.6875	3-1
3	89-55-40	321-41-40	9.4085	7.3830	-5.8319	12.8459	94.8413	-8424.1299	5825.8556	4-1
4	89-51-34	231-33-14	4.4778	-2.7842	-3.5070	3.5070	-9.7642	-8426.9141	5822.3486	5-2
	360-0-0		27.7359			SASHIHIKI	83.995279			
						1/2	41.997639			
						MENSEKI	41.9976			
						TSUBO MENSEKI	12.7043			

13-5 号 地

74 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-6						-8430.7241	5817.5499	1 19
1	89-49-27	141-22-33	9.3690	-7.3196	5.8482	5.8482	-42.8065	-8438.0437	5823.3981	2 12
2	90-23-30	51-46-3	6.0953	3.7721	4.7879	16.4843	62.1804	-8434.2716	5828.1860	3 13
3	89-48-15	321-34-18	9.3919	7.3575	-5.8374	15.4348	113.5615	-8426.9141	5822.3486	4 20
4	89-58-48	231-33-6	6.1273	-3.8100	-4.7987	4.7987	-18.2830	-8430.7241	5817.5499	5 19
360- 0- 0			30.9835			SASHIHIKI	114.652437			
						1/2	57.326219			
						MENSEKI	57.3262			
						TSUBO MENSEKI	17.3412			

13-3

75 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-12						-8432.4889	5815.3270	1 31
1	89-49-19	141-22-31	9.3584	-7.3113	5.8417	5.8417	-42.7104	-8439.8002	5821.1687	2 32
2	90-23-27	51-45-58	2.8382	1.7565	2.2294	13.9128	24.4378	-8438.0437	5823.3981	3 72
3	89-36-35	321-22-33	9.3690	7.3196	-5.8482	10.2940	75.3480	-8430.7241	5817.5499	4 19
4	90-10-39	231-33-12	2.8383	-1.7648	-2.2229	2.2229	-3.9230	-8432.4889	5815.3270	5 31
360- 0- 0			24.4039			SASHIHIKI	53.152400			
						1/2	26.576200			
						MENSEKI	26.5762			
						TSUBO MENSEKI	8.0393			

13-4

76 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-10						-8436.2366	5810.6066	1 30
1	89-49-19	141-22-29	9.3359	-7.2936	5.8277	5.8277	-42.5049	-8443.5302	5816.4343	2 33
2	90-23-33	51-46-2	6.0272	3.7300	4.7344	16.3898	61.1340	-8439.8002	5821.1687	3 32
3	89-36-29	321-22-31	9.3584	7.3113	-5.8417	15.2825	111.7349	-8432.4889	5815.3270	4 31
4	90-10-39	231-33-10	6.0272	-3.7477	-4.7204	4.7204	-17.6906	-8436.2366	5810.6066	5 30
360- 0- 0			30.7487			SASHIHIKI	112.673340			
						1/2	56.336670			
						MENSEKI	56.3367			
						TSUBO MENSEKI	17.0418			

13-6

77-1 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-7						-8439.7639	5806.1639	1 29
1	89-49-19	141-22-26	9.3146	-7.2769	5.8145	5.8145	-42.3115	-8447.0408	5811.9784	2 34
2	90-23-35	51-46-1	5.6727	3.5106	4.4559	16.0849	56.4676	-8443.5302	5816.4343	3 33
3	89-36-28	321-22-29	9.3359	7.2936	-5.8277	14.7131	107.3115	-8436.2366	5810.6066	4 30
4	90-10-38	231-33-7	5.6727	-3.5273	-4.4427	4.4427	-15.6707	-8439.7639	5806.1639	5 29
360- 0- 0			29.9959			SASHIHIKI	105.796845			
						1/2	52.898423			
						MENSEKI	52.8984			
						TSUBO MENSEKI	16.0018			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

13-7

77-2 番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-12						-8443.0786	5801.9888	1 / 8
1	89-49-11 / 4	141-22-23	9.2947	-7.2613	5.8022	5.8022	-42.1315	-8450.3399	5807.7910	2 / 1
2	90-23-37	51-46-0	5.3309	3.2991	4.1874	15.7918	52.0987	-8447.0408	5811.9784	3 34
3	89-36-26	321-22-26	9.3146	7.2769	-5.8145	14.1647	103.0751	-8439.7639	5806.1639	4 29
4	90-10-46	231-33-12	5.3309	-3.3147	-4.1751	4.1751	-13.8392	-8443.0786	5801.9888	5 / 8
	360-0-0		29.2711			SASHIHIKI	99.203114			
						1/2	49.601557			
						MENSEKI	49.6016			
						TSUBO MENSEKI	15.0045			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量
成果（日本測地系）ですので、あくまで参考資料として
取り扱ってください。

11号地

80番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-9						-8432.4239	5793.4751	1 17
1	89-49-14	141-22-23	13.6384	-10.6547	8.5137	8.5137	-90.7109	-8443.0786	5801.9888	2 18
2	90-10-46	51-33-9	38.8746	24.1721	30.4458	47.4732	1147.5269	-8418.9065	5832.4346	3 22
3	90-8-32	321-41-41	13.6384	10.7023	-8.4538	69.4652	743.4374	-8408.2042	5823.9808	4 16
4	89-51-28	231-33-9	38.9511	-24.2197	-30.5057	30.5057	-738.8389	-8432.4239	5793.4751	5 17
360-0-0			105.1025			SASHIHIKI	1061.414526			
						1/2	530.707263			
						MENSEKI	530.7073			
						TSUBO MENSEKI	160.5389			

11号地 (借地)

80番-ア

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-9						-8432.4239	5793.4751	1 17
1	89-49-14	141-22-23	13.6384	-10.6547	8.5137	8.5137	-90.7109	-8443.0786	5801.9888	2 18
2	90-10-48	51-33-11	5.2368	-3.2562	-4.1014	21.1288	68.7996	-8439.8224	5806.0902	3 23
3	89-48-52	321-22-3	13.6385	10.6539	-8.5148	16.7154	178.0842	-8429.1685	5797.5754	4 23
4	90-11-6	231-33-9	5.2355	-3.2554	-4.1003	4.1003	-13.3481	-8432.4239	5793.4751	5 17
360-0-0			37.7492			SASHIHIKI	142.824763			
						1/2	71.412381			
						MENSEKI	71.4124			
						TSUBO MENSEKI	21.6022			

11号地 (借地)

80番-イ

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-10						-8420.0624	5809.0448	1 24
1	90-30-32	142-3-42	13.6390	-10.7567	8.3854	8.3854	-90.1992	-8430.8191	5817.4302	2 26
2	89-29-27	51-33-9	19.1583	11.9126	15.0044	31.7752	378.5252	-8418.9065	5832.4346	3 22
3	90-8-32	321-41-41	13.6384	10.7023	-8.4538	38.3258	410.1742	-8408.2042	5823.9808	4 16
4	89-51-29	231-33-10	19.0709	-11.8582	-14.9360	14.9360	-177.1141	-8420.0624	5809.0448	5 24
360-0-0			65.5066			SASHIHIKI	521.386149			
						1/2	260.693075			
						MENSEKI	260.6931			
						TSUBO MENSEKI	78.8597			

11号地の残地 (借地)

80番

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		51-33-8						-8429.1685	5797.5754	1
1	89-48-55	141-22-3	13.6385	-10.6539	8.5148	8.5148	-90.7158	-8439.8224	5806.0902	2
2	90-11-6	51-33-9	14.4795	9.0033	11.3400	28.3696	255.4200	-8430.8191	5817.4302	3
3	90-30-33	322-3-42	13.6390	10.7567	-8.3854	31.3242	336.9450	-8420.0624	5809.0448	4
4	89-29-26	231-33-8	14.6447	-9.1061	-11.4694	11.4694	-104.4415	-8429.1685	5797.5754	5
360-0-0			56.4017			SASHIHIKI	397.207711			
						1/2	198.603855			
						MENSEKI	198.6039			
						TSUBO MENSEKI	60.0777			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。