

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱いください。

21街区(有効面積)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	ZS	X	Y	No.
0		55-16-8								
1	139-52-22	195-8-30	5.0986	-4.9216	-1.3318	-1.3318	6.5546	-1967.5377	3021.1656	1(1')
2	137-27-21	152-35-51	35.5162	-31.5311	16.3459	13.6823	-431.4180	-1972.4593	3019.8338	2(2')
3	172-47-26	145-23-17	13.7572	-11.3224	7.8143	37.8425	-428.4679	-2003.9904	3036.1797	3(7')
4	179-15-45	144-39-2	9.8888	-8.0657	5.7213	51.3781	-414.4003	-2015.3128	3043.9940	4(8')
5	98-43-45	63-22-47	71.3739	31.9809	63.8080	120.9074	3866.7275	-2023.3785	3049.7153	5(9')
6	91-41-15	335-4-2	18.8157	17.0621	-7.9318	176.7836	3016.2995	-1991.3976	3113.5233	6(16')
7	177-58-33	333-2-35	15.5186	13.8325	-7.0349	161.8169	2238.3323	-1974.3355	3105.5915	7(67')
8	180-4-28	333-7-3	36.3136	32.3894	-16.4196	138.3624	4481.4751	-1960.5030	3098.5566	8(19')
9	120-5-23	273-12-26	3.4945	0.1955	-3.4890	118.4538	23.1577	-1928.1136	3082.1370	9(22')
10	142-28-34	235-41-0	26.0427	-14.6820	-21.5095	93.4553	-1372.1107	-1927.9181	3078.6480	10(23')
11	179-35-8	235-16-8	43.7714	-24.9376	-35.9729	35.9729	-897.0778	-1942.6001	3057.1385	11(24')
	1620-0-0		279.5912					-1967.5377	3021.1656	12(7')
						SASHIHIKI	10089.071884			
						1/2	5044.535942			
						MENSEKI	5044.5359			
						TSUBO MENSEKI	1525.9721			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

六 甲 換地区 21 街区

( 8 - 1 ) 12 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
21B - 55	85 49 16	12.4065	240 53 18	-6.0359	-10.8392	-1985.5082	3097.1403	-10.8392	65.4243
21B - 15	92 47 36	12.6061	153 40 54	-11.2994	5.5890	-1996.8076	3102.7293	-16.0894	181.8006
21B - 16	89 41 53	12.0739	63 22 47	5.4100	10.7940	-1991.3976	3113.5233	.2936	1.5884
21B - 17	91 41 15	13.1509	335 4 2	11.9253	-5.5438	-1979.4723	3107.9795	5.5438	66.1115
	360 00 00	50.2374		.0000	.0000				

2A: 314.9248 A: 157.4624 47.6323 t

ACCURACY \*\*

( 8 - 30 ) 13 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
21B - 53	86 39 15	22.5166	239 41 53	-11.3609	-19.4404	-1981.3872	3083.9596	-19.4404	220.8604
21B - 54	85 55 51	10.0554	145 37 44	-8.2997	5.6768	-1989.6869	3089.6364	-33.2040	275.5832
21B - 17	95 15 33	20.9954	60 53 17	10.2146	18.3431	-1979.4723	3107.9795	-9.1841	-93.8119
21B - 67	94 10 45	5.6647	335 4 2	5.1368	-2.3880	-1974.3355	3105.5915	6.7710	34.7813
21B - 18	177 58 36	4.8344	333 2 38	4.3092	-2.1915	-1970.0263	3103.4000	2.1915	9.4436
	540 00 00	64.0665		.0000	.0001				

2A: 446.8566 A: 223.4283 67.5870 t

ACCURACY 640665

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

六 甲 換地区 21 街区

( 8 - 4 ) 10-2号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A			
21B - 56	88 9 00	12.7528	240 43 59	-6.2346	-11.1249	-1997.0422	3076.5955	-11.1249	69.3593			
21B - 13	90 51 23	11.5057	151 35 22	-10.1200	5.4743	-2007.1622	3082.0698	-16.7755	169.7681			
21B - 87	91 47 26	12.5478	63 22 48	5.6223	11.2177	-2001.5399	3093.2875	-.0835	-.4695			
21B - 86	89 12 11	12.0903	332 34 59	10.7323	-5.5671	-1990.8076	3087.7204	5.5671	59.7478			
	360 00 00	48.8966		.0000	-.0001							
								2A:	298.4057	A:	149.2028	45.1338 t

ACCURACY 488966

( 8 - 2 ) 11 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A			
21B - 54	87 12 22	8.5889	240 53 16	-4.1787	-7.5039	-1989.6869	3089.6364	-7.5039	31.3565			
21B - 14	92 31 28	12.2325	153 24 44	-10.9389	5.4749	-2000.6258	3095.1113	-9.5329	104.2794			
21B - 15	89 58 3	8.5213	63-22 47	3.8182	7.6180	-1996.8076	3102.7293	3.5600	13.5928			
21B - 55	90 18 7	12.6061	333 40 54	11.2994	-5.5890	-1985.5082	3097.1403	5.5890	63.1523			
	360 00 00	41.9488		.0000	.0001							
								2A:	212.3810	A:	106.1905	32.1226 t

ACCURACY 419488

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66

( 0 - 3 ) 10 - 1 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
21B - 60	88 59 22	12.1208	235 21 24	-6.8903	-9.9719	-1972.6344	3063.3920	-9.9719	68.7094
21B - 56	96 13 55	27.7502	151 35 19	-24.4078	13.2035	-1997.0422	3076.5955	-6.7403	164.5159
21B - 86	89 8 40	12.7528	60 43 59	6.2346	11.1249	-1990.8076	3087.7204	17.5881	109.6548
21B - 87	271 51 00	12.0903	152 34 59	-10.7323	5.5671	-2001.5399	3093.2875	34.2801	-367.9043
21B - 14	90 47 48	2.0400	63 22 47	.9141	1.8238	-2000.6258	3095.1113	41.6710	38.0915
21B - 54	90 1 57	12.2325	333 24 44	10.9389	-5.4749	-1989.6869	3089.6364	38.0199	415.8959
21B - 52	172 12 57	22.2815	325 37 41	18.3910	-12.5793	-1971.2959	3077.0571	19.9657	367.1892
21B - 51	180 44 21	6.6680	326 22 2	5.5518	-3.6932	-1965.7441	3073.3639	3.6932	20.5039
	1080 00 00	107.9361		-.0001	-.0001				

2A: 816.6563 A: 408.3281 123.5192 t

ACCURACY 763223

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
 成果（日本測地系）ですので、あくまで参考資料として  
 取り扱ってください。

( 8 - 5 ) 9 - 2 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
21B - 57	89 8 36	16.7500	240 43 58	-8.1888	-14.6119	-2005.2310	3061.9836	-14.6119	119.6539
21B - 12	94 27 23	10.7320	155 11 21	-9.7414	4.5034	-2014.9724	3066.4870	-24.7204	240.8113
21B - 13	88 11 26	17.4305	63 22 47	7.8102	15.5828	-2007.1622	3082.0698	-4.6342	-36.1940
21B - 56	88 12 35	11.5057	331 35 22	10.1200	-5.4743	-1997.0422	3076.5955	5.4743	55.3999
	360 00 00	56.4182		.0000	.0002				

2A: 379.6711 A: 189.8355 57.4252 t

ACCURACY 282091

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

9-1 号地 ( 8 - 6 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-44- 5						-2005.8148	3060.9418	1 (176)
1	94-27-17	155-11-22	10.6769	-9.6914	4.4802	4.4802	-43.4194	-2015.5062	3065.4220	2 (175)
2	88-11-22	63-22-44	1.1913	0.5338	1.0650	10.0254	5.3516	-2014.9724	3066.4870	3 (17)
3	91-48-37	335-11-21	10.7320	9.7414	-4.5034	6.5870	64.1666	-2005.2310	3061.9836	4 (57)
4	85-32-44	240-44- 5	1.1942	-0.5838	-1.0418	1.0418	-0.6082	-2005.8148	3060.9418	5 (176)
	360- 0- 0		23.7944			SASHIHIKI	25.490547			
						1/2	12.745274			
						MENSEKI	12.7453			
						TSUBO MENSEKI	3.8554			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

9-3 号地 ( 8 - 7 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-43-57						-2015.3128	3043.9940	1 ( 8 )
1	83-55- 5	144-39- 2	9.8888	-8.0657	5.7213	5.7213	-46.1463	-2023.3785	3049.7153	2 ( 9 )
2	98-43-45	63-22-47	17.5691	7.8723	15.7067	27.1493	213.7274	-2015.5062	3065.4220	3 ( 175 )
3	91-48-35	335-11-22	10.6769	9.6914	-4.4802	38.3758	371.9152	-2005.8148	3060.9418	4 ( 176 )
4	85-32-35	240-43-57	19.4278	-9.4980	-16.9478	16.9478	-160.9702	-2015.3128	3043.9940	5 ( 8 )
	360- 0- 0		57.5626			SASHIHIKI	378.526169			
						1/2	189.263084			
						MENSEKI	189.2631			
						TSUBO MENSEKI	57.2521			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

六 甲 換地区 21 街区

( 0 - 10 ) 7 - 2 号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
21B - 82	91 34 28	10.0001	241 1 5	-4.8454	-8.7478	-1987.1240	3033.9668	-8.7478	42.3866
21B - 64	90 00 00	6.5001	151 1 5	-5.6861	3.1495	-1992.8101	3037.1163	-14.3461	81.5733
21B - 65	90 16 3	10.1802	61 17 8	4.8910	8.9283	-1987.9191	3046.0446	-2.2683	-11.0942
21B - 83	88 9 29	6.5501	329 26 37	5.6405	-3.3300	-1982.2786	3042.7146	3.3300	18.7829
	360 00 00	33.2305		.0000	.0000				

2A: 131.6486 A: 65.8243 19.9118 t

ACCURACY \*\*

( 0 - 0 ) 8 号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
21B - 6	89 22 39	38.7903	240 57 58	-18.8260	-33.9156	-2000.6729	3034.4599	-33.9156	638.4951
21B - 7	91 37 54	3.7368	152 35 52	-3.3175	1.7198	-2003.9904	3036.1797	-66.1114	219.3246
21B - 8	172 47 25	13.7572	145 23 17	-11.3224	7.8143	-2015.3128	3043.9940	-56.5773	640.5908
21B - 56	95 20 41	37.3721	60 43 58	18.2706	32.6015	-1997.0422	3076.5955	-16.1615	-295.2803
21B - 59	90 51 21	17.2761	331 35 19	15.1953	-8.2200	-1981.8469	3068.3755	8.2200	124.9054
	540 00 00	110.9325		.0000	.0001				

2A: 1328.0356 A: 664.0178 200.8653 t

ACCURACY 1109325

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66

ACCURACY 502178

( 0 - 9 ) 7 - 1 号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
21B - 5	90 00 2	5.8001	241 1 7	-2.8103	-5.0738	-1989.9343	3028.8930	-5.0738	14.2589
21B - 6	91 34 45	12.0958	152 35 52	-10.7386	5.5669	-2000.6729	3034.4599	-4.5807	49.1903
21B - 59	88 22 6	38.7903	60 57 58	18.8260	33.9156	-1981.8469	3068.3755	34.9018	657.0613
21B - 60	90 37 22	10.4740	331 35 20	9.2125	-4.9835	-1972.6344	3063.3920	63.8339	588.0698
21B - 62	82 30 34	16.6403	234 5 54	-9.7578	-13.4791	-1982.3922	3049.9129	45.3713	-442.7241
21B - 63	277 9 16	3.5871	331 15 10	3.1450	-1.7252	-1979.2472	3048.1877	30.1670	94.8752
21B - 83	89 45 59	6.2565	241 1 9	-3.0314	-5.4731	-1982.2786	3042.7146	22.9687	-69.6273
21B - 65	88 25 28	6.5501	149 26 37	-5.6405	3.3300	-1987.9191	3046.0446	20.8256	-117.4668
21B - 64	271 50 31	10.1802	241 17 8	-4.8910	-8.9283	-1992.8101	3037.1163	15.2273	-74.4767
21B - 82	269 43 57	6.5001	331 1 5	5.6861	-3.1495	-1987.1240	3033.9668	3.1495	17.9084
	1440 00 00	116.8745		.0000	.0001				

2A: 717.0690 A: 358.5345 108.4566 t

ACCURACY 1168745

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

7-3 号地 ( 0 - 11 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		61- 1- 6						-1979.2472	3048.1877	1 (63)
1	90-14- 4	151-15-10	3.5871	-3.1450	1.7252	1.7252	-5.4258	-1982.3922	3049.9129	2 (62)
2	82-50-44	54- 5-54	14.1493	8.2971	11.4613	14.9117	123.7239	-1974.0951	3061.3742	3 (61)
3	1-50- 2	235-55-56	11.3501	-6.3580	-9.4021	16.9709	-107.9010	-1980.4531	3051.9721	4 (96)
4	276-56-49	332-52-45	2.8901	2.5723	-1.3175	6.2513	16.0802	-1977.8808	3050.6546	5 (95)
5	88- 8-21	241- 1- 6	2.8200	-1.3664	-2.4669	2.4669	-3.3708	-1979.2472	3048.1877	6 (63)
540- 0- 0			34.7966	SASHIHIKI			23.106577			
				1/2			11.553288			
				MENSEKI			11.5533			
				TSUBO MENSEKI			3.4949			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

4-2 号地 ( 8 - 12 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-48-33						-1988.7402	3028.2740	1 (4)
1	91-47-22	152-35-55	1.3450	-1.1941	0.6190	0.6190	-0.7391	-1989.9343	3028.8930	2 (5)
2	88-25-11	61- 1- 6	24.8768	12.0535	21.7616	22.9996	277.2257	-1977.8808	3050.6546	3 (95)
3	271-51-39	152-52-45	2.8901	-2.5723	1.3175	46.0787	-118.5282	-1980.4531	3051.9721	4 (96)
4	83- 3-11	55-55-56	11.3501	6.3580	9.4021	56.7983	361.1236	-1974.0951	3061.3742	5 (61)
5	90-10-38	326- 6-34	5.2727	4.3769	-2.9401	63.2603	276.8840	-1969.7182	3058.4341	6 (73)
6	88- 8-43	234-15-17	9.8360	-5.7460	-7.9831	52.3371	-300.7290	-1975.4642	3050.4510	7 (72)
7	103-50-15	158- 5-32	1.3621	-1.2637	0.5082	44.8622	-56.6924	-1976.7279	3050.9592	8 (71)
8	265- 5-12	243-10-44	0.8205	-0.3702	-0.7322	44.6382	-16.5251	-1977.0981	3050.2270	9 (70)
9	267-12-30	330-23-14	0.5434	0.4724	-0.2685	43.6375	20.6144	-1976.6257	3049.9585	10 (85)
10	90-25-19	240-48-33	24.8391	-12.1145	-21.6845	21.6845	-262.6969	-1988.7402	028.2740	11 (4)
1440- 0- 0			83.1358			SASHINIKI	179.936969			
						1/2	89.968484			
						MENSEKI	89.9685			
						TSUBO MENSEKI	27.2155			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

6号地 ( 8 - 13 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-16-10						-1967.5377	3021.1656	1 (1')
1	139-52-20	195-8-30	5.0986	-4.9216	-1.3318	-1.3318	6.5546	-1972.4593	3019.8338	2 (2)
2	137-27-20	152-35-50	18.3386	-16.2809	8.4402	5.7766	-94.0482	-1988.7402	3028.2740	3 (4)
3	88-12-43	60-48-33	24.8391	12.1145	21.6845	35.9013	434.9263	-1976.6257	3049.9585	4 (85)
4	89-34-47	330-23-20	7.3836	6.4193	-3.6483	53.9375	346.2410	-1970.2064	3046.3102	5 (36)
5	175-55-41	326-19-1	2.4726	2.0575	-1.3713	48.9179	100.6486	-1968.1489	3044.9389	6 (35)
6	93-56-53	240-15-54	8.8911	-4.4099	-7.7204	39.8262	-175.6296	-1972.5588	3037.2185	7 (33)
7	266-6-51	326-22-45	13.2747	11.0541	-7.3501	24.7557	273.6520	-1961.5047	3029.8684	8 (32')
8	88-53-25	235-16-10	10.5894	-6.0330	-8.7028	8.7028	-52.5040	-1967.5377	3021.1656	9 (1')

1080-0-0	90.8877	SASHIHIKI	839.840643
		1/2	419.920322
		MENSEKI	419.9203
		TSUBO MENSEKI	127.0259

5号地 ( 8 - 14 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-16-8						-1961.5047	3029.8684	1 (32')
1	91-6-37	146-22-45	13.2747	-11.0541	7.3501	7.3501	-81.2487	-1972.5588	3037.2185	2 (33)
2	93-53-9	60-15-54	8.8911	4.4099	7.7204	22.4206	98.8726	-1968.1489	3044.9389	3 (35)
3	86-3-12	326-19-6	8.5079	7.0797	-4.7183	25.4227	179.9851	-1961.0692	3040.2206	4 (34)
4	176-10-26	322-29-32	5.5465	4.3999	-3.3771	17.3273	76.2384	-1956.6693	3036.8435	5 (31')
5	92-46-36	235-16-8	8.4872	-4.8354	-6.9751	6.9751	-33.7274	-1961.5047	3029.8684	6 (32')
540-0-0	44.7074	SASHIHIKI	240.119941							
		1/2	120.059971							
		MENSEKI	120.0600							
		TSUBO MENSEKI	36.3181							

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

3-2 号地 ( 8 - 15 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-15-31						-1956.6693	3036.8435	1 (31')
1	87-14-1	142-29-32	5.5465	-4.3999	3.3771	3.3771	-14.8589	-1961.0692	3040.2206	2 (34)
2	183-49-33	146-19-5	10.9805	-9.1372	6.0896	12.8438	-117.3564	-1970.2064	3046.3102	3 (36)
3	184-4-15	150-23-20	5.8019	-5.0442	2.8668	21.8002	-109.9646	-1975.2506	3049.1770	4 (68)
4	85-56-42	56-20-2	7.8181	4.3340	6.5069	31.1739	135.1077	-1970.9166	3055.6839	5 (74)
5	90-53-45	327-13-47	1.7348	1.4587	-0.9390	36.7418	53.5953	-1969.4579	3054.7449	6 (174)
6	84-42-56	231-56-43	7.3278	-4.5170	-5.7701	30.0327	-135.6577	-1973.9749	3048.9748	7 (77)
7	278-26-36	330-23-19	4.6091	4.0071	-2.2774	21.9852	88.0969	-1969.9678	3046.6974	8 (136)
8	175-55-46	326-19-5	11.0119	9.1633	-6.1070	13.6008	124.6282	-1960.8045	3040.5904	9 (178)
9	176-10-26	322-29-31	5.5397	4.3945	-3.3730	4.1208	18.1089	-1956.4100	3037.2174	10 (30')
10	92-46-0	235-15-31	0.4550	-0.2593	-0.3739	0.3739	-0.0970	-1956.6693	3036.8435	11 (31')
	1440-0-0		60.8253			SASHIHIKI	41.602409			
						1/2	20.801204			
						MENSEKI	20.8012			
						TSUBO MENSEKI	6.2924			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

3-3 号地 ( 8 - 16 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-16-34						-1956.4100	3037.2174	1 (30')
1	87-12-57	142-29-31	5.5397	-4.3945	3.3730	3.3730	-14.8226	-1960.8045	3040.5904	2 (178)
2	183-49-34	146-19-5	11.0119	-9.1633	6.1070	12.8530	-117.7759	-1969.9678	3046.6974	3 (136)
3	184-4-14	150-23-19	4.6091	-4.0071	2.2774	21.2374	-85.1004	-1973.9749	3048.9748	4 (77')
4	81-33-24	51-56-43	7.3278	4.5170	5.7701	29.2849	132.2799	-1969.4579	3054.7449	5 (174')
5	95-16-57	327-13-40	8.8642	7.4533	-4.7982	30.2568	225.5130	-1962.0046	3049.9467	6 (39)
6	88-13-23	235-27-3	6.6664	-3.7806	-5.4907	19.9679	-75.4906	-1965.7852	3044.4560	7 (38)
7	270-52-4	326-19-7	6.3036	5.2454	-3.4958	10.9814	57.6018	-1960.5398	3040.9602	8 (78)
8	176-10-23	322-29-30	5.5328	4.3890	-3.3688	4.1168	18.0686	-1956.1508	3037.5914	9 (29')
9	92-47-4	235-16-34	0.4550	-0.2592	-0.3740	0.3740	-0.0969	-1956.4100	3037.2174	10 (30')

1260-0-0

56.3105

SASHIHIKI

140.176859

1/2

= 70.088430

MENSEKI

70.0884

TSUBO MENSEKI

21.2017

3-1 号地 ( 8 - 25 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-16-8								
1	92-25-53	147-42-1	5.8032	-4.9052	3.1009	3.1009	-15.2105	-1947.6501	3049.8538	1 (127')
2	84-42-52	52-24-53	0.9403	0.5735	0.7451	6.9469	3.9840	-1952.5553	3052.9547	2 (142)
3	95-19-8	327-44-1	5.7564	4.8675	-3.0731	4.6189	22.4825	-1951.9818	3053.6998	3 (43)
4	87-32-7	235-16-8	0.9405	-0.5358	-0.7729	0.7729	-0.4141	-1947.1143	3050.6267	4 (25')
								-1947.6501	3049.8538	5 (127')

360-0-0

13.4404

SASHIHIKI

10.841888

1/2

5.420944

MENSEKI

5.4209

TSUBO MENSEKI

1.6398

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

3-4 号地 ( 8 - 17 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-16-8						-1956.1508	3037.5914	1(29')
1	87-13-22	142-29-30	5.5328	-4.3890	3.3688	3.3688	-14.7857	-1960.5398	3040.9602	2(28)
2	183-49-37	146-19-7	6.3036	-5.2454	3.4958	10.2334	-53.6783	-1965.7852	3044.4560	3(38)
3	89-7-56	55-27-3	6.6664	3.7806	5.4907	19.2199	72.6628	-1962.0046	3049.9467	4(39)
4	91-46-38	327-13-41	6.0921	5.1224	-3.2976	21.4130	109.6860	-1956.8822	3046.6491	5(40)
5	88-45-3	235-58-44	1.9400	-1.0854	-1.6079	16.5075	-17.9172	-1957.9676	3045.0412	6(29)
6	271-59-25	327-58-9	5.7438	4.8694	-3.0464	11.8532	57.7180	-1953.0982	3041.9948	7(28)
7	87-17-59	235-16-8	5.3580	-3.0526	-4.4034	4.4034	-13.4418	-1956.1508	3037.5914	8(29)
	900-0-0		37.6367			SASHIHIKI	140.243678			
						1/2	70.121839			
						MENSEKI	70.1218			
						TSUBO MENSEKI	21.2119			

3-5 号地 ( 8 - 18 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-16-11						-1953.0982	3041.9948	1(28')
1	92-41-58	147-58-9	5.7438	-4.8694	3.0464	3.0464	-14.8341	-1957.9676	3045.0412	2(29)
2	88-0-36	55-58-45	3.7377	2.0912	3.0979	9.1907	19.2196	-1955.8764	3048.1391	3(41)
3	91-54-6	327-52-51	5.7898	4.9036	-3.0783	9.2103	45.1636	-1950.9728	3045.0608	4(27)
4	87-23-20	235-16-11	3.7306	-2.1254	-3.0660	3.0660	-6.5165	-1953.0982	3041.9948	5(28)
	360-0-0		19.0019			SASHIHIKI	43.032602			
						1/2	21.516301			
						MENSEKI	21.5163			
						TSUBO MENSEKI	6.5087			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

3-6 号地 ( 8 - 19 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-16- 6						-1950.9728	3045.0608	1(27)
1	92-36-45	147-52-51	5.7898	-4.9036	3.0783	3.0783	-15.0948	-1955.8764	3048.1391	2(22)
2	88- 5-55	55-58-46	4.9111	2.7477	4.0705	10.2271	28.1010	-1953.1287	3052.2096	3(12)
3	91-41-20	327-40- 6	5.8498	4.9429	-3.1286	11.1690	55.2073	-1948.1858	3049.0810	4(26)
4	87-36- 0	235-16- 6	4.8918	-2.7870	-4.0202	4.0202	-11.2043	-1950.9728	3045.0608	5(27)
360- 0- 0			21.4425			SASHIHIKI	57.009203			
						1/2	28.504602			
						MENSEKI	28.5046			
						TSUBO MENSEKI	8.6226			

3-7 号地 ( 8 - 20 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-16-14						-1948.1858	3049.0810	1(26)
1	92-23-52	147-40- 6	5.8498	-4.9429	3.1286	3.1286	-15.4644	-1953.1287	3052.2096	2(12)
2	84-45- 4	52-25-10	0.9402	0.5734	0.7451	7.0023	4.0151	-1952.5553	3052.9547	3(12)
3	95-16-51	327-42- 1	5.8032	4.9052	-3.1009	4.6465	22.7920	-1947.6501	3049.8538	4(27)
4	87-34-13	235-16-14	0.9403	-0.5357	-0.7728	0.7728	-0.4140	-1948.1858	3049.0810	5(26)
360- 0- 0			13.5335			SASHIHIKI	10.928785			
						1/2	5.464392			
						MENSEKI	5.4644			
						TSUBO MENSEKI	1.6530			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

\*\*\* ハイオウキヨ メンセキ ケイサンショ \*\*\*

4-1- 号地<ア>

( 8-22 )

NO.	ANG.	AZM.	L	COS	SIN	D X	D Y	X	Y	NO.	DMD	DNS
734		325-36-23						-1957.2209	3054.1138	2668 (91)		
2668	88-46-42	234-23-05	6.1013	-0.582339	-0.812945	-3.5528	-4.9595	-1960.7737	3049.1543	2669 (90)	-4.9595	17.62011160
2669	92-50-25	147-13-30	7.5535	-0.840802	0.541341	-6.3508	4.0884	-1967.1245	3053.2427	733 (75)	-5.8306	37.02897448
733	87-09-07	54-22-37	6.3147	0.582450	0.812866	3.6774	5.1334	-1963.4471	3058.3761	734 (45)	3.3912	12.47079888
734	91-13-46	325-36-23	7.5450	0.825176	-0.564874	6.2262	-4.2623	-1957.2209	3054.1138	2668 (91)	4.2623	26.53793226
ゴウケイ	360-00-00		27.5145			0.0000	0.0000					

ゴウケイ 93.65781722  
メンセキ 46.82890861  
ツホースク 14.16574485

\*\*\* ハイオウキヨ メンセキ ケイサンショ \*\*\*

4-1- 号地<イ>

( 8-21 )

NO.	ANG.	AZM.	L	COS	SIN	D X	D Y	X	Y	NO.	DMD	DNS
732		147-14-01						-1960.7737	3049.1543	2669 (90)		
2669	87-09-04	54-23-05	6.1013	0.582339	0.812945	3.5528	4.9595	-1957.2209	3054.1138	2668 (91)	4.9595	17.62011160
2668	91-13-15	325-36-20	3.8574	0.825168	-0.564886	3.1828	-2.1788	-1954.0381	3051.9350	735 (76)	7.7402	24.63550856
735	270-22-41	55-59-01	1.6553	0.559430	0.828877	0.9259	1.3717	-1953.1122	3053.3067	736 (81)	6.9331	6.41935729
736	91-43-31	327-42-32	0.6589	0.845344	-0.534221	0.5569	-0.3520	-1952.5553	3052.9547	737 (12)	7.9528	4.42891432
737	84-40-41	232-23-13	0.9405	-0.610325	-0.792150	-0.5734	-0.7451	-1953.1287	3052.2096	738 (42)	6.8557	-3.93105838
738	183-35-55	235-59-08	6.7089	-0.559401	-0.828896	-3.7535	-5.5605	-1956.8822	3046.6491	732 (40)	0.5501	-2.06480035
732	91-14-53	147-14-01	4.6285	-0.840884	0.541215	-3.8915	2.5052	-1960.7737	3049.1543	2669 (90)	-2.5052	9.74898580

ゴウケイ 900-00-00 24.5508 0.0000 0.0000  
ゴウケイ 56.85701884  
メンセキ 28.42850942  
ツホースク 8.59962409

ソウ メンセキ 75.25741803  
ソウツホースク 22.76536895

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
 成果（日本測地系）ですので、あくまで参考資料として  
 取り扱ってください。

4-4 号地 (P-24)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		52-24-53						-1952.5553	3052.9547	1 (142)
1	95-17-22	147-42-15	0.6588	-0.5569	0.3520	0.3520	-0.1960	-1953.1122	3053.3067	2 (81)
2	268-16-35	235-58-50	1.6549	-0.9259	-1.3717	-0.6677	0.6182	-1954.0381	3051.9350	3 (76)
3	89-37-31	145-36-21	11.4025	-9.4090	6.4411	4.4017	-41.4156	-1963.4471	3058.3761	4 (45)
4	88-46-37	54-22-58	4.9632	2.8904	4.0347	14.8775	43.0019	-1960.5567	3062.4108	5 (46)
5	90-21-36	324-44-34	11.8973	9.7150	-6.8677	12.0445	117.0123	-1950.8417	3055.5431	6 (44)
6	93-31-12	238-15-46	2.1674	-1.1401	-1.8433	3.3335	-3.8005	-1951.9818	3053.6998	7 (43)
7	174-9-7	232-24-53	0.9403	-0.5735	-0.7451	0.7451	-0.4273	-1952.5553	3052.9547	8 (142)
900-0-0			33.6844			SASHIHIKI	114.793005			
						1/2	57.396502			
						MENSEKI	57.3965			
						TSUBO MENSEKI	17.3624			

4-3 号地 (P-23)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		56-20-2						-1975.2506	3049.1770	1 (68)
1	94-3-18	150-23-20	2.1250	-1.8475	1.0500	1.0500	-1.9399	-1977.0981	3050.2270	2 (70)
2	92-47-24	63-10-44	0.8205	0.3702	0.7322	2.8322	1.0485	-1976.7279	3050.9592	3 (71)
3	94-54-48	338-5-32	1.3621	1.2637	-0.5082	3.0562	3.8621	-1975.4642	3050.4510	4 (72)
4	256-9-45	54-15-17	9.8360	5.7460	7.9831	10.5311	60.5117	-1969.7182	3058.4341	5 (73)
5	271-51-17	146-6-34	5.2727	-4.3769	2.9401	21.4543	-93.9033	-1974.0951	3061.3742	6 (61)
6	87-59-22	54-5-56	2.4910	1.4607	2.0178	26.4122	38.5803	-1972.6344	3063.3920	7 (60)
7	181-15-29	55-21-25	6.1708	3.5079	5.0768	33.5068	117.5385	-1969.1265	3068.4688	8 (47)
8	89-23-11	324-44-36	10.4948	8.5698	-6.0580	32.5256	278.7379	-1960.5567	3062.4108	9 (46)
9	89-38-23	234-22-59	11.2779	-6.5678	-9.1681	17.2995	-113.6197	-1967.1245	3053.2427	10 (75)
10	92-50-43	147-13-42	4.5099	-3.7921	2.4412	10.5726	-40.0924	-1970.9166	3055.6839	11 (74)
11	269-6-20	236-20-2	7.8181	-4.3340	-6.5069	6.5069	-28.2009	-1975.2506	3049.1770	12 (68)
7620-0-0			62.1788			SASHIHIKI	222.522874			
						1/2	111.261437			
						MENSEKI	111.2614			
						TSUBO MENSEKI	33.6566			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

2-1 号地 ( 8 - 26 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		55-16- 8						-1947.1143	3050.6267	1 (25')
1	92-27-53	147-44- 1	5.7564	-4.8675	3.0731	3.0731	-14.9583	-1951.9818	3053.6998	2 (43)
2	90-31-44	58-15-45	8.2148	4.3212	6.9864	13.1326	56.7486	-1947.6606	3060.6862	3 (80')
3	86-42-17	324-58- 2	6.1802	5.0605	-3.5477	16.5713	83.8591	-1942.6001	3057.1385	4 (24')
4	90-18- 6	235-16- 8	7.9235	-4.5142	-6.5118	6.5118	-29.3956	-1947.1143	3050.6267	5 (25')
360- 0- 0			28.0749			SASHIHIKI	96.253773			
						1/2	48.126886			
						MENSEKI	48.1269			
						TSUBO MENSEKI	14.5584			

2-2 号地 ( 8 - 27 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		58-15-45						-1950.8417	3055.5431	1 (44')
1	86-28-50	144-44-35	22.3921	-18.2848	12.9257	12.9257	-236.3438	-1969.1265	3068.4688	2 (47')
2	90-36-48	55-21-23	5.9500	3.3824	4.8951	30.7465	103.9970	-1965.7441	3073.3639	3 (51)
3	89-36-38	324-58- 1	22.0848	18.0835	-12.6777	22.9639	415.2677	-1947.6606	3060.6862	4 (80')
4	93-17-44	238-15-45	6.0474	-3.1811	-5.1431	5.1431	-16.3607	-1950.8417	3055.5431	5 (44')
360- 0- 0			56.4743			SASHIHIKI	266.560092			
						1/2	133.280046			
						MENSEKI	133.2800			
						TSUBO MENSEKI	40.3172			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

1号地 ( 8 - 28 )

面積計算書 地番:1.15.14-1

測点	X	Y	DX	DY	距離	方向角	キョウ角	倍横距	倍面積
24°	-1942.6001	3057.1385	-23.1440	16.2254	28.2640	144-58-02	89-17-02	16.2254	-375.52065760
51	-1965.7441	3073.3639	-5.5518	3.6932	6.6670	146-22-02	181-24-00	36.1440	-200.66425920
52	-1971.2959	3077.0571	10.7929	21.4995	24.0560	63-20-35	96-58-33	61.3367	662.00086943
19	-1960.5030	3098.5566	32.3894	-16.4196	35.3130	333-07-03	89-46-28	66.4166	2151.19382404
22	-1928.1136	3082.1370	0.1955	-3.4890	3.4940	273-12-26	120-05-23	46.5080	9.09231400
23°	-1927.9181	3078.6480	-14.6820	-21.5095	26.0420	235-41-00	142-28-34	21.5095	-315.80247900
合計					124.8360		720-00-00		1930.29961167
								面積	965.14980583
								坪数	291.95781626

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

( 0 - 29 ) 14 - 2 号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
21B - 52	90 18 1	24.0565	243 20 35	-10.7929	-21.4995	-1971.2959	3077.0571	-21.4995	232.0419
21B - 53	82 17 5	12.2261	145 37 40	-10.0913	6.9025	-1981.3872	3083.9596	-36.0965	364.2606
21B - 18	94 4 13	22.5166	59 41 53	11.3609	19.4404	-1970.0263	3103.4000	-9.7536	-110.8097
21B - 19	93 20 41	10.6842	333 2 34	9.5233	-4.8434	-1960.5030	3098.5566	4.8434	46.1251

360 00 00 69.4834 .0000 -.0002

2A: 531.6179 A: 265.8089 80.4072 t

ACCURACY 347417