

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

13街区(有効面積)

街 区 面 積

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
13B - 1	143 21 18	37.8642	242 22 56	-17.5527	-33.5500	-1945.8113	2929.7651	-33.5500	588.8931
13B - 46	103 27 20	5.7613	165 50 16	-5.5862	1.4096	-1951.3975	2931.1747	-65.6904	366.9597
13B - 47	181 51 13	11.6040	167 41 29	-11.3373	2.4737	-1962.7348	2933.6484	-61.8071	700.7256
13B - 2	176 42 36	10.2734	164 24 5	-9.8950	2.7625	-1972.6298	2936.4109	-56.5709	559.7690
13B - 3	183 1 30	14.7326	167 25 35	-14.3793	3.2072	-1987.0091	2939.6181	-50.6012	727.6098
13B - 4	164 28 25	3.1101	151 54 00	-2.7435	1.4649	-1989.7526	2941.0830	-45.9291	126.0065
13B - 5	158 00 34	6.0621	129 54 34	-3.8893	4.6500	-1993.6419	2945.7330	-39.8142	154.8494
13B - 6	117 29 27	60.5346	67 24 1	23.2629	55.8863	-1970.3790	3001.6193	20.7221	482.0561
13B - 7	121 33 1	4.8592	8 57 2	4.8000	.7560	-1965.5790	3002.3753	77.3644	371.3491
13B - 8	126 2 49	22.2308	314 59 51	15.7189	-15.7202	-1949.8601	2986.6551	62.4002	980.8625
13B - 9	186 1 3	26.4163	321 00 54	20.5337	-16.6189	-1929.3264	2970.0362	30.0611	617.2656
13B - 10	138 00 44	6.8054	279 1 38	1.0678	-6.7211	-1928.2586	2963.3151	6.7211	7.1768
	1800 00 00	210.2540		.0000	.0001				

2A: 5683.5232 A: 2841.7616 859.6328 t

ACCURACY 2102540

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

9-2 号地 (13-2)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-1-4						-1963.2031	2963.5278	1(37)
1	88-51-21	148-52-25	8.5918	-7.3548	4.4413	4.4413	-32.6649	-1970.5579	2967.9691	2(45)
2	90-18-46	59-11-11	7.6383	3.9127	6.5601	15.4427	60.4227	-1966.6452	2974.5292	3(44)
3	270-2-11	149-13-22	14.0000	-12.0283	7.1638	29.1666	-350.8246	-1978.6735	2981.6930	4(50)
4	98-10-40	67-24-2	8.5101	3.2703	7.8566	44.1870	144.5047	-1975.4032	2989.5496	5(78)
5	81-58-46	329-22-48	9.6366	8.2929	-4.9083	47.1353	390.8883	-1967.1103	2984.6413	6(77)
6	269-35-48	58-58-36	1.2030	0.6200	1.0309	43.2579	26.8199	-1966.4903	2985.6722	7(74)
7	87-43-12	326-41-48	0.1521	0.1271	-0.0835	44.2053	5.6185	-1966.3632	2985.5887	8(73)
8	144-20-7	291-1-55	1.6233	0.5826	-1.5152	42.6066	24.8226	-1965.7806	2984.0735	9(72)
9	149-4-0	260-5-55	3.8754	-0.6664	-3.8177	37.2737	-24.8392	-1966.4470	2980.2558	10(71)
10	250-0-15	330-6-10	11.1693	9.6829	-5.5673	27.8887	270.0435	-1956.7641	2974.6885	11(70)
11	89-54-54	240-1-4	12.8850	-6.4390	-11.1607	11.1607	-71.8637	-1963.2031	2963.5278	12(37)
1620-0-0			79.2849			SASHIHIKI	442.927789			
						1/2	221.463894			
						MENSEKI	221.4639			
						TSUBO MENSEKI	66.9928			

10-1 号地 (13-1)

ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.	
	58-58-44						-1967.1103	2984.6413	1(77)	
90-24-6	149-22-50	9.6365	-8.2929	4.9082	4.9082	-40.7032	-1975.4032	2989.5495	2(78)	
98-1-10	67-24-0	13.0737	5.0242	12.0698	21.8862	109.9606	-1970.3790	3001.6193	3(6)	
121-33-2	8-57-2	4.8592	4.8000	0.7560	34.7120	166.6176	-1965.5790	3002.3753	4(7)	
126-2-51	314-59-53	8.0660	5.7033	-5.7037	29.7643	169.7547	-1959.8757	2996.6716	5(72)	
103-58-51	238-58-44	14.0381	-7.2346	-12.0303	12.0303	-87.0344	-1967.1103	2984.6413	6(77)	
540-0-0			49.6735			SASHIHIKI	318.595358			
						1/2	159.297679			
						MENSEKI	159.2977			
						TSUBO MENSEKI	48.1875			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

( 13 - 3 )

11号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
13B - 44	81 49 20	14.0000	329 13 22	12.0283	-7.1638	-1966.6452	2974.5292	-7.1638	-86.1683
13B - 45	89 57 49	7.6383	239 11 11	-3.9127	-6.5601	-1970.5579	2967.9691	-20.8877	81.7273
13B - 20	89 41 18	12.9090	148 52 29	-11.0506	6.6728	-1981.6085	2974.6419	-20.7750	229.5762
13B - 50	98 31 33	7.6375	67 24 2	2.9350	7.0511	-1978.6735	2981.6930	-7.0511	-20.6950
	360 00 00	42.1848		.0000	-.0001				

2A: 204.4402 A: 102.2201 30.9215 t

ACCURACY 421848

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

( 13 - 4 )

12号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
13B - 37	81 28 26	21.5007	328 52 28	18.4054	-11.1141	-1963.2031	2963.5278	-11.1141	-204.5594
13B - 35	91 8 36	7.0468	240 1 4	-3.5215	-6.1038	-1966.7246	2957.4240	-28.3320	99.7711
13B - 19	89 8 31	20.5700	149 9 35	-17.6614	10.5452	-1984.3860	2967.9692	-23.8906	421.9414
13B - 20	98 14 27	7.2277	67 24 2	2.7775	6.6727	-1981.6085	2974.6419	-6.6727	-18.5334
	360 00 00	56.3452		.0000	.0000				

2A: 298.6197 A: 149.3098 45.1662 t

ACCURACY \*\*

( 13 - 5 )

13号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
13B - 35	81 45 33	20.5700	329 9 35	17.6614	-10.5452	-1966.7246	2957.4240	-10.5452	-186.2430
13B - 34	90 51 28	4.9388	240 1 3	-2.4681	-4.2779	-1969.1927	2953.1461	-25.3683	62.6115
13B - 18	89 1 1	19.9351	149 2 4	-17.0939	10.2571	-1986.2866	2963.4032	-19.3891	331.4353
13B - 19	98 21 58	4.9458	67 24 2	1.9006	4.5660	-1984.3860	2967.9692	-4.5660	-8.6781
	360 00 00	50.3897		.0000	.0001				

2A: 199.1257 A: 99.5628 30.1177 t

ACCURACY 503897

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

( 13 - 6 )

14-1号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	
13B - 34	81 38 3	19.9351	329 2 4	17.0939	-10.2571	-1969.1927	2953.1461	-10.2571	-175.3338	
13B - 33	90 59 00	7.2731	240 1 4	-3.6346	-6.2998	-1972.8273	2946.8463	-26.8140	97.4582	
13B - 17	89 3 8	18.9888	149 4 12	-16.2885	9.7601	-1989.1158	2956.6064	-23.3537	380.3967	
13B - 18	98 19 49	7.3621	67 24 1	2.8292	6.7968	-1986.2866	2963.4032	-6.7968	-19.2295	
	360 00 00	53.5591		.0000	.0000					
						2A:	283.2916	A:	141.6458	42.8478 t

ACCURACY \*\*

14-2号地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	
13B - 33	81 40 11	18.9888	329 4 12	16.2885	-9.7601	-1972.8273	2946.8463	-9.7601	-158.9774	
13B - 16	90 56 52	10.6289	240 1 4	-5.3116	-9.2066	-1978.1389	2937.6397	-28.7268	152.5853	
13B - 3	107 24 32	9.0881	167 25 36	-8.8702	1.9784	-1987.0091	2939.6181	-35.9550	318.9280	
13B - 4	164 28 24	3.1101	151 54 00	-2.7435	1.4645	-1989.7526	2941.0830	-32.5117	89.1958	
13B - 5	158 00 34	6.0621	129 54 34	-3.8893	4.6500	-1993.6419	2945.7330	-26.3968	102.6651	
13B - 17	117 29 27	11.7778	67 24 1	4.5261	10.8734	-1989.1158	2956.6064	-10.8734	-49.2141	
	720 00 00	59.6558		.0001	.0001					
						2A:	455.1827	A:	227.5913	68.8463 t

ACCURACY 421830

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果(日本測地系)ですので、あくまで参考資料として取り扱ってください。

14-2 号地 (13-8)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-1-4						-1978.1389	2937.6397	1(16)
1	107-24-32	167-25-36	9.0882	-8.8702	1.9784	1.9784	-17.5488	-1987.0091	2939.6181	2(3)
2	164-28-16	151-53-52	0.5101	-0.4500	0.2403	4.1971	-1.8887	-1987.4591	2939.8584	3(A)
3	88-13-45	60-7-37	13.5171	6.7326	11.7211	16.1585	108.7887	-1980.7265	2951.5795	4(B)
4	88-56-35	329-4-12	9.2087	7.8992	-4.7332	23.1464	182.8380	-1972.8273	2946.8463	5(33)
5	90-56-52	240-1-4	10.6290	-5.3116	-9.2066	9.2066	-48.9018	-1978.1389	2937.6397	6(16)
540-0-0			42.9531			SASHIHIKI	223.287485			
						1/2	111.643742			
						MENSEKI	111.6437			
						TSUBO MENSEKI	33.7722			

14-3 号地 (13-7)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60-7-37						-1987.4591	2939.8584	1(A)
1	91-46-24	151-54-1	2.6000	-2.2935	1.2246	1.2246	-2.8086	-1989.7526	2941.0830	2(4)
2	158-0-33	129-54-34	6.0621	-3.8893	4.6500	7.0992	-27.6109	-1993.6419	2945.7330	3(5)
3	117-29-27	67-24-1	11.7778	4.5261	10.8734	22.6226	102.3921	-1989.1158	2956.6064	4(17)
4	81-40-10	329-4-11	9.7801	8.3893	-5.0269	28.4691	238.8358	-1980.7265	2951.5795	5(B)
5	91-3-26	240-7-37	13.5171	-6.7326	-11.7211	11.7211	-78.9135	-1987.4591	2939.8584	6(A)
540-0-0			43.7371			SASHIHIKI	231.894954			
						1/2	115.947477			
						MENSEKI	115.9475			
						TSUBO MENSEKI	35.0741			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

5号地 (13-10)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		62-22-57						-1945.8113	2929.7651	1(1)
1	103-27-19	165-50-16	5.7613	-5.5862	1.4096	1.4096	-7.8743	-1951.3975	2931.1747	2(46)
2	181-51-15	167-41-31	5.1584	-5.0398	1.0996	3.9188	-19.7500	-1956.4373	2932.2743	3(15)
3	75-15-23	62-56-54	15.1372	6.8843	13.4811	18.4995	127.3561	-1949.5530	2945.7554	4(折32)
4	90-39-58	333-36-52	10.7305	9.6126	-4.7687	27.2119	261.5771	-1939.9404	2940.9867	5(14)
5	88-46-5	242-22-57	12.6646	-5.8709	-11.2216	11.2216	-65.8809	-1945.8113	2929.7651	6(1)

540-0-0

49.4520

SASHIHIKI 295.428051  
1/2 147.714025  
MENSEKI 147.7140  
TSUBO MENSEKI 44.6835

8号地 (13-9)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		62-56-54						-1956.4373	2932.2743	1(15)
1	104-44-34	167-41-28	6.4457	-6.2975	1.3741	1.3741	-8.6534	-1962.7348	2933.6484	2(47)
2	176-42-37	164-24-5	10.2734	-9.8950	2.7625	5.5107	-54.5284	-1972.6298	2936.4109	3(2)
3	183-1-29	167-25-34	5.6445	-5.5091	1.2288	9.5020	-52.3475	-1978.1389	2937.6397	4(16)
4	72-35-30	60-1-4	25.1589	12.5727	21.7921	32.5229	408.9007	-1965.5662	2959.4318	5(36)
5	92-19-2	332-20-6	20.5377	18.1898	-9.5357	44.7793	814.5265	-1947.3764	2949.8961	6(31)
6	89-56-9	242-16-15	4.6779	-2.1766	-4.1407	31.1029	-67.6986	-1949.5530	2945.7554	7(折32)
7	180-40-39	242-56-54	15.1372	-6.8843	-13.4811	13.4811	-92.8079	-1956.4373	2932.2743	8(15)

900-0-0

87.8753

SASHIHIKI 947.391428  
1/2 473.695714  
MENSEKI 473.6957  
TSUBO MENSEKI 143.2930

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果(日本測地系)ですので、あくまで参考資料として  
取り扱ってください。

4号地 (13-11)

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		62-22-55						-1939.9404	2940.9867	1(14)
1	91-13-57	153-36-52	10.7305	-9.6126	4.7687	4.7687	-45.8396	-1949.5530	2945.7554	2(13)
2	88-39-24	62-16-16	7.6052	3.5386	6.7318	16.2692	57.5702	-1946.0144	2952.4872	3(30)
3	90-30-29	332-46-45	10.7135	9.5270	-4.9006	18.1004	172.4425	-1936.4874	2947.5866	4(13)
4	89-36-10	242-22-55	7.4486	-3.4530	-6.5999	6.5999	-22.7895	-1939.9404	2940.9867	5(14)
	360-0-0		36.4978			SASHIHIKI	161.383642			
						1/2	80.691821			
						MENSEKI	80.6918			
						TSUBO MENSEKI	24.4093			

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

3号地 ( 13 - 12 )

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
13B - 12	90 44 46	10.7008	333 1 00	9.5359	-4.8553	-1933.3522	2953.5792	-4.8553	-46.2996
13B - 13	89 21 57	6.7632	242 22 57	-3.1352	-5.9926	-1936.4874	2947.5866	-15.7032	49.2327
13B - 30	90 23 48	10.7135	152 46 45	-9.5270	4.9006	-1946.0144	2952.4872	-16.7952	160.0079
13B - 28	89 29 29	6.7189	62 16 14	3.1263	5.9473	-1942.8881	2958.4345	-5.9473	-18.5930
	360 00 00	34.8964		.0000	.0000				

2A: 144.3480 A: 72.1740 21.8326 t

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

1 号地 ( 13 - 14 )

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
13B - 10	138 00 43	6.8054	279 1 38	1.0678	-6.7211	-1928.2586	2963.3151	-6.7211	-7.1768
13B - 11	143 21 25	2.1799	242 23 3	-1.0105	-1.9316	-1929.2691	2961.3835	-15.3738	15.5352
13B - 27	85 51 25	10.8444	148 14 28	-9.2207	5.7079	-1938.4898	2967.0914	-11.5975	106.9371
13B - 26	94 49 33	8.2353	63 4 1	3.7302	7.3421	-1934.7596	2974.4335	1.4525	5.4181
13B - 9	77 56 54	6.9897	321 00 55	5.4332	-4.3973	-1929.3264	2970.0362	4.3973	23.8914
	540 00 00	35.0547		.0000	.0001				
				2A:	144.6050	A:	72.3025	21.8715 t	

ACCURACY 350547

2 号地 ( 13 - 13 )

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
13B - 11	85 10 29	10.8444	328 14 28	9.2207	-5.7079	-1929.2691	2961.3835	-5.7079	-52.6308
13B - 12	94 8 27	8.8079	242 22 55	-4.0831	-7.8043	-1933.3522	2953.5792	-19.2201	78.4776
13B - 28	90 38 5	10.7008	153 1 00	-9.5359	4.8553	-1942.8881	2958.4345	-22.1691	211.4023
13B - 27	90 2 59	9.7101	63 3 59	4.3983	8.6569	-1938.4898	2967.0914	-8.6569	-38.0756
	360 00 00	40.0632		.0000	.0000				
				2A:	199.1735	A:	99.5867	30.1249 t	

ACCURACY \* \*

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

( 13 - 15 )

6 - 1 号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
13B - 29	179 12 22	1.1200	242 16 22	-.5211	-.9914	-1943.4092	2957.4431	-.9914	.5166
13B - 40	88 38 49	8.8031	150 55 11	-7.6934	4.2786	-1951.1026	2961.7217	2.2958	-17.6625
13B - 25	88 23 18	20.3757	59 18 29	10.4002	17.5216	-1940.7024	2979.2433	24.0960	250.6032
13B - 26	81 42 25	7.6453	321 00 54	5.9428	-4.8098	-1934.7596	2974.4335	36.8078	218.7414
13B - 28	102 3 6	17.9455	243 4 00	-8.1285	-15.9990	-1942.8881	2958.4345	15.9990	-130.0479
	540 00 00	55.8896		.0000	-.0001				
						2A: 322.1508	A: 161.0754	48.7253 t	

ACCURACY 558896

( 13 - 16 )

6 - 2 号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A
13B - 41	98 17 39	8.0970	239 18 32	-4.1328	-6.9629	-1944.8352	2972.2804	-6.9629	28.7763
13B - 42	89 36 30	7.6920	148 55 2	-6.5876	3.9712	-1951.4228	2976.2516	-9.9546	65.5769
13B - 24	94 9 58	9.2749	63 5 00	4.1987	8.2701	-1947.2241	2984.5217	2.2867	9.6012
13B - 25	77 55 53	8.3901	321 00 53	6.5217	-5.2784	-1940.7024	2979.2433	5.2784	34.4241
	360 00 00	33.4540		.0000	.0000				
						2A: 138.3785	A: 69.1892	20.9297 t	

ACCURACY \* \*

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量成果（日本測地系）ですので、あくまで参考資料として取り扱ってください。

( 13 - 17 )

6 - 3 号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	
13B - 39	90 23 26	13.7887	239 18 28	-7.0381	-11.8572	-1951.8733	2960.4232	-11.8572	83.4521	
13B - 49	75 24 30	8.8632	134 42 58	-6.2361	6.2982	-1958.1094	2966.7214	-17.4162	108.6092	
13B - 23	105 18 6	20.9425	60 1 4	10.4656	18.1400	-1947.6438	2984.8614	7.0220	73.4894	
13B - 24	80 59 45	.5399	321 00 49	.4197	-.3397	-1947.2241	2984.5217	24.8223	10.4179	
13B - 42	102 4 11	9.2749	243 5 00	-4.1987	-8.2701	-1951.4228	2976.2516	16.2125	-68.0714	
13B - 41	265 50 2	7.6920	328 55 2	6.5876	-3.9712	-1944.8352	2972.2804	3.9712	26.1607	
	720 00 00	61.1012		.0000	.0000					
						2A:	234.0579	A:	117.0289	35.4012 t

ACCURACY \*\*

( 13 - 18 )

6 - 4 号 地

ST	AN	D	AZ	DX	DY	X	Y	DMD	2A	
13B - 31	91 21 3	8.5262	242 16 14	-3.9672	-7.5470	-1947.3764	2949.8961	-7.5470	29.9404	
13B - 36	90 3 52	20.5377	152 20 6	-18.1898	9.5357	-1965.5662	2959.4318	-5.5583	101.1044	
13B - 8	87 40 58	31.4291	60 1 4	15.7061	27.2233	-1949.8601	2986.6551	31.2007	490.0413	
13B - 23	80 59 54	2.8512	321 00 58	2.2163	-1.7937	-1947.6438	2984.8614	56.6303	125.5097	
13B - 49	99 00 6	20.9425	240 1 4	-10.4656	-18.1400	-1958.1094	2966.7214	36.6966	-384.0519	
13B - 39	254 41 54	8.8632	314 42 58	6.2361	-6.2982	-1951.8733	2960.4232	12.2584	76.4446	
13B - 40	284 35 36	1.5100	59 18 34	.7707	1.2985	-1951.1026	2961.7217	7.2587	5.5943	
13B - 29	91 36 37	8.8031	330 55 11	7.6934	-4.2786	-1943.4092	2957.4431	4.2786	32.9170	
	1080 00 00	103.4630		.0000	.0000					
						2A:	477.4998	A:	238.7499	72.2218 t

ACCURACY \*\*

取扱注意

この資料は、土地区画整理事業に伴う換地処分時の測量  
成果（日本測地系）ですので、あくまで参考資料として  
取り扱ってください。

9-1 号地 ( 13 - 19 )

No.	ANGLE	AZIMUTH	LENGTH	DX	DY	DMD	2S	X	Y	No.
0		60- 1- 4						-1956.7641	2974.6885	1 (70)
1	90- 5- 6	150- 6-10	11.1693	-9.6829	5.5673	5.5673	-53.9076	-1966.4470	2980.2558	2 (71)
2	109-59-45	80- 5-55	3.8754	0.6664	3.8177	14.9523	9.9642	-1965.7806	2984.0735	3 (72)
3	210-56- 0	111- 1-55	1.6233	-0.5826	1.5152	20.2852	-11.8182	-1966.3632	2985.5887	4 (73)
4	215-39-53	146-41-48	0.1521	-0.1271	0.0835	21.8839	-2.7814	-1966.4903	2985.6722	5 (74)
5	92-16-56	58-58-44	12.8351	6.6146	10.9994	32.9668	218.0622	-1959.8757	2996.6716	6 (75)
6	76- 1- 7	314-59-51	14.1648	10.0156	-10.0165	33.9497	340.0266	-1949.8601	2986.6551	7 (76)
7	105- 1-13	240- 1- 4	13.8154	-6.9040	-11.9666	11.9666	-82.6174	-1956.7641	2974.6885	8 (70)
	900- 0- 0		57.6354							
						SASHIHIKI	416.928407			
						1/2	208.464203			
						MENSEKI	208.4642			
						TSUBO MENSEKI	63.0604			